LR6 53295-1-4

1982/1983 VITAL STATISTICS OF LOUISIANA

DEPARTMENT OF HEALTH AND HUMAN RESOURCES
OFFICE OF PREVENTIVE AND PUBLIC HEALTH SERVICES
DIVISION OF RECORDS AND STATISTICS

PUBLIC HEALTH STATISTICS

This public document was published at a total cost of $3329.81. Six hundred fifty (650) copies of this public document were pubished in this first printing at a cost of $3329.81. The total cost of all printings of this document including reprints is $3329.81. This document was published for the Office of Preventive and Public Health Services by the Division of Administration, Administrative Services, Print Shop, P.O. Box 94095, Baton Rouge, Louisiana 70804, to supply data needed for health planning and program activities under authority of R.S. 40:36. This material was printed in accordance with the standards for printing by state agencies established pursuant to R.S. 43:31.

Cover

and

Chapter Introduction Pages

By

KENNETH JONES

Illustrator

1982/1983 VITAL STATISTICS OF LOUISIANA

DEPARTMENT OF HEALTH AND HUMAN RESOURCES
OFFICE OF PREVENTIVE AND PUBLIC HEALTH SERVICES
DIVISION OF RECORDS AND STATISTICS



EDWIN W. EDWARDS
Governor

SANDRA L. ROBINSON, M.D., M.P.H.
Secretary
State Health Officer

DANETA DANIEL BARDSLEY, Ed.D.
Assistant Secretary

Prepared By
PUBLIC HEALTH STATISTICS

THOMAS E. BALLINGER
Statistical Officer

LILLIAN CHILES
Classification Methods Supervisor

AUDREY P. COLLINS
Statistical Services Supervisor

FRANCES N. BARI
Assistant Statistical Officer

MARY LEE ESTEVE
Chief Nosologist

BEATRICE R. BONIN
Graphic Specialist

CONTENTS

Narrative

	Page
Introduction	i
Population Estimates for Louisiana Parishes, Preliminary, July 1, 1982	viii
Population Estimates for Louisiana Parishes, Preliminary, July 1, 1983	ix
Summary of Vital Events in 1982 and 1983	x

Tables

	1982 Data	1983 Data
NATALITY		
Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child, Louisiana:		
By Parish	1	105
By State Planning Districts and Health Service Areas	9	114
Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex of Child, Race, and Attendant, Louisiana	10	115
Live Births Showing Hospital in Which Birth Occurred, by Sex and Race, Louisiana	13	118
Congenital Anomalies Specified on Birth Certificate, Shown by Type of Anomalies and Age of Mother, Louisiana Residents	19	123
Immature Births Showing Hospital in Which Birth Occurred, Louisiana	19	124
Live Births by Live Birth Order by Weight of Child, Louisiana Residents	23	128
Live Births by Weight of Child, Shown by Sex and Race, Louisiana Residents	23	128
Live Births by Birth Weight, Age of Mother, and Race of Child, Louisiana Residents	24	129
Live Births by Birth Order, Shown by Age of Mother and Race of Child, Louisiana Residents	25	130
Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child, Louisiana:		
By Parish	26	131
By State Planning Districts and Health Service Areas	30	135
FETAL MORTALITY:		
Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race, Louisiana:		
By Parish	31	136
By State Planning Districts and Health Service Areas	35	140
Stillbirths Shown by Selected Causes, Age of Mother, and Race of Child, Louisiana Residents	36	141
Reported Induced Terminations of Pregnancy by Weeks of Gestation, Race, Age, and Marital Status, Louisiana	39	144
Reported Induced Terminations of Pregnancy by Type of Procedure and Weeks of Gestation, Louisiana	40	145
MORTALITY:		
Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age, Louisiana:		
By Parish	41	146
By State Planning Districts and Health Service Areas	51	156
Deaths Showing Hospital in Which Death Occurred, by Age, Louisiana	53	158
Principal Causes of Death by Parish, Louisiana	60	165
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race and Age, Louisiana Residents	62	167
Accidental Deaths Occurring in Louisiana, by Type of Accident, Shown by Geographic Location Where Accident Occurred, Louisiana	71	176
Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age, Louisiana:		
By Parish	73	178
By State Planning Districts and Health Service Areas	81	187
Infant Mortality Rates by Place of Residence, Shown by Age at Death and Race, Louisiana by State Planning District and Health Service Areas	82	188
Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age, Louisiana Residents	83	189
Maternal Deaths by Place of Occurrence, Reallocated to Usual Residence of Deceased and Shown by Race and Age, Louisiana	89	195
Maternal Deaths by Cause, Shown by Race, and Age, Louisiana Residents	90	196
MORBIDITY:		
Reportable Diseases by Parish, Louisiana	91	197
Reportable Diseases by Race and Age, Louisiana	95	203
MARRIAGE AND DIVORCE:		
Marriages, Final Divorces, and Annulments Granted, Louisiana	99	208
Marriages by Month of Occurrence, Louisiana	101	209
Marriages by Race of Bride, by Race of Groom, Louisiana	101	209
Marriages by Previous Marital Status of Bride and Groom, Louisiana	101	209
All Marriages by Age of Bride, by Age of Groom, Louisiana	102	210

LOUISIANA
HEALTH SERVICE AREAS AND STATE PLANNING DISTRICTS

I: HSA 1 (STATE PLANNING DISTRICTS 1 AND 3)

II: HSA 2 (STATE PLANNING DISTRICTS 2, 4, AND 5)

III: HSA 3 (STATE PLANNING DISTRICTS 6, 7, AND 8)



Introduction

• "A vital statistics law is conceded the most fundamental health law that any state can enact. . . . Vital statistics is the bookkeeping of life and health. The State, like an army, cannot protect itself against enemies unless its executive officers know the location and strength of these enemies [disease and death]. Figures show the points of attack; figures also show the effect of measures of control and prevention." (From the report of Oscar Dowling, M.D., president of the Louisiana State Board of Health in the Biennial Report of the Board, 1920 - 1921).

SOURCE AND COMPLETENESS OF DATA

Louisiana law requires that certificates of vital events and reports of communicable disease be submitted to the Department of Health and Human Resources, Office of Preventive and Public Health Services (formerly the Office of Health Services and Environmental Quality). Within this agency Vital Records is charged with the responsibility of recording and preserving the submitted documents; and Public Health Statistics is assigned the tasks of tabulating, summarizing, analyzing, and disseminating statistical information gleaned from the records in its care.

The statistics presented in this report were obtained primarily from certificates registered with the Office of Vital Records, but there are many exceptions to this rule. Records of vital events occurring outside the State to residents of Louisiana were obtained from transcripts of certificates made available through a nationwide system of interchange among all states and territories. Historical data for Louisiana, United States data, and data for other states were taken from publications of the National Center for Health Statistics. Population data for census years were obtained from United States Bureau of the Census publications; and intercensal population estimates were made available by the Research Division, College of Administration and Business of Louisiana Tech University. Sources of special data are footnoted wherever they appear in this report.

Matching infant death certificates with the corresponding birth certificates indicates that birth registration in Louisiana is approximately 95 percent complete. The degree of registration completeness for stillbirths (spontaneous fetal deaths) is not known, but some under-registration is likely, especially for stillbirths near 20 weeks gestation. Death registration is considered to be close to 100 percent complete as it is necessary to file a death certificate before a burial permit is issued in Louisiana. However, it is conceded that some under-registration does occur for infants dying shortly after birth. Records for all births, stillbirths, and deaths occurring in the State during the specified year and received prior to March 31 of the following year were used in preparing this publication. Abortion (induced fetal death) reporting is not well established in Louisiana or nationally. There is no system for interstate exchange of abortion

reporting forms; neither, it is felt, are all induced abortions reported.

It is considered that certificates for at least 95 percent of marriages occurring in the State annually are filed with Vital Records. Unfortunately, divorce statistics for Louisiana are almost nonexistent. Although Vital Records does receive certificates on some divorces, few parishes submit records of all divorces, and the information on the filed certificates is so incomplete as to prevent any meaningful analysis. The divorce tabulations included in this report reflect counts made by the Clerks of Court as well as data derived from actual certificates received in the central office. For obvious reasons, Louisiana is excluded from the national divorce registration system.

CAUSE-OF-DEATH CODING

CLASSIFICATION SYSTEM

World Health Organization regulations specify that member nations classify cause-of-death in accordance with the current revision of The International Statistical Classification of Diseases, Injuries, and Causes of Death (ICD). The ICD has been revised approximately every ten years since 1900. The current revision, ICD - 9 , has been used for deaths occurring since January 1, 1979.

Prior to 1949, under the first five revisions of the International Classification, causes of death were coded on the basis of priority tables for multiple causes as set forth in The Manual for Joint Causes of Death. Under the sixth through the ninth (current) revisions, the cause of death coded for tabulating death data, is the "underlying cause" as determined from information provided on the death certificate by the attending physician, or coroner. The "underlying cause" may be defined as "(a) the disease or injury which initiated the train of morbid events leading directly to death; or (b) the circumstances of accident or violence which produced the fatal injury"[1]. Under the last four revisions, death resulting from accident or violence may be classified by nature or injury or by external cause of injury, but it has been standard procedure to code such deaths according to the later classification scheme for mortality statistics based on an underlying cause.

COMPARABILITY OF STATISTICS

The decennial revisions have led to repeated breaks in the comparability of cause-of-death data. The introduction of the present concepts of classification in the sixth revision seriously affected the interpretation of mortality trends before and after 1949. Comparability ratios were subsequently computed by the United States to assist in the analysis of mortality trends by providing a measure of the degree of discontinuity. Following the recommendations of the International Conference for the Sixth Revision of the ICD, the United States used a dual coding method for constructing these comparability ratios after the introduction of each of the last four revisions. Current United States comparability ratios for selected causes are shown in Tables 1 and 2 on pages vi and vii. They can be defined as the ratio of deaths assigned to a cause in accordance with the Ninth Revision to deaths assigned in accordance with the Eighth Revision.

For a more detailed description of the construction of the ratios and a brief

---

1. Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955, Volume 1, page 357

summary of statistical design, see "Estimates of Selected Comparability Ratios Based on Dual Coding of 1976 Death Certificates by the Eighth and Ninth Revision of the International Classification of Disease", Monthly Vital Statistics Report, DHEW Publication No. (PHS) 80-1120, Volume 28, No. 11, (Supplement) Hyattsville, Md., National Center for Health Statistics, February, 1980.

CAUSE-OF-DEATH RANKING

Cause-of-death rankings are based on the "List of 72 Selected Causes of Death" developed by the National Center for Health Statistics. This list was adapted from a basic list recommended by the World Health Organization for use with the Ninth Revision of the ICD. The group titles, "Major Cardiovascular Diseases" and "Symptoms, Signs, and Illdefined Conditions" are not ranked. In addition, category titles that begin with the words "Other" or "All Other" are not ranked. The remaining titles are ranked according to the number of deaths in 1981 to determine the leading causes of death. When a title that represents a subtotal is ranked (e.g. "tuberculosis"), its component parts (in this example, "Tuberculosis of the Respiratory System" and "Other Tuberculosis") are not ranked.

DEFINITIONS

The following is a glossary of technical terms used in this report:

RESIDENCE: defined as that of the deceased for a death and as that of the mother for a birth or stillbirth. Births and deaths occurring in institutions in Louisiana are reallocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted.

RACE: that category which is shown on the certificate. (Tables and figures that include race classification are tabulated by white and nonwhite categories only. White includes persons reported as White, Mexican, Puerto Rican, and Cuban. Nonwhite includes all other races and mixture of races. Approximately one percent of those classified as nonwhite are other than black.)

LIVE BIRTH: the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

IMMATURE BIRTH: a live birth weighing 5 pounds 8 ounces (2,500 grams) or less regardless of length of gestation.

PREMATURE BIRTH: a live birth which occurs prior to 37 weeks gestation regardless of birth weight.

ILLEGITIMATE LIVE BIRTH: a live birth for which the mother is reported on the confidential portion of the birth certificate as not married. (This definition is used for statistical purposes only.)

FETAL DEATH: death prior to the complete expulsion or extraction from its mother of a product of human conception which, after such expulsion or extraction, never breathes or shows any other evidence of life.

SPONTANEOUS FETAL DEATH (STILLBIRTH): a fetal death which is not an induced termation of pregnancy. All spontaneous fetal deaths of 20 weeks or more duration of pregnancy, or a weight of 350 grams or more, must be reported.

INDUCED TERMINATION OF PREGNANCY (ABORTION): the purposeful interruption of pregnancy with the intention other than to produce a liveborn infant or to remove a dead fetus, and which does not result in a live birth.

INFANT DEATH: a death occurring to a child under one year of age.

HEBDOMADAL DEATH: a death occurring to a child under 7 days of age.

NEONATAL DEATH: a death occurring to a child under twenty-eight days of age.

PERINATAL DEATH: includes stillbirths and deaths to infants less than seven days old.

MATERNAL DEATH: a death attributed to "Complications of Pregnancy, Childbirth, and the Puerperium."

RATES AND RATIOS

BIRTH RATE = $\frac{\text{number of live births}}{\text{estimated population}} \times 1{,}000$

IMMATURE BIRTH RATIO = $\frac{\text{number of immature births}}{\text{number of live births}} \times 1{,}000$

ILLEGITIMACY RATIO = $\frac{\text{number of illegitimate live births}}{\text{number of live births}} \times 1{,}000$

ILLEGITIMACY RATE = $\frac{\text{number of illegitimate live births}}{\text{estimated unmarried female population 15 - 44 years old}} \times 1{,}000$

FERTILITY RATE = $\frac{\text{number of live births}}{\text{estimated female population 15 - 44 years old}} \times 1{,}000$

AGE SPECIFIC FERTILITY RATE = $\frac{\text{number of live births to women in specific age group}}{\text{estimated female population in that age group}} \times 1{,}000$

TOTAL FERTILITY RATE = sum of the age specific fertility rates (in 5-year age groups) multiplied by 5 *

FETAL DEATH RATIO = $\frac{\text{number of reportable fetal deaths}}{\text{total number of live births}} \times$ 1,000 (or 100,000, as specified)

DEATH RATE = $\frac{\text{number of deaths}}{\text{estimated population}} \times$ 1,000 (or 100,000, as specified)

* If divided by 1,000, the total fertility rate is an approximation of completed family size per woman (if, throughout their reproductive period, women were to experience the same age specific birthrates that were observed in the childbearing population in the current year.)

AGE SPECIFIC DEATH RATE	=	number of deaths in specific age group / estimated population in that age group	X	1,000 (or 100,000, as specified)
AGE ADJUSTED DEATH RATE (Direct Method)	=	total number of expected deaths in a standard population (if the persons in this population had experienced the same age specific death rates as population being adjusted) / total standard population	X	1,000 (or 100,000, as specified)
INFANT MORTALITY RATE	=	number of deaths under 1 year of age / total number of live births	X	1,000 (or 100,000, as specified)
HEBDOMADAL MORTALITY RATE	=	number of deaths under 7 days of age / total number of live births	X	1,000
NEONATAL MORTALITY RATE	=	number of deaths under 28 days of age / total number of live births	X	1,000
PERINATAL MORTALITY RATE	=	stillbirths + deaths of infants under 7 days old / total number of live births + stillbirths	X	1,000
MATERNAL MORTALITY RATE	=	number of deaths due to Complications of Pregnancy, Childbirth, and Puerperium / total number of live births	X	100,000**

** In reports prior to 1972 the maternal death rate was expressed "per 10,000 live births."

AVAILABILITY OF ADDITIONAL DATA

The statistical information published in this report is limited to that which is felt to be most commonly used, based on nationally recommended procedure and also on requests for information received by the Office. Microfiche copies of this publication are available on request.

Public use tapes (all identifiers removed) of birth and death data for 1968 - 1983 are available, as are more detailed statistical data pertaining to vital events and the occurrence of disease in Louisiana.

Request for additional data, or information concerning birth and death tapes, should be addressed to:

Public Health Statistics
P.O. Box 60630
New Orleans, Louisiana 70160
(504) 568 - 5454

Reprint from *Monthly Vital Statistics Report*, DHEW Publication No. (PHS) 80 –1120, Vol. 28, No. 11 (Supplement), pp. 12-13. Hyattsville, Md.: National Center for Health Statistics.

Table 1. COMPARABILITY RATIOS FOR 72 SELECTED CAUSES; BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to–		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
All causes	1,909,440	1,909,440	...	...	...	...	...
Shigellosis and amebiasis 004,006	54	55	0.9818	0.0378	3.9	1.0559	0.9077
Certain other intestinal infections 007-009	353	1,939	0.1821	0.0207	11.4	0.2227	0.1415
Tuberculosis 010-018	2,400	3,130	0.7668	0.0119	1.6	0.7901	0.7435
Tuberculosis of respiratory system 010-012	2,039	2,419	0.8429	0.0146	1.7	0.8715	0.8143
Other tuberculosis 013-018	361	711	0.5077	0.0167	3.3	0.5404	0.4750
Whooping cough 033	6	7	0.8571	0.0000	0.0	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas 034-035	20	14	1.4286	0.0000	0.0	1.4286	1.4286
Meningococcal infection 036	323	330	0.9788	0.0124	1.3	1.0030	0.9546
Septicemia 038	5,441	6,401	0.8500	0.0180	2.1	0.8853	0.8147
Acute poliomyelitis 045	8	16	0.5000	0.0000	0.0	0.5000	0.5000
Measles 055	11	12	0.9167	0.0000	0.0	0.9167	0.9167
Viral hepatitis 070	793	567	1.3986	0.0820	5.9	1.5593	1.2379
Syphilis 090-097	227	225	1.0089	0.0259	2.6	1.0596	0.9582
All other infectious and parasitic diseases 001-003,006,020-032,037,039-041,046-054,056-066,071-088,098-139	3,981	3,857	1.0321	0.0634	6.1	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-208	378,289	377,312	1.0026	0.0017	0.2	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx 140-149	8,209	8,114	1.0117	0.0087	0.9	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum 150-159	105,081	101,729	1.0330	0.0035	0.3	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs 160-165	91,191	91,131	1.0007	0.0033	0.3	1.0071	0.9943
Malignant neoplasm of breast 174-175	33,701	33,403	1.0089	0.0022	0.2	1.0131	1.0047
Malignant neoplasms of genital organs 179-187	44,953	44,461	1.0111	0.0031	0.3	1.0171	1.0051
Malignant neoplasms of urinary organs 188-189	16,851	16,980	0.9924	0.0045	0.5	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites 170-173,190-199	43,938	45,975	0.9557	0.0082	0.9	0.9718	0.9396
Leukemia 204-208	15,161	15,056	1.0070	0.0056	0.6	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues 200-203	19,205	20,463	0.9385	0.0069	0.7	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature 210-239	5,703	4,719	1.2085	0.0261	2.2	1.2595	1.1575
Diabetes mellitus 250	34,478	34,508	0.9991	0.0087	0.9	1.0162	0.9820
Nutritional deficiencies 260-269	1,877	2,619	0.7167	0.0262	3.7	0.7680	0.6654
Anemias 280-285	2,958	3,182	0.9296	0.0124	1.3	0.9538	0.9054
Meningitis 320-322	1,503	1,589	0.9459	0.0163	1.7	0.9777	0.9141
Major cardiovascular diseases 390-448	981,184	974,429	1.0069	0.0004	0.0	1.0076	1.0062
Diseases of heart 390-398,402,404-429	732,989	723,878	1.0125	0.0039	0.4	1.0202	1.0050
Rheumatic fever and rheumatic heart disease 390-398	8,715	13,110	0.6648	0.0080	1.2	0.6804	0.6492
Hypertensive heart disease 402	22,026	6,670	3.3022	0.0557	1.7	3.4114	3.1930
Hypertensive heart and renal disease 404	4,872	4,020	1.2119	0.0438	3.6	1.2978	1.1260
Ischemic heart disease 410-414	567,520	646,073	0.8784	0.0038	0.4	0.8859	0.8709
Acute myocardial infarction 410	319,562	319,477	1.0003	0.0054	0.5	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease 411	4,924	4,028	1.2224	0.0661	5.4	1.3519	1.0929
Angina pectoris 413	195	186	1.0484	0.0666	6.4	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease 412,414	242,839	322,382	0.7533	0.0055	0.7	0.7640	0.7426
Other diseases of endocardium 424	5,154	4,195	1.2286	0.0227	1.8	1.2731	1.1841
All other forms of heart disease 415-423,425-429	124,701	49,810	2.5035	0.0257	1.0	2.5539	2.4531
Hypertension with or without renal disease 401,403	7,787	6,130	1.2703	0.0294	2.3	1.3280	1.2126
Cerebrovascular diseases 430-438	188,553	188,623	1.0049	0.0066	0.7	1.0178	0.9920
Intracerebral and other intracranial hemorrhage 431-432	24,769	24,845	0.9969	0.0068	0.7	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries 434.0,434.9	46,328	44,803	1.0340	0.0222	2.1	1.0774	0.9906
Cerebral embolism 434.1	926	826	1.1211	0.0924	8.2	1.3022	0.9400
All other and late effects of cerebrovascular diseases 430,433,435-438	117,530	118,149	0.9948	0.0061	0.6	1.0067	0.9829
Atherosclerosis 440	31,273	29,366	1.0649	0.0246	2.3	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries 441-448	19,583	26,432	0.7409	0.0098	1.3	0.7600	0.7218
Acute bronchitis and bronchiolitis 466	759	854	0.8888	0.0274	3.1	0.9425	0.8351
Pneumonia and influenza 480-487	57,315	61,866	0.9264	0.0067	0.7	0.9394	0.9134
Pneumonia 480-486	49,663	53,989	0.9199	0.0078	0.8	0.9347	0.9061
Influenza 487	7,652	7,877	0.9714	0.0078	0.8	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions 490-496	46,002	24,410	1.8846	0.0150	0.8	1.9141	1.8551
Bronchitis, chronic and unspecified 490-491	4,353	4,639	0.9383	0.0134	1.4	0.9646	0.9120
Emphysema 492	17,387	17,796	0.9770	0.0127	1.3	1.0018	0.9522
Asthma 493	2,675	1,975	1.3544	0.0636	4.7	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions 494-496	21,588	[4]	[4]	[4]	[4]	[4]	[4]
Ulcer of stomach and duodenum 531-533	7,194	6,428	1.1192	0.0247	2.2	1.1675	1.0709
Appendicitis 540-543	758	752	1.0080	0.0264	2.6	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia 550-553,560	5,583	5,919	0.9432	0.0169	1.8	0.9762	0.9102

See footnotes at end of table.

Table 1. COMPARABILITY RATIOS FOR 72 SELECTED CAUSES; BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES--Con.

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
Chronic liver disease and cirrhosis....571	31,799	31,453	1.0110	0.0069	0.7	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder....574-575	3,102	2,956	1.0494	0.0445	4.2	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis....580-589	14,859	8,541	1.7397	0.0777	4.5	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome....580-581	426	1,759	0.2422	0.0185	7.6	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified....582-583,587	3,360	6,782	0.4954	0.0195	3.9	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause....584-586,588-589	11,073	6,782	1.6327	0.0958	5.9	1.8205	1.4449
Infections of kidney....590	3,968	4,017	0.9878	0.0091	0.9	1.0056	0.9700
Hyperplasia of prostate....600	1,102	1,077	1.0232	0.0226	2.2	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium....630-676	429	390	1.1000	0.0435	4.0	1.1853	1.0147
Pregnancy with abortive outcome....630-638	61	16	3.8125	0.0000	0.0	3.8125	3.8125
Other complications of pregnancy, childbirth, and the puerperium....640-676	368	374	0.9840	0.0454	4.6	1.0729	0.8951
Congenital anomalies....740-759	12,981	13,002	0.9984	0.0100	1.0	1.0179	0.9789
Certain conditions originating in the perinatal period....760-779	26,706	24,809	1.0765	0.0238	2.2	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome....767-769	10,051	13,432	0.7483	0.0306	4.1	0.8083	0.6883
Other conditions originating in the perinatal period....760-766,770-779	16,655	11,377	1.4639	0.0371	2.5	1.5367	1.3911
Symptoms, signs, and ill-defined conditions....780-799	28,037	30,802	0.9102	0.0121	1.3	0.9338	0.8866
All other diseases....Residual	97,585	125,340	0.7785	0.0082	1.1	0.7947	0.7625
Accidents and adverse effects....E800-E949	100,454	100,761	0.9970	0.0030	0.3	1.0029	0.9911
Motor vehicle accidents....E810-E825	47,587	47,038	1.0117	0.0027	0.3	1.0169	1.0065
All other accidents and adverse effects....E800-E807,E826-E949	52,867	53,723	0.9841	0.0051	0.5	0.9941	0.9741
Suicide....E950-E959	26,919	26,832	1.0032	0.0042	0.4	1.0114	0.9950
Homicide and legal intervention....E960-E978	19,666	19,554	1.0057	0.0030	0.3	1.0115	0.9999
All other external causes....E980-E999	4,611	4,766	0.9675	0.0144	1.5	0.9957	0.9393

[1]Figures in this column are number of deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table A.

[2]Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[3]The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[4]Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No.*519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Table 2. COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS FOR THE *MONTHLY VITAL STATISTICS REPORT*; BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 INFANT DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL INFANT DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION: UNITED STATES

[Denominators of ratios were selected from the List of 8 Selected Causes of Infant Death used during 1968-78 for the *Monthly Vital Statistics Report*]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to—		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
All causes....	48,265	48,265	1.0000	...	...	...	...
Certain gastrointestinal diseases....008-009,535,555-558	356	761	0.4678	0.0228	4.9	0.5125	0.4231
Pneumonia and influenza....480-487	1,465	1,961	0.7471	0.0200	2.7	0.7862	0.7078
Congenital anomalies....740-759	8,404	8,345	1.0071	0.0062	0.6	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight....765	3,830	3,977	0.9630	0.0107	1.1	0.9839	0.9421
Birth trauma....767	1,297	1,813	0.7154	0.0337	4.7	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia....768	1,177	3,599	0.3270	0.0212	6.5	0.3684	0.2856
Respiratory distress syndrome....769	7,560	...	...	...	...	...	...
Other conditions originating in the perinatal period....760-764,766,770-779	13,059	15,378	0.8492	0.0098	1.1	0.8683	0.8301
Sudden infant death syndrome....798.0	4,334	...	...	...	...	...	...
All other causes....Residual	6,781	12,431	0.5455	0.0061	1.1	0.5573	0.5335

[1]Figures in this column are number of infant deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table B.

[2]Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[3]The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

POPULATION ESTIMATES FOR LOUISIANA PARISHES
PRELIMINARY JULY 1, 1982

PARISH	ESTIMATE	PARISH	ESTIMATE
STATE TOTAL	4,362,000		
Acadia	57,775	Madison	15,902
Allen	21,664	Morehouse	35,328
Ascension	52,743	Natchitoches	40,826
Assumption	22,728	Orleans	562,803
Avoyelles	42,403	Ouachita	142,735
Beauregard	31,223	Plaquemines	26,139
Bienville	16,387	Pointe Coupee	24,715
Bossier	85,637	Rapides	138,832
Caddo	257,360	Red River	11,120
Calcasieu	173,415	Richland	22,584
Caldwell	10,959	Sabine	27,115
Cameron	9,769	St. Bernard	67,113
Catahoula	12,265	St. Charles	38,859
Claiborne	18,008	St. Helena	9,811
Concordia	23,268	St. James	21,756
DeSoto	26,529	St. John the Baptist	34,435
East Baton Rouge	386,804	St. Landry	85,914
East Carroll	11,420	St. Martin	42,497
East Feliciana	19,631	St. Mary	66,266
Evangeline	34,049	St. Tammany	123,538
Franklin	24,610	Tangipahoa	84,557
Grant	17,495	Tensas	8,146
Iberia	66,686	Terrebonne	98,748
Iberville	32,387	Union	21,368
Jackson	17,527	Vermilion	50,232
Jefferson	474,139	Vernon	57,866
Jefferson Davis	32,800	Washington	45,214
Lafayette	160,556	Webster	44,749
Lafourche	86,514	West Baton Rouge	19,426
LaSalle	17,706	West Carroll	13,065
Lincoln	41,677	West Feliciana	12,626
Livingston	64,876	Winn	17,623

SOURCE: Research Division, College of Administration and Business, Louisiana Tech University.

POPULATION ESTIMATES FOR LOUISIANA PARISHES
PRELIMINARY JULY 1, 1983

PARISH	ESTIMATE	PARISH	ESTIMATE
STATE TOTAL	4,437,847		
Acadia	59,369	Madison	15,894
Allen	21,739	Morehouse	35,183
Ascension	54,618	Natchitoches	40,805
Assumption	23,955	Orleans	567,062
Avoyelles	42,715	Ouachita	142,300
Beauregard	31,207	Plaquemines	26,778
Bienville	16,288	Pointe Coupee	25,091
Bossier	88,370	Rapides	138,346
Caddo	261,817	Red River	11,114
Calcasieu	176,760	Richland	22,785
Caldwell	10,947	Sabine	27,139
Cameron	10,139	St. Bernard	67,949
Catahoula	12,326	St. Charles	41,103
Claiborne	18,367	St. Helena	10,186
Concordia	23,577	St. James	21,970
DeSoto	26,970	St. John the Baptist	37,668
East Baton Rouge	389,503	St. Landry	87,800
East Carroll	11,671	St. Martin	44,455
East Feliciana	19,939	St. Mary	66,950
Evangeline	34,367	St. Tammany	128,130
Franklin	24,509	Tangipahoa	87,863
Grant	17,621	Tensas	8,244
Iberia	69,257	Terrebonne	102,038
Iberville	32,981	Union	21,734
Jackson	17,309	Vermilion	52,445
Jefferson	476,915	Vernon	61,275
Jefferson Davis	33,017	Washington	45,765
Lafayette	169,694	Webster	45,205
Lafourche	88,349	West Baton Rouge	20,168
LaSalle	17,697	West Carroll	13,267
Lincoln	41,847	West Feliciana	13,269
Livingston	66,451	Winn	17,575

SOURCE: Research Division, College of Administration and Business, Louisiana Tech University.

SUMMARY OF VITAL EVENTS IN 1982 AND 1983

EXPLANATORY NOTES

MISSING DATA

Allocations have been made in this report when the following data items are missing:

1. "Sex" is allocated male or female depending on whetner the last digit of the record identification number i: even or odd, except in the case of a death where the underlying cause is sex specific.

2. "Race" is allocated depending on the last digit of the record identification number, giving a 70% chance for white and 30% chance for black.

3. "Parish of Residence" is assumed to be "Parish of Occurrence" when residence parish is missing for infants dying under 1 year of age.

CITIES LOCATED IN TWO PARISHES

The following cities span parish boundaries:

1. Bossier City -
   Primarily in Bossier Parish, partly in Caddo Parish.

2. Shreveport -
   Primarily in Caddo Parish, partly in Bossier Parish.

3. Eunice -
   Primarily in St. Landry Parish, partly in Acadia Parish.

4. De Ridder -
   Primarily in Beauregard Parish, partly in Vernon Parish.

In this report, the city is reported as a single entity in the primary parish and all events are allocated to that city; However, at the parish level the event is allocated to the actual parish. As an illustration, if a birth occurs in that portion of Shreveport in Bossier Parish, it is reported in the Shreveport city count printed below Caddo Parish, but is not included in the Caddo Parish birth count. It is included in the Bossier Parish birth count. There is a possibility that this reallocation may show more events in a city than in the parish where the city is primarily located.

COMPARABILITY OF NATIONAL AND STATE DATA

Numbers and rates published in state tables by the National Center for Health Statistics (NCHS) may vary slightly from data compiled by the Louisiana Office of Preventive and Public Health Services (OPPHS) due to differences in editing of the data.

BIRTHS

ALL BIRTHS

Louisiana residents births totalled 84,531 in 1982, an increase of almost 3% over the 82,167 reported in 1981. In 1983, however,

the number of births declined to 82,416, a decrease of approximately 2.5% under 1982.

The state crude birth rate, (live births per 1,000 estimated population) increased from 19.1 in 1981 to 19.4 in 1982, then dropped to 18.6 in 1983. The national rate followed a similar but less pronounced trend, rising from 15.8 in 1981 to 15.9 in 1982, then decreasing to 15.5 in 1983. The Louisiana rate was the seventh highest state rate in the country in 1982 and the eighth highest in 1983 (see Tables 1-A and 1-B). The same tables show that the Louisiana fertility rate (births per 1,000 females ages 15-44) also exceeded the United States rate, ranking 9th highest in 1982 and 10th in 1983 among the states.

CHARITY HOSPITAL BIRTHS

The number of births occurring in Charity Hospitals rose from 21,561 in 1981 to 25,028 in 1982 and 26,716 in 1983. A study of Table 2, showing the percent of births occurring in Charity hospitals, reveals that the percent decreased each year from 1974 to 1980, then reversed this trend and increased each year through 1983. The figures varied significantly by race, with 17.3% of the white births and 56.0% of the nonwhite births occurring in Charity hospitals in 1983. Although the white percent has followed an increasing trend during the period (from 8.4% in 1974 to 17.3% in 1983), the nonwhite percent decreased from 64.0% in 1974 to 49.3% in 1981, then increased the next 2 years to 56.0% in 1983. Thus, although the nonwhite percent is still over 3 times higher than the white percent, the disparity between the 2 racial groups has decreased substantially since 1974, when the nonwhite percent was almost 8 times higher than the white percent.

WEIGHT AT BIRTH

Tables 3-A and 3-B, released by the NCHS, indicate that 6.8% of all infants born in the United States in 1982 and 1983 weighed under 2,500 grams. In Louisiana, approximately 8.5% of the births were classified as low birth weight. In both the nation and the state, the black percent low birth weight was more than double the white percent. This higher black percent has a more pronounced effect on the state "All Races" percent because the state has a higher proportion of black births than the nation. Although only 1 state exceeded Louisiana in percent low birth weight in 1983 for "All Races", 21 had a higher or equal white percent and 4 had a higher or equal black percent.

BIRTHS TO UNMARRIED WOMEN

Both the number of births to unmarried women and the ratio of these births to all births continued to increase. In 1960 the 8,248 illegitimate births reported for Louisiana residents comprised 9.2% of all births. These figures reached 11,077 (14.8%) by 1970, then climbed to 19,174 (23.4%) by 1980 and 20,892 (25.3%) by 1983. Nationally, births to unmarried women accounted for 20.3% of all births in 1983.

Altnough the state illegitimacy ratio (illegitimate births per 1,000 live births) was higher than the national ratio for "All Races" in 1982 and 1983, the white and black ratios were lower both years in Louisiana (see Tables 3-A and 3-B). These tables indicate that the 1983 United States white and black ratios were 127.7 and 582.0, respectively, while the corresponding Louisiana ratios were 82.6 and 538.5. Thus, the United States white and black ratios were approximately 55% and 8% higher than the corresponding state ratios, although the national ratio for "All Races" was 20% lower than the state ratio. As explained above under "Weight at Birth", the higher black ratio has a greater impact on the Louisiana "All Races" ratio

since the state has a larger percent black population. Comparing Louisiana with the other states, 42 had higher white illegitimacy ratios and 25 had higher black illegitimacy ratios in 1983.

FETAL DEATHS

STILLBIRTHS

Reported stillbirths for Louisiana residents rose from 800 in 1981 to 859 in 1982, then dropped to 767 in 1983. The ratios per 1,000 live births for the three years were 9.7, 10.2, and 9.3, respectively. During the five year period 1979-1983, there were 4,127 stillbirths, resulting in an average annual ratio of 10.1. The nonwhite average annual ratio, 14.5, was over twice as high as the white ratio of 7.2. Almost 35% of the stillbirths occurring during the period were caused by "Complications of Placenta, Cord, and Membranes" (ICD 9th Rev. Code 762).

ABORTIONS

In 1982, there were 19,793 reported abortions performed in Louisiana, an increase of 8.5% over the 18,237 reported in 1981. The total dropped slightly to 19,438 in 1983. Approximately half of the abortions were performed before completion of 9 weeks gestation. Suction Curretage was the procedure used in 96% of the abortions in 1982 and 92% in 1983. The procedure "Dilation and Evacuation" was reported on 527 forms in 1982 and 1,093 in 1983.

DEATHS

ALL DEATHS

In 1982 there were 35,725 registered resident deaths in Louisiana, a small decrease under the 35,985 reported in 1981. The total rose to 36,334 in 1983. The death rate was 8.2 per 1,000 estimated population in both 1982 and 1983, a decline from the rate of 8.4 observed in 1981. The national death rate, 8.5 in 1982 and 8.6 in 1983, continues to exceed the state rate. Tables 4-A and 4-B show death rates for each state in 1982 and 1983. As pointed out in the footnote to Table 4-B, caution should be used in comparing crude death rates by states as these rates are affected by the age/race/sex composition of the area.

The first five leading causes of death - "Diseases of the Heart", "Malignant Neoplasms", "Cerebrovascular Disease", "Accidents", and "Chronic Obstructive Pulmonary Disease" - retained their same relative ranks in 1981, 1982, and 1983 in both the United States and Louisiana. In 1983, these five causes accounted for 73.9% of all Louisiana resident deaths and 75.7% of United States deaths. For four of the five causes, Louisiana rates were lower than the United States rates; for accidents, however, the state rate was 17% higher than the national rate. (See Tables 5-A and 5-B).

INFANT DEATHS

There were 1,094 Louisiana resident infant deaths in 1982. The infant mortality rate, 12.9 infant deaths per 1,000 live births, was the lowest ever recorded for the state, but higher than the national rate of 11.5. In 1983, Louisiana infant deaths increased to 1,108 for a rate of 13.4, while the national rate decreased again to a new record low of 11.2.

Data released by NCHS (see Tables 4-A and 4-B) indicate that Louisiana had the seventh highest state infant mortality rate in 1982 and the third highest in 1983. Louisiana rates by race compare more favorably with their national counterparts, however. The state and national white

infant death rates in 1983 were 9.8 and 9.7, respectively, and the corresponding black rates were 19.7 for Louisiana and 19.2 for the United States.

The leading cause of infant death was again "Congenital Anomalies", with an infant mortality rate of 254.3 per 100,000 live births in 1982 and 280.3 in 1983. "Sudden Infant Death Syndrome", "Respiratory Distress Syndrome", and "Disorders Relating to Short Gestation and Unspecified Low Birth Weight", the three causes competing for 2nd, 3rd, and 4th places in 1982 and 1983, each had rates less than half that for "Congenital Anomalies". It should be noted, however, that ICD 9th revision rules preclude assigning "SIDS" or "Immaturity" codes as the underlying cause of death if any other condition considered more specific under the rules is stated anywhere on the certificate.

Trendline graphs showing Louisiana 5 year average annual infant mortality rates for race and age groups are shown in Tables 6, 7, and 8. Although rates for all categories decreased substantially during the 4 decades, the decline was more rapid from 1965 through 1983 than during the preceding decade, when the rates had remained relatively stable. Rates for infants under 1 day of age remained essentially unchanged for more than a decade (1952 through 1971) before continuing to decrease again to a low of 4.8, the average annual rate for 1979-1983 (see Table 6).

Tables 9, 10, and 11 show total, white, and nonwhite 5 year average annual infant mortality rates for 1979-1983 for each parish. A study of the maps reveals that 46 of the parishes had white rates of 12.0 or under, while only 5 parishes had nonwnite rates in this group.

MATERNAL DEATHS

Deaths from "Complications of Pregnancy, Childbirth, and the Puerperium" (ICD 9 codes 630-676) rose from 8 in 1980 to 13 in 1981, then dropped back to 7 in 1982 and 6 in 1983. The 1983 rate was 7.3 per 100,000 live births. In the five year period 1979-1983, there were 45 Maternal Deaths - 13 white and 32 nonwhite. The average annual rate for this period was 11.0 for "All Races", 5.2 for white mothers, and 20.0 for nonwhite mothers.

Table 1-A

* **Live births by race of child, birth rates, and fertility rates: United States, each division and State, 1982**

[By place of residence. Based on 100 percent of births in selected States and on a 50-percent sample of births in all other States; see Technical notes. Birth rates per 1,000 estimated population in each area; fertility rates per 1,000 women aged 15–44 years estimated in each area]

Division and State	Number			Birth rate	Fertility rate
	All races[1]	White	Black		
United States	3,680,537	2,942,054	592,641	15.9	67.3
New England	167,590	152,686	11,543	13.5	56.4
Maine	16,666	16,336	95	14.7	64.1
New Hampshire	14,087	13,850	101	14.9	61.2
Vermont	8,028	7,957	28	15.4	63.2
Massachusetts	75,856	68,575	5,490	13.2	54.4
Rhode Island	12,512	11,232	814	13.1	56.4
Connecticut	40,441	34,736	5,015	12.9	54.6
Middle Atlantic	507,874	401,551	94,178	13.8	59.1
New York	247,297	186,174	53,619	14.1	59.3
New Jersey	98,668	76,453	19,699	13.3	56.8
Pennsylvania	161,909	138,924	20,860	13.6	60.2
East North Central	644,997	536,285	98,025	15.5	65.7
Ohio	164,754	140,204	22,784	15.3	65.2
Indiana	83,948	74,228	9,045	15.3	65.1
Illinois	183,601	140,348	39,030	16.0	68.0
Michigan	138,322	113,783	22,270	15.2	63.2
Wisconsin	74,372	67,722	4,896	15.7	67.2
West North Central	283,347	254,758	19,287	16.3	71.5
Minnesota	68,498	63,781	1,706	16.6	69.8
Iowa	44,738	43,035	1,033	15.4	68.7
Missouri	76,804	64,354	11,544	15.5	67.8
North Dakota	12,622	11,489	129	18.8	84.7
South Dakota	12,860	10,934	87	18.5	85.7
Nebraska	26,961	24,948	1,346	17.0	75.1
Kansas	40,864	36,217	3,442	17.0	75.4
South Atlantic	563,055	389,704	163,900	14.7	62.3
Delaware	9,180	7,025	2,053	15.3	62.0
Maryland	63,802	42,929	19,145	14.9	59.5
District of Columbia	9,307	1,726	7,475	14.9	55.1
Virginia	81,151	59,910	19,242	14.8	59.8
West Virginia	27,283	26,018	1,128	13.9	62.3
North Carolina	85,954	58,188	25,421	14.3	59.7
South Carolina	51,647	30,741	20,435	16.0	66.2
Georgia	90,192	56,898	32,384	16.0	64.9
Florida	144,539	106,269	36,617	13.8	64.5
East South Central	230,202	165,828	62,488	15.5	66.4
Kentucky	56,828	51,160	5,197	15.4	66.2
Tennessee	67,063	51,735	14,699	14.4	60.8
Alabama	60,340	38,884	21,078	15.3	65.7
Mississippi	45,971	24,049	21,514	17.9	78.3
West South Central	476,519	376,671	85,527	18.9	79.9
Arkansas	35,380	26,313	8,657	15.3	69.1
Louisiana	84,599	52,211	31,067	19.3	80.3
Oklahoma	58,799	46,988	5,362	18.2	80.2
Texas	297,741	251,159	40,441	19.4	81.3
Mountain	236,516	211,575	7,769	19.6	82.4
Montana	14,550	12,855	69	18.1	78.6
Idaho	19,616	18,958	110	20.1	88.8
Wyoming	11,069	10,540	108	21.7	92.2
Colorado	54,803	50,173	2,752	17.8	70.1
New Mexico	27,730	23,047	734	20.3	85.3
Arizona	52,653	44,264	2,315	18.2	79.2
Utah	41,543	39,621	278	26.4	115.4
Nevada	14,552	12,117	1,403	16.6	68.3
Pacific	570,437	452,996	49,924	17.2	71.5
Washington	69,497	60,980	3,141	16.3	67.9
Oregon	41,040	37,943	980	15.4	65.1
California	429,897	341,593	44,609	17.4	71.9
Alaska	11,296	8,001	500	25.4	98.2
Hawaii	18,707	4,479	694	18.8	78.9

[1] Includes races other than white and black.

* SOURCE: National Center for Health Statistics: Advance report of final natality statistics, 1982. **Monthly Vital Statistics Report.** Vol. 33, No. 6 Supp. Table 6, p 19. DHHS, Pub. No. (PHS) 84-1120. Public Health Service. Hyattsville, Md., Sept. 1984.

* **Live births by race of child, birth rates, and fertility rates: United States, each division and State, 1983**

[By place of residence. Based on 100 percent of births in 46 States and on a 50-percent sample of births in 4 States and the District of Columbia; see Technical notes. Birth rates per 1,000 estimated population in each area; fertility rates per 1,000 women aged 15–44 years estimated in each area]

Division and State	Number			Birth rate	Fertility rate
	All races[1]	White	Black		
United States	3,638,933	2,904,250	586,027	15.5	65.8
New England	168,192	153,236	11,486	13.5	55.9
Maine	16,666	16,343	97	14.6	63.4
New Hampshire	13,799	13,558	95	14.4	59.0
Vermont	7,954	7,888	23	15.2	61.7
Massachusetts	76,081	68,842	5,372	13.2	54.0
Rhode Island	12,595	11,254	854	13.2	56.0
Connecticut	41,097	35,351	5,045	13.1	55.0
Middle Atlantic	506,012	400,031	93,774	13.7	58.3
New York	248,617	187,666	53,382	14.1	59.0
New Jersey	99,194	76,841	19,790	13.3	56.5
Pennsylvania	158,201	135,524	20,602	13.3	58.5
East North Central	624,144	517,820	96,063	15.0	63.6
Ohio	158,769	134,745	22,353	14.8	62.9
Indiana	80,814	71,316	8,829	14.8	62.6
Illinois	178,885	136,972	37,965	15.6	66.0
Michigan	133,118	109,039	21,923	14.7	61.0
Wisconsin	72,558	65,748	4,993	15.3	65.4
West North Central	275,961	247,847	19,198	15.8	69.2
Minnesota	65,563	61,161	1,642	15.8	66.5
Iowa	43,262	41,592	1,011	14.9	66.5
Missouri	75,599	63,045	11,646	15.2	66.4
North Dakota	12,380	11,311	135	18.2	82.0
South Dakota	12,526	10,549	100	17.9	83.0
Nebraska	26,232	24,256	1,326	16.4	72.7
Kansas	40,399	35,933	3,338	16.7	74.0
South Atlantic	562,870	390,821	162,279	14.5	61.2
Delaware	9,230	6,849	2,308	15.2	61.5
Maryland	63,944	42,834	19,283	14.9	58.8
District of Columbia	9,333	1,719	7,479	15.0	55.6
Virginia	80,732	59,363	19,316	14.5	58.5
West Virginia	25,882	24,737	1,016	13.2	59.0
North Carolina	83,884	57,472	24,103	13.8	57.5
South Carolina	50,755	30,444	19,850	15.6	64.3
Georgia	90,032	57,508	31,475	15.7	63.5
Florida	149,078	109,895	37,449	13.9	64.7
East South Central	223,243	160,957	60,484	15.0	64.0
Kentucky	54,701	49,371	4,875	14.7	63.2
Tennessee	65,481	50,487	14,443	14.0	59.1
Alabama	59,061	38,432	20,275	14.9	63.8
Mississippi	44,000	22,667	20,891	17.0	74.5
West South Central	469,661	370,575	84,838	18.2	76.8
Arkansas	34,996	26,120	8,451	15.1	67.7
Louisiana	82,514	50,161	30,954	18.6	77.3
Oklahoma	56,902	45,234	5,426	17.2	75.6
Texas	295,249	249,060	40,007	18.7	78.1
Mountain	232,929	207,704	7,770	18.9	79.5
Montana	14,063	12,446	71	17.3	75.2
Idaho	18,748	18,129	93	19.0	84.5
Wyoming	10,268	9,762	109	19.9	85.6
Colorado	54,662	50,186	2,702	17.4	68.2
New Mexico	27,617	22,954	717	19.7	83.2
Arizona	53,785	44,927	2,321	18.1	78.9
Utah	39,474	37,496	301	24.4	107.0
Nevada	14,312	11,804	1,456	16.0	66.0
Pacific	575,921	455,259	50,135	17.1	70.9
Washington	68,680	60,509	3,032	16.0	66.6
Oregon	39,977	37,094	982	15.0	63.9
California	436,143	344,384	44,796	17.3	71.5
Alaska	11,998	8,426	525	24.9	96.8
Hawaii	19,123	4,846	800	18.8	79.0

[1] Includes races other than white and black.

* SOURCE: National Center for Health Statistics: Advance report of final natality statistics, 1983. **Monthly Vital Statistics Report.** Vol. 34, No. 6 Supp. Table 6, p 20. DHHS Pub. No. (PHS) 85-1120. Public Health Service. Hyattsville, Md., Sept. 20, 1985.

Table 2

LIVE BIRTHS OCCURRING IN CHARITY HOSPITALS
BY RACE, LOUISIANA, 1974-1983

YEAR AND RACE	TOTAL BIRTHS		PERCENT OF BIRTHS IN CHARITY HOSPITALS
	OCCURRING IN LOUISIANA	OCCURRING IN CHARITY HOSPITALS	
1974			
TOTAL	66027	19943	30.2
WHITE	40109	3358	8.4
NONWHITE	25918	16585	64.0
1975			
TOTAL	68135	20274	29.8
WHITE	41051	3844	9.4
NONWHITE	27084	16430	60.7
1976			
TOTAL	70004	20162	28.8
WHITE	42001	3797	9.0
NONWHITE	28003	16365	58.4
1977			
TOTAL	75576	21363	28.3
WHITE	45409	4234	9.3
NONWHITE	30167	17129	56.8
1978			
TOTAL	75027	20983	28.0
WHITE	45291	4457	9.8
NONWHITE	29736	16526	55.6
1979			
TOTAL	79344	21858	27.5
WHITE	47936	5177	10.8
NONWHITE	31408	16681	53.1
1980			
TOTAL	82208	21357	26.0
WHITE	50280	5502	10.9
NONWHITE	31928	15855	49.7
1981			
TOTAL	82177	21561	26.2
WHITE	50459	5937	11.8
NONWHITE	31718	15624	49.3
1982			
TOTAL	84604	25028	29.6
WHITE	52304	7370	14.1
NONWHITE	32300	17658	54.7
1983			
TOTAL	82394	26716	32.4
WHITE	50183	8689	17.3
NONWHITE	32211	18027	56.0

Table 3-A

*** Number and percent of births of low birth weight and number and ratio of births to unmarried women, by race of child: United States and each State, 1982**

[By place of residence. Based on 100 percent of births in selected States and on a 50-percent sample of births in all other States; see Technical notes]

State	Low birth weight[1]						Births to unmarried women					
	Number			Percent			Number			Ratio per 1,000 live births		
	All races[2]	White	Black	All races[2]	White	Black	All races[2]	White	Black	All races[2]	White	Black
United States	248,104	165,285	73,360	6.8	5.6	12.4	715,227	355,180	335,927	194.3	120.7	566.8
Alabama	4,757	2,227	2,503	7.9	5.7	11.9	13,996	2,587	11,397	232.0	66.5	540.7
Alaska	552	338	43	4.9	4.2	8.6	1,888	788	118	167.1	98.5	236.0
Arizona	3,102	2,549	209	5.9	5.8	9.1	10,626	6,945	1,149	201.8	156.9	496.3
Arkansas	2,620	1,536	1,059	7.4	5.8	12.3	7,363	2,342	4,995	208.1	89.0	577.0
California[3]	25,252	17,643	4,904	5.9	5.2	11.0	93,007	64,335	23,460	216.3	188.3	525.9
Colorado	4,216	3,698	341	7.7	7.4	12.4	7,769	6,547	1,023	141.8	130.5	371.7
Connecticut[3]	2,734	2,017	672	6.8	5.8	13.4	7,891	4,733	3,074	195.1	136.3	613.0
Delaware	667	397	258	7.3	5.7	12.6	2,204	818	1,372	240.1	116.4	668.3
District of Columbia	1,241	99	1,128	13.4	5.8	15.1	5,004	228	4,768	537.7	132.1	637.9
Florida	10,785	6,302	4,364	7.5	5.9	11.9	35,422	12,777	22,501	245.1	120.2	614.5
Georgia	7,612	3,457	4,100	8.5	6.1	12.7	23,263	5,936	17,266	257.9	104.3	533.2
Hawaii	1,372	288	65	7.3	6.4	9.4	3,466	566	84	185.3	126.4	121.0
Idaho	1,043	1,002	6	5.3	5.3	5.5	1,726	1,591	18	88.0	83.9	163.6
Illinois	13,206	7,646	5,301	7.2	5.5	13.6	42,695	15,886	26,553	232.5	113.2	680.3
Indiana	5,351	4,238	1,077	6.4	5.7	12.0	14,290	8,616	5,632	170.2	116.1	622.7
Iowa	2,135	1,981	113	4.8	4.6	10.9	5,074	4,407	582	113.4	102.4	563.4
Kansas	2,542	2,030	420	6.2	5.6	12.2	5,278	3,379	1,760	129.2	93.3	511.3
Kentucky	3,939	3,325	589	6.9	6.5	11.3	8,983	5,974	2,990	158.1	116.8	575.3
Louisiana	7,073	3,018	3,962	8.4	5.8	12.8	20,210	4,039	16,100	238.9	77.4	518.2
Maine	842	823	8	5.1	5.1	8.4	2,459	2,390	11	147.5	146.3	115.8
Maryland[3]	4,716	2,296	2,323	7.4	5.4	12.1	17,246	5,505	11,470	270.3	128.2	599.1
Massachusetts	4,470	3,752	605	5.9	5.5	11.0	12,564	9,435	2,947	165.6	137.6	536.8
Michigan[3]	9,504	6,313	3,067	6.9	5.6	13.8	22,378	10,586	11,630	161.8	93.0	522.2
Minnesota	3,324	2,939	176	4.9	4.7	10.4	8,427	6,525	991	123.0	102.3	580.9
Mississippi	4,060	1,443	2,586	8.8	6.0	12.0	13,605	1,467	12,066	295.9	61.0	560.8
Missouri	5,072	3,558	1,455	6.6	5.5	12.6	14,395	6,750	7,573	187.4	104.9	656.0
Montana[3]	818	719	7	5.6	5.6	10.1	2,070	1,338	15	142.3	104.1	217.4
Nebraska	1,474	1,249	174	5.5	5.0	12.9	3,434	2,427	811	127.4	97.3	602.5
Nevada[3]	936	705	163	6.4	5.8	11.6	2,047	1,196	735	140.7	98.7	523.9
New Hampshire	734	723	4	5.2	5.2	4.0	1,734	1,695	25	123.1	122.4	247.5
New Jersey	6,832	4,112	2,546	6.9	5.4	12.9	21,425	9,156	12,148	217.1	119.8	616.7
New Mexico	2,149	1,804	85	7.8	7.9	11.7	6,119	4,182	253	220.7	181.5	344.7
New York[3]	17,894	10,978	6,451	7.2	5.9	12.1	63,298	30,100	32,522	256.0	161.7	606.5
North Carolina	6,867	3,517	3,161	8.0	6.0	12.4	17,404	4,131	12,772	202.5	71.0	502.4
North Dakota	607	542	10	4.8	4.7	7.8	1,318	873	10	104.4	76.0	77.5
Ohio[3]	10,887	7,917	2,852	6.6	5.7	12.6	31,070	16,660	14,271	188.6	118.8	626.4
Oklahoma	3,989	2,938	676	6.8	6.3	12.6	8,204	4,264	2,722	139.5	90.7	507.6
Oregon	2,010	1,770	104	4.9	4.7	10.6	6,504	5,610	532	158.5	147.9	542.9
Pennsylvania	10,535	7,660	2,744	6.5	5.5	13.2	31,224	16,806	14,227	192.8	121.0	682.0
Rhode Island	760	619	101	6.1	5.5	12.4	2,009	1,500	460	160.6	133.5	565.1
South Carolina	4,585	1,907	2,655	8.9	6.2	13.0	12,595	2,421	10,147	243.9	78.8	496.6
South Dakota	655	522	9	5.1	4.8	10.3	1,924	941	16	149.6	86.1	183.9
Tennessee	5,279	3,284	1,944	7.9	6.4	13.2	14,001	5,014	8,963	208.8	96.9	609.8
Texas[3]	20,394	15,028	4,925	6.9	6.0	12.2	41,447	23,060	18,164	139.2	91.8	449.1
Utah	2,327	2,183	31	5.6	5.5	11.2	2,905	2,560	115	69.9	64.6	413.7
Vermont	473	469	1	5.9	5.9	3.6	1,184	1,172	10	147.5	147.3	357.1
Virginia	5,852	3,366	2,344	7.2	5.6	12.2	15,981	5,516	10,342	196.9	92.1	537.5
Washington	3,510	2,861	318	5.1	4.7	10.1	9,997	7,777	1,227	143.8	127.5	390.6
West Virginia	1,833	1,709	113	6.7	6.6	10.0	3,901	3,322	575	143.0	127.7	509.8
Wisconsin	3,726	3,041	591	5.0	4.5	12.1	11,188	7,401	3,306	150.4	109.3	675.2
Wyoming	791	747	17	7.2	7.1	15.7	1,015	906	29	91.7	86.0	268.5

[1]Less than 2,500 grams (5 pounds 8 ounces).
[2]Includes races other than white and black.
[3]Marital status of mother is inferred; see Technical notes.

* SOURCE: National Center for Health Statistics: Advance report of final natality statistics, 1982. **Monthly Vital Statistics Report.** Vol. 33, No. 6 Supp. Table 16, p 29. DHHS, Pub. No. (PHS) 84-1120. Public Health Service. Hyattsville, Md., Sept. 1984.

Table 3-B

*** Number and percent of births of low birth weight and number and ratio of births to unmarried women, by race of child: United States and each State, 1983**

[By place of residence. Based on 100 percent of births in 46 States and on a 50-percent sample of births in 4 States and the District of Columbia; see Technical notes]

State	Low birth weight[1]						Births to unmarried women					
	Number			Percent			Number			Ratio per 1,000 live births		
	All races[2]	White	Black	All races[2]	White	Black	All races[2]	White	Black	All races[2]	White	Black
United States	247,668	164,366	73,658	6.8	5.7	12.6	737,893	370,884	341,077	202.8	127.7	582.0
Alabama	4,681	2,298	2,356	7.9	6.0	11.6	14,041	2,715	11,311	237.7	70.6	557.9
Alaska	559	381	29	4.7	4.5	5.5	2,023	788	124	168.6	93.5	236.2
Arizona	3,260	2,615	294	6.1	5.8	12.7	12,006	7,856	1,222	223.2	174.9	526.5
Arkansas	2,734	1,597	1,105	7.8	6.1	13.1	7,668	2,521	5,118	219.1	96.5	605.6
California[3]	26,140	18,185	5,089	6.0	5.3	11.4	100,798	70,702	24,356	231.1	205.3	543.7
Colorado	4,340	3,823	359	7.9	7.6	13.3	7,929	6,670	1,063	145.1	132.9	393.4
Connecticut[3]	2,647	1,970	636	6.4	5.6	12.6	8,254	4,900	3,258	200.8	138.6	645.8
Delaware	662	364	292	7.2	5.3	12.7	2,457	890	1,567	266.2	129.9	678.9
District of Columbia	1,213	114	1,087	13.1	6.7	14.6	5,208	313	4,872	558.0	182.1	651.4
Florida	11,097	6,466	4,497	7.4	5.9	12.0	37,282	13,806	23,329	250.1	125.6	623.0
Georgia	7,570	3,473	3,991	8.4	6.1	12.7	21,733	4,464	17,233	241.4	77.6	547.5
Hawaii	1,346	281	87	7.0	5.8	10.9	3,753	682	89	196.3	140.7	111.3
Idaho	1,041	999	13	5.6	5.5	14.1	1,759	1,605	20	93.8	88.5	215.1
Illinois	12,852	7,291	5,288	7.2	5.3	13.9	42,971	16,145	26,534	240.2	117.9	698.9
Indiana	5,094	3,982	1,073	6.3	5.6	12.2	14,701	8,895	5,763	181.9	124.7	652.7
Iowa	2,175	2,018	120	5.0	4.9	11.9	5,175	4,469	609	119.6	107.4	602.4
Kansas	2,456	1,971	399	6.1	5.5	12.0	5,255	3,407	1,697	130.1	94.8	508.4
Kentucky	3,764	3,144	600	6.9	6.4	12.3	9,024	6,168	2,839	165.0	124.9	582.4
Louisiana	7,107	2,886	4,129	8.6	5.8	13.4	20,934	4,142	16,669	253.7	82.6	538.5
Maine	930	911	4	5.6	5.6	4.1	2,533	2,445	22	152.0	149.6	226.8
Maryland[3]	4,926	2,370	2,436	7.7	5.5	12.7	17,925	5,732	11,918	280.3	133.8	618.1
Massachusetts	4,463	3,732	613	5.9	5.4	11.4	12,750	9,670	2,882	167.6	140.5	536.5
Michigan[3]	9,356	6,093	3,110	7.0	5.6	14.2	22,257	10,338	11,753	167.2	94.8	536.1
Minnesota	3,296	2,927	201	5.1	4.9	12.3	8,319	6,442	975	126.9	105.3	593.8
Mississippi	3,875	1,340	2,513	8.8	5.9	12.0	13,723	1,589	12,042	311.9	70.1	576.4
Missouri	5,065	3,474	1,523	6.7	5.5	13.1	14,945	7,033	7,826	197.7	111.6	672.0
Montana[3]	788	684	8	5.6	5.5	11.3	2,025	1,307	23	144.0	105.0	323.9
Nebraska	1,422	1,224	150	5.4	5.0	11.3	3,387	2,396	793	129.1	98.8	598.0
Nevada[3]	998	769	150	7.0	6.5	10.3	2,069	1,221	719	144.6	103.4	493.8
New Hampshire	697	681	9	5.1	5.0	9.5	1,661	1,631	23	120.4	120.3	242.1
New Jersey	7,103	4,372	2,540	7.2	5.7	12.8	21,750	9,427	12,171	219.3	122.7	615.0
New Mexico	2,074	1,729	89	7.6	7.6	12.5	6,363	4,378	266	230.4	190.7	371.0
New York[3]	17,881	11,011	6,391	7.2	5.9	12.0	64,947	31,518	32,848	261.2	167.9	615.3
North Carolina	6,577	3,395	2,995	7.8	5.9	12.4	17,253	4,169	12,573	205.7	72.5	521.6
North Dakota	587	524	8	4.7	4.6	5.9	1,329	886	7	107.4	78.3	51.9
Ohio[3]	10,667	7,633	2,909	6.7	5.7	13.1	31,115	16,706	14,277	196.0	124.0	638.7
Oklahoma	3,786	2,748	647	6.7	6.1	11.9	8,664	4,534	2,814	152.3	100.2	518.6
Oregon	2,001	1,788	95	5.0	4.8	9.7	6,480	5,554	545	162.1	149.7	555.0
Pennsylvania	10,527	7,543	2,838	6.7	5.6	13.8	31,845	17,509	14,143	201.3	129.2	686.5
Rhode Island	808	670	94	6.4	6.0	11.0	2,228	1,660	508	176.9	147.5	594.8
South Carolina	4,385	1,868	2,493	8.6	6.1	12.6	12,845	2,471	10,353	253.1	81.2	521.6
South Dakota	644	506	8	5.1	4.8	8.0	2,023	956	24	161.5	90.6	240.0
Tennessee	5,240	3,291	1,916	8.0	6.5	13.3	14,420	5,295	9,104	220.2	104.9	630.3
Texas[3]	20,370	14,881	5,056	6.9	6.0	12.6	43,769	24,623	18,890	148.2	98.9	472.2
Utah	2,197	2,059	31	5.6	5.5	10.3	2,980	2,567	119	75.5	68.5	395.3
Vermont	465	461	3	5.9	5.9	13.0	1,260	1,246	8	158.4	158.0	347.8
Virginia	5,812	3,354	2,337	7.2	5.7	12.1	16,646	5,931	10,591	206.2	99.9	548.3
Washington	3,597	3,006	282	5.2	5.0	9.3	10,856	8,511	1,187	158.1	140.7	391.5
West Virginia	1,736	1,612	113	6.7	6.5	11.1	4,010	3,466	540	154.9	140.1	531.5
Wisconsin	3,933	3,171	640	5.4	4.8	12.8	11,493	7,610	3,415	158.4	115.7	684.0
Wyoming	724	681	12	7.1	7.0	11.0	1,052	925	45	102.5	94.8	412.8

[1] Less than 2,500 grams (5 pounds 8 ounces).
[2] Includes races other than white and black.
[3] Marital status of mother is inferred; see Technical notes.

* SOURCE: National Center for Health Statistics: Advance report of final natality statistics, 1983. **Monthly Vital Statistics Report.** Vol. 34, No. 6 Supp. Table 16, p 30. DHHS Pub. No. (PHS) 85-1120. Public Health Service. Hyattsville, Md., Sept. 20, 1985.

★ **Total deaths and death rates, and infant and neonatal deaths and mortality rates for the United States, each region, division, and State; and by race and sex for the United States: 1982**

Race, sex, and area	Total deaths		Infant deaths (under 1 year)		Neonatal deaths (under 28 days)	
	Number	Rate[1]	Number	Rate[2]	Number	Rate[2]
United States	1,974,797	852.0	42,401	11.5	28,335	7.7
Male	1,056,440	938.0	24,073	12.8	15,983	8.5
Female	918,357	770.7	18,328	10.2	12,352	6.9
White	1,729,085	872.9	29,659	10.1	19,959	6.8
Male	919,239	951.8	16,965	11.2	11,325	7.5
Female	809,846	797.9	12,694	8.9	8,634	6.0
All other	245,712	728.9	12,742	17.3	8,376	11.3
Male	137,201	854.8	7,108	18.9	4,658	12.4
Female	108,511	614.5	5,634	15.5	3,718	10.3
Black	226,513	819.2	11,642	19.6	7,744	13.1
Male	125,610	960.4	6,485	21.5	4,293	14.3
Female	100,903	692.4	5,157	17.7	3,451	11.8
Regions						
Northeast	465,193	943.5	7,757	11.5	5,533	8.2
North Central	514,090	872.4	10,693	11.5	7,228	7.8
South	663,628	846.4	15,880	12.5	10,585	8.3
West	331,886	735.1	8,071	10.0	4,989	6.2
Northeast						
New England	111,350	895.6	1,721	10.3	1,294	7.7
Maine	10,472	921.8	150	9.0	103	6.2
New Hampshire	7,616	803.4	155	11.0	121	8.6
Vermont	4,490	863.5	75	9.3	49	6.1
Massachusetts	52,946	920.8	766	10.1	573	7.6
Rhode Island	8,988	943.1	125	10.0	100	8.0
Connecticut	26,838	858.5	450	11.1	348	8.6
Middle Atlantic	353,843	959.6	6,036	11.9	4,239	8.3
New York	167,405	953.0	3,004	12.1	2,101	8.5
New Jersey	67,621	910.5	1,159	11.7	805	8.2
Pennsylvania	118,817	1,000.2	1,873	11.6	1,333	8.2
North Central						
East North Central	357,579	860.0	7,730	12.0	5,324	8.3
Ohio	94,473	877.0	1,895	11.5	1,300	7.9
Indiana	46,630	850.6	956	11.4	643	7.7
Illinois	100,501	876.5	2,500	13.6	1,716	9.3
Michigan	75,694	830.3	1,676	12.1	1,203	8.7
Wisconsin	40,281	848.9	703	9.5	462	6.2
West North Central	156,511	902.4	2,963	10.5	1,904	6.7
Minnesota	32,978	797.9	648	9.5	405	5.9
Iowa	26,890	925.3	456	10.2	281	6.3
Missouri	48,277	976.9	898	11.7	574	7.5
North Dakota	5,390	802.1	134	10.6	86	6.8
South Dakota	6,595	950.3	131	10.2	90	7.0
Nebraska	14,577	917.4	270	10.0	185	6.9
Kansas	21,804	905.5	426	10.4	283	6.9
South						
South Atlantic	333,197	869.9	7,445	13.2	5,150	9.1
Delaware	5,104	850.7	129	14.1	95	10.3
Maryland	34,098	798.5	762	11.9	536	8.4
District of Columbia	6,713	1,072.4	197	21.2	145	15.6
Virginia	41,904	764.0	1,039	12.8	755	9.3
West Virginia	18,994	968.6	312	11.4	197	7.2
North Carolina	48,551	806.6	1,175	13.7	814	9.5
South Carolina	25,070	776.9	832	16.1	552	10.7
Georgia	44,179	782.2	1,142	12.7	751	8.3
Florida	108,584	1,037.5	1,857	12.8	1,305	9.0

See footnotes at end of table

Table 4-A (continued)

*** Total deaths and death rates, and infant and neonatal deaths and mortality rates for the United States, each region, division, and State; and by race and sex for the United States: 1982—Con.**

Race, sex, and area	Total deaths		Infant deaths (under 1 year)		Neonatal deaths (under 28 days)	
	Number	Rate[1]	Number	Rate[2]	Number	Rate[2]
South—Con.						
East South Central	131,567	885.5	3,028	13.2	2,003	8.7
Kentucky	32,990	893.6	680	12.0	443	7.8
Tennessee	40,292	865.4	807	12.0	535	8.0
Alabama	35,002	888.2	831	13.8	557	9.2
Mississippi	23,283	906.3	710	15.4	468	10.2
West South Central	198,864	787.7	5,407	11.3	3,432	7.2
Arkansas	22,419	971.8	357	10.1	204	5.8
Louisiana	35,776	816.2	1,097	13.0	708	8.4
Oklahoma	29,350	909.8	722	12.3	434	7.4
Texas	111,319	726.2	3,231	10.9	2,086	7.0
West						
Mountain	82,528	683.9	2,359	10.0	1,448	6.1
Montana	6,631	823.7	147	10.1	95	6.5
Idaho	6,957	712.1	195	9.9	123	6.3
Wyoming[3]	3,191	626.9	109	9.8	65	5.9
Colorado	19,649	639.8	499	9.1	311	5.7
New Mexico	9,248	676.5	312	11.3	182	6.6
Arizona	21,969	759.6	491	9.3	299	5.7
Utah	8,515	542.0	457	11.0	282	6.8
Nevada	6,368	726.9	149	10.2	91	6.3
Pacific	249,358	753.8	5,712	10.0	3,541	6.2
Washington	32,300	755.4	740	10.6	418	6.0
Oregon	21,614	810.1	432	10.5	253	6.2
California	188,471	763.1	4,251	9.9	2,690	6.3
Alaska	1,785	402.0	125	11.1	73	6.5
Hawaii	5,188	520.4	164	8.8	107	5.7

[1] Per 100,000 population in each race-sex group and area.
[2] Per 1,000 live births in each race-sex group and area.
[3] Wyoming infant and neonatal mortality data published in the 1981 Mortality Advance Report are incorrect. The correct 1981 numbers for Wyoming are 121 infant deaths and 76 neonatal deaths; the corresponding rates are 11.2 and 7.0 per 1,000 live births.

* SOURCE: National Center for Health Statistics: Advance report of final mortality statistics, 1982. **Monthly Vital Statistics Report.** Vol. 33, No. 9 Supp. Table 13, pp 39-40. DHHS. Pub. No. (PHS) 85-1120. Public Health Service. Hyattsville, Md., Dec. 20, 1984.

*** Total deaths and death rates, and infant and neonatal deaths and mortality rates for the United States, each division, and State, and by race and sex for the United States: 1983**

Race, sex, and area	Total deaths		Infant deaths (under 1 year)		Neonatal deaths (under 28 days)	
	Number	Rate[1]	Number	Rate[2]	Number	Rate[3]
United States	2,019,201	862.8	40,627	11.2	26,507	7.3
Male	1,071,923	942.6	22,969	12.3	14,949	8.0
Female	947,278	787.4	17,658	10.0	11,558	6.5
White	1,765,582	884.6	28,301	9.7	18,603	6.4
Male	931,779	957.4	16,131	10.8	10,565	7.1
Female	833,803	815.3	12,170	8.6	8,038	5.7
All other	253,619	736.6	12,326	16.8	7,904	10.8
Male	140,144	854.9	6,838	18.3	4,384	11.7
Female	113,475	629.2	5,488	15.2	3,520	9.7
Black	233,124	830.5	11,242	19.2	7,277	12.4
Male	127,911	963.3	6,259	21.1	4,049	13.6
Female	105,213	711.2	4,983	17.2	3,228	11.2
New England	114,336	915.7	1,586	9.4	1,152	6.8
Maine	10,929	954.5	145	8.7	99	5.9
New Hampshire	7,973	832.3	119	8.6	80	5.8
Vermont	4,590	874.3	69	8.7	49	6.2
Massachusetts	54,291	942.1	690	9.1	490	6.4
Rhode Island	9,307	973.5	147	11.7	114	9.1
Connecticut	27,246	868.0	416	10.1	320	7.8
Middle Atlantic	360,633	974.3	5,793	11.4	3,958	7.8
New York	169,885	961.8	2,872	11.6	1,946	7.8
New Jersey	69,289	928.3	1,137	11.5	769	7.8
Pennsylvania	121,459	1,021.6	1,784	11.3	1,243	7.9
East North Central	365,453	881.1	7,189	11.5	4,811	7.7
Ohio	97,551	908.6	1,775	11.2	1,217	7.7
Indiana	47,747	872.6	923	11.4	610	7.5
Illinois	102,438	892.8	2,224	12.4	1,464	8.2
Michigan	76,684	847.3	1,569	11.8	1,062	8.0
Wisconsin	41,033	864.6	698	9.6	458	6.3
West North Central	159,843	918.0	2,760	10.0	1,761	6.4
Minnesota	33,937	818.9	644	9.8	409	6.2
Iowa	27,528	947.9	386	8.9	244	5.6
Missouri	49,525	997.9	810	10.7	542	7.2
North Dakota	5,576	818.8	110	8.9	75	6.1
South Dakota	6,628	948.2	135	10.8	73	5.8
Nebraska	14,718	922.2	259	9.9	171	6.5
Kansas	21,931	904.0	416	10.3	247	6.1
South Atlantic	345,472	889.2	7,156	12.7	4,752	8.4
Delaware	5,012	827.1	92	10.0	63	6.8
Maryland	35,056	815.4	752	11.8	521	8.1
District of Columbia	6,764	1,085.7	180	19.3	132	14.1
Virginia	43,743	787.3	962	11.9	671	8.3
West Virginia	19,325	985.0	283	10.9	182	7.0
North Carolina	50,208	826.3	1,106	13.2	731	8.7
South Carolina	26,164	803.6	760	15.0	497	9.8
Georgia	46,005	802.6	1,205	13.4	811	9.0
Florida	113,195	1,053.8	1,816	12.2	1,144	7.7
East South Central	135,347	906.5	2,907	13.0	1,877	8.4
Kentucky	34,224	921.7	632	11.6	431	7.9
Tennessee	41,621	890.1	836	12.8	549	8.4
Alabama	35,560	897.8	774	13.1	489	8.3
Mississippi	23,942	927.6	665	15.1	408	9.3
West South Central	203,814	788.3	5,371	11.4	3,381	7.2
Arkansas	23,154	995.9	373	10.7	216	6.2
Louisiana	36,409	820.0	1,115	13.5	741	9.0
Oklahoma	29,438	889.4	618	10.9	389	6.8
Texas	114,813	727.6	3,265	11.1	2,035	6.9
Mountain	83,352	675.0	2,265	9.7	1,305	5.6
Montana	6,713	823.7	126	9.0	60	4.3
Idaho	7,241	733.6	203	10.8	109	5.8
Wyoming	3,161	612.6	101	9.8	52	5.1
Colorado	19,549	621.4	548	10.0	322	5.9

See footnotes at end of table

Table 4-8 (continued)

* Total deaths and death rates, and infant and neonatal deaths and mortality rates for the United States, each division, and State; and by race and sex for the United States: 1983—Con.

Race, sex, and area	Total deaths		Infant deaths (under 1 year)		Neonatal deaths (under 28 days)	
	Number	Rate[1]	Number	Rate[2]	Number	Rate[2]
Mountain—Con.						
New Mexico	9,205	658.0	277	10.0	153	5.5
Arizona	22,593	760.7	511	9.5	314	5.8
Utah	8,512	526.1	346	8.8	212	5.4
Nevada	6,378	711.0	153	10.7	83	5.8
Pacific	250,951	745.9	5,600	9.7	3,510	6.1
Washington	32,668	759.4	653	9.5	372	5.4
Oregon	22,462	845.1	385	9.6	216	5.4
California	188,442	748.2	4,233	9.7	2,722	6.2
Alaska	1,897	394.4	149	12.4	79	6.6
Hawaii	5,482	538.5	180	9.4	121	6.3

[1] Per 100,000 population in each race-sex group and area.
[2] Per 1,000 live births in each race-sex group and area.

NOTE: Caution should be used in comparing crude death rates by State. Death rates are affected by the population composition of the area.

* SOURCE: National Center for Health Statistics: Advance report of final mortality statistics, 1983. **Monthly Vital Statistics Report.** Vol. 34, No. 6 Supp. (2) Table 13, pp 39-40. DHHS. Pub. No. (PHS) 85-1120. Public Health Service. Hyattsville, Md., Sept. 26, 1985.

Table 5-A

*** Deaths and death rates for major causes of death for the United States, each region, division, and State; and by race and sex for the United States: 1982**

[Rates per 100,000 population in each race-sex group and area. Numbers after causes of death are category numbers of the *Ninth Revision International Classification of Diseases, 1975*]

Race, sex, and area	*Diseases of heart (390–398, 402, 404–429)*		*Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–208)*		*Cerebrovascular diseases (430–438)*		*Accidents and adverse effects (E800–E949)*		*Motor vehicle accidents (E810–E825)*		*Suicide (E950–E959)*	
	Number	*Rate*	*Number*	*Rate*	*Number*	*Rate*	*Number*	*Rate*	*Number*	*Rate*	*Number*	*Rate*
United States	755,592	326.0	433,795	187.2	157,710	68.0	94,082	40.6	45,779	19.8	28,242	12.2
Male	398,570	353.9	233,864	207.6	63,855	56.7	65,754	58.4	33,191	29.5	21,625	19.2
Female	357,022	299.6	199,931	167.8	93,855	78.8	28,328	23.8	12,588	10.6	6,617	5.6
White	678,837	342.7	382,652	193.2	137,641	69.5	80,392	40.6	40,191	20.3	26,141	13.2
Male	358,308	371.0	204,477	211.7	54,726	56.7	55,896	57.9	29,073	30.1	19,965	20.7
Female	320,529	315.8	178,175	175.6	82,915	81.7	24,496	24.1	11,118	11.0	6,176	6.1
All other	76,755	227.7	51,143	151.7	20,069	59.5	13,690	40.6	5,588	16.6	2,101	6.2
Male	40,262	250.9	29,387	183.1	9,129	56.9	9,858	61.4	4,118	25.7	1,660	10.3
Female	36,493	206.7	21,756	123.2	10,940	62.0	3,832	21.7	1,470	8.3	441	2.5
Black	71,468	258.5	47,316	171.1	18,698	67.6	11,688	42.3	4,493	16.2	1,639	5.9
Male	36,925	282.3	27,226	208.2	8,414	64.3	8,449	64.6	3,387	25.9	1,327	10.1
Female	34,543	237.0	20,090	137.9	10,284	70.6	3,239	22.2	1,106	7.6	312	2.1
Regions												
Northeast	193,844	393.1	105,845	214.7	32,334	65.6	16,214	32.9	7,081	14.4	4,485	9.1
North Central	203,712	345.7	112,536	191.0	42,239	71.7	21,205	36.0	9,988	17.0	6,645	11.3
South	241,953	308.6	142,267	181.5	56,944	72.6	37,069	47.3	18,892	24.1	10,149	12.9
West	116,083	257.1	73,147	162.0	26,193	58.0	19,594	43.4	9,818	21.7	6,963	15.4
Northeast												
New England	44,060	354.4	26,341	211.9	8,246	66.3	4,150	33.4	1,784	14.3	1,229	9.9
Maine	4,114	362.1	2,429	213.8	799	70.3	428	37.7	191	16.8	148	13.0
New Hampshire	2,907	306.6	1,727	182.2	582	61.4	340	35.9	180	19.0	111	11.7
Vermont	1,769	340.2	978	188.1	342	65.8	215	41.3	95	18.3	83	16.0
Massachusetts	21,193	368.6	12,590	219.0	3,840	66.8	1,789	31.1	718	12.5	538	9.4
Rhode Island	3,694	387.6	2,206	231.5	589	61.8	273	28.6	120	12.6	108	11.3
Connecticut	10,383	332.1	6,411	205.1	2,094	67.0	1,105	35.3	480	15.4	241	7.7
Middle Atlantic	149,784	406.2	79,504	215.6	24,088	65.3	12,064	32.7	5,297	14.4	3,256	8.8
New York	73,016	415.6	36,877	209.9	10,814	61.6	5,528	31.5	2,305	13.1	1,331	7.6
New Jersey	28,160	379.2	16,062	216.3	4,701	63.3	2,392	32.2	1,118	15.1	578	7.8
Pennsylvania	48,608	409.2	26,565	223.6	8,573	72.2	4,144	34.9	1,874	15.8	1,347	11.3
North Central												
East North Central	143,598	345.3	79,287	190.7	28,417	68.3	14,148	34.0	6,783	16.3	4,674	11.2
Ohio	37,676	349.8	21,412	198.8	7,372	68.4	3,578	33.2	1,661	15.4	1,280	11.9
Indiana	18,114	330.4	10,120	184.6	4,173	76.1	2,065	37.7	1,020	18.6	624	11.4
Illinois	41,181	359.2	22,151	193.2	7,675	66.9	3,772	32.9	1,744	15.2	1,085	9.5
Michigan	30,151	330.7	16,615	182.3	5,857	64.2	3,129	34.3	1,566	17.2	1,102	12.1
Wisconsin	16,476	347.2	8,989	189.4	3,340	70.4	1,604	33.8	792	16.7	583	12.3
West North Central	60,114	346.6	33,249	191.7	13,822	79.7	7,057	40.7	3,205	18.5	1,971	11.4
Minnesota	12,315	298.0	7,193	174.0	3,021	73.1	1,477	35.7	632	15.3	470	11.4
Iowa	10,814	372.1	5,786	199.1	2,426	83.5	1,121	38.6	516	17.8	309	10.6
Missouri	18,254	369.4	10,432	211.1	4,011	81.2	2,085	42.2	918	18.6	583	11.8
North Dakota	2,029	301.9	1,167	173.7	482	71.7	324	48.2	158	23.5	73	10.9
South Dakota	2,691	387.8	1,264	182.1	570	82.1	368	53.0	167	24.1	95	13.7
Nebraska	5,716	359.7	2,978	187.4	1,362	85.7	648	40.8	273	17.2	164	10.3
Kansas	8,295	344.5	4,429	183.9	1,950	81.0	1,034	42.9	541	22.5	277	11.5
South												
South Atlantic	123,349	322.0	74,272	193.9	27,858	72.7	16,747	43.7	8,214	21.4	5,262	13.7
Delaware	1,983	330.5	1,217	202.8	303	50.5	233	38.8	126	21.0	76	12.7
Maryland	12,583	294.7	8,326	195.0	2,252	52.7	1,504	35.2	691	16.2	430	10.1
District of Columbia	2,118	338.3	1,543	246.5	420	67.1	230	36.7	48	7.7	74	11.8
Virginia	15,480	282.2	9,565	174.4	3,455	63.0	2,054	37.4	875	16.0	763	13.9
West Virginia	7,916	403.7	3,914	199.6	1,434	73.1	916	46.7	457	23.3	230	11.7

Table 5-A (continued)

* Deaths and death rates for major causes of death for the United States, each region, division, and State; and by race and sex for the United States: 1982—Con.

[Rates per 100,000 population in each race-sex group and area. Numbers after causes of death are category numbers of the *Ninth Revision International Classification of Diseases, 1975*]

Race, sex, and area	Diseases of heart (390–398, 402, 404–429)		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–208)		Cerebrovascular diseases (430–438)		Accidents and adverse effects (E800–E949)		Motor vehicle accidents (E810–E825)		Suicide (E950–E959)	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
South—Con.												
South Atlantic—Con.												
North Carolina	17,849	296.5	10,186	169.2	4,591	76.3	2,734	45.4	1,364	22.7	799	13.3
South Carolina	9,087	281.6	5,063	156.9	2,372	73.5	1,543	47.8	751	23.3	369	11.4
Georgia	15,642	276.9	8,916	157.9	4,252	75.3	2,720	48.2	1,270	22.5	743	13.2
Florida	40,691	388.8	25,542	244.0	8,779	83.9	4,813	46.0	2,632	25.1	1,776	17.0
East South Central	47,834	321.9	27,620	185.9	12,283	82.7	7,342	49.4	3,709	25.0	1,737	11.7
Kentucky	12,610	341.5	7,190	194.7	2,910	78.8	1,800	48.8	871	23.6	500	13.5
Tennessee	14,884	319.7	8,640	185.6	3,948	84.8	2,093	45.0	1,097	23.6	586	12.6
Alabama	12,115	307.4	7,322	185.8	3,322	84.3	1,926	48.9	982	24.9	428	10.9
Mississippi	8,225	320.2	4,468	173.9	2,103	81.9	1,523	59.3	759	29.5	223	8.7
West South Central	70,770	280.3	40,375	159.9	16,803	66.6	12,980	51.4	6,969	27.6	3,150	12.5
Arkansas	8,353	362.1	4,663	202.1	2,190	94.9	1,176	51.0	577	25.0	276	12.0
Louisiana	13,029	297.3	7,366	168.1	2,954	67.4	2,293	52.3	1,100	25.1	550	12.5
Oklahoma	10,961	339.8	5,883	182.4	2,537	78.6	2,017	62.5	1,099	34.1	455	14.1
Texas	38,427	250.7	22,463	146.5	9,122	59.5	7,494	48.9	4,193	27.4	1,869	12.2
West												
Mountain	27,404	227.1	16,719	138.5	5,633	46.7	6,061	50.2	3,202	26.5	2,099	17.4
Montana	2,243	278.6	1,374	170.7	526	65.3	475	59.0	234	29.1	126	15.7
Idaho	2,413	247.0	1,372	140.4	575	58.9	503	51.5	237	24.3	138	14.1
Wyoming	1,073	210.8	571	112.2	203	39.9	344	67.6	192	37.7	96	18.9
Colorado	6,643	216.3	3,843	125.1	1,320	43.0	1,372	44.7	675	22.0	504	16.4
New Mexico	2,372	173.5	1,875	137.2	576	42.1	852	62.3	544	39.8	270	19.8
Arizona	7,606	263.0	4,790	165.6	1,391	48.1	1,396	48.3	726	25.1	509	17.6
Utah	2,959	188.4	1,472	93.7	650	41.4	617	39.3	327	20.8	202	12.9
Nevada	2,095	239.2	1,422	162.3	392	44.7	502	57.3	267	30.5	254	29.0
Pacific	88,679	268.1	56,428	170.6	20,560	62.1	13,533	40.9	6,616	20.0	4,864	14.7
Washington	11,685	273.3	7,311	171.0	2,649	62.0	1,769	41.4	826	19.3	572	13.4
Oregon	7,633	286.1	4,787	179.4	1,880	70.5	1,109	41.6	553	20.7	392	14.7
California	67,295	272.5	42,738	173.0	15,572	63.1	9,950	40.3	4,986	20.2	3,749	15.2
Alaska	390	87.8	338	76.1	91	20.5	381	85.8	98	22.1	54	12.2
Hawaii	1,676	168.1	1,254	125.8	368	36.9	324	32.5	153	15.3	97	9.7

* SOURCE: National Center for Health Statistics: Advance report of final mortality statistics, 1982. **Monthly Vital Statistics Report.** Vol. 33, No. 9 Supp. Table 14, pp 41-42. DHHS. Pub. No. (PHS) 85-1120. Public Health Service. Hyattsville, Md., Dec. 20, 1984.

★ **Deaths and death rates for major causes of death for the United States, each division, and State; and by race and sex for the United States: 1983**

[Rates per 100,000 population in each race-sex group and area. Numbers after causes of death are category numbers of the *Ninth Revision International Classification of Diseases, 1975*]

Race, sex, and area	*Diseases of heart (390–398,402, 404–429)*		*Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–208)*		*Cerebrovascular diseases (430–438)*		*Accidents and adverse effects (E800–E949)*		*Motor vehicle accidents (E810–E825)*		*Suicide (E950–E959)*	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
United States	770,432	329.2	442,986	189.3	155,598	66.5	92,488	39.5	44,452	19.0	28,295	12.1
Male	402,727	354.1	238,383	209.6	62,847	55.3	63,902	56.2	31,907	28.1	21,786	19.2
Female	367,705	305.7	204,603	170.1	92,751	77.1	28,586	23.8	12,545	10.4	6,509	5.4
White	689,749	345.6	390,009	195.4	135,596	67.9	78,607	39.4	38,864	19.5	26,157	13.1
Male	360,951	370.9	208,053	213.8	53,968	55.5	54,074	55.6	27,781	28.5	20,097	20.6
Female	328,798	321.5	181,956	177.9	81,628	79.8	24,533	24.0	11,083	10.8	6,060	5.9
All other	80,683	234.3	52,977	153.9	20,002	58.1	13,881	40.3	5,588	16.2	2,138	6.2
Male	41,776	254.8	30,330	185.0	8,879	54.2	9,828	60.0	4,126	25.2	1,689	10.3
Female	38,907	215.7	22,647	125.6	11,123	61.7	4,053	22.5	1,462	8.1	449	2.5
Black	75,008	267.2	48,754	173.7	18,562	66.1	11,883	42.3	4,472	15.9	1,623	5.8
Male	38,311	288.5	27,946	210.5	8,139	61.3	8,385	63.1	3,349	25.2	1,321	9.9
Female	36,697	248.1	20,808	140.7	10,423	70.5	3,498	23.6	1,123	7.6	302	2.0
New England	44,286	354.7	27,249	218.2	8,035	64.4	4,189	33.5	1,788	14.3	1,234	9.9
Maine	4,178	364.9	2,512	219.4	794	69.3	444	38.8	233	20.3	159	13.9
New Hampshire	2,994	312.5	1,846	192.7	617	64.4	339	35.4	193	20.1	109	11.4
Vermont	1,703	324.4	1,035	197.1	325	61.9	233	44.4	94	17.9	74	14.1
Massachusetts	21,234	368.5	12,931	224.4	3,714	64.4	1,905	33.1	756	13.1	531	9.2
Rhode Island	3,739	391.1	2,293	239.9	645	67.5	249	26.0	101	10.6	99	10.4
Connecticut	10,438	332.5	6,632	211.3	1,940	61.8	1,019	32.5	411	13.1	262	8.3
Middle Atlantic	151,997	410.6	80,906	218.6	23,616	63.8	11,805	31.9	5,085	13.7	3,262	8.8
New York	73,868	418.2	37,309	211.2	10,411	58.9	5,374	30.4	2,237	12.7	1,354	7.7
New Jersey	28,218	378.1	16,600	222.4	4,796	64.3	2,228	29.8	1,004	13.5	564	7.6
Pennsylvania	49,911	419.8	26,997	227.1	8,409	70.7	4,203	35.4	1,844	15.5	1,344	11.3
East North Central	145,651	351.2	80,458	194.0	28,268	68.2	13,988	33.7	6,547	15.8	4,666	11.2
Ohio	38,763	361.1	22,069	205.6	7,259	67.6	3,584	33.4	1,626	15.1	1,188	11.1
Indiana	18,201	332.6	10,271	187.7	4,144	75.7	2,095	38.3	1,056	19.3	638	11.7
Illinois	41,849	364.7	22,359	194.9	7,740	67.5	3,780	32.9	1,688	14.7	1,142	10.0
Michigan	30,427	336.2	16,797	185.6	5,725	63.3	2,964	32.8	1,420	15.7	1,081	11.9
Wisconsin	16,411	345.8	8,962	188.8	3,400	71.6	1,565	33.0	757	16.0	617	13.0
West North Central	60,977	350.2	33,938	194.9	13,698	78.7	6,887	39.6	3,118	17.9	2,046	11.7
Minnesota	12,555	303.0	7,284	175.8	3,095	74.7	1,493	36.0	612	14.8	444	10.7
Iowa	11,041	380.2	5,977	205.8	2,328	80.2	1,115	38.4	543	18.7	326	11.2
Missouri	18,538	373.5	10,617	213.9	4,107	82.8	2,114	42.6	933	18.8	682	13.7
North Dakota	2,159	317.0	1,198	175.9	476	69.9	265	38.9	127	18.6	67	9.8
South Dakota	2,725	389.8	1,310	187.4	550	78.7	348	49.8	179	25.6	84	12.0
Nebraska	5,627	352.6	2,956	185.2	1,381	86.5	589	36.9	269	16.9	147	9.2
Kansas	8,332	343.4	4,596	189.4	1,761	72.6	963	39.7	455	18.8	296	12.2
South Atlantic	129,190	332.5	76,478	196.8	27,834	71.6	16,844	43.4	8,363	21.5	5,057	13.0
Delaware	1,967	324.6	1,213	200.2	283	46.7	211	34.8	113	18.6	66	10.9
Maryland	13,132	305.5	8,464	196.9	2,256	52.5	1,430	33.3	680	15.8	496	11.5
District of Columbia	2,210	354.7	1,520	244.0	401	64.4	255	40.9	76	12.2	67	10.8
Virginia	16,156	290.8	9,959	179.2	3,496	62.9	2,063	37.1	920	16.6	717	12.9
West Virginia	7,880	401.6	3,986	203.2	1,459	74.4	830	42.3	431	22.0	251	12.8
North Carolina	18,817	309.7	10,368	170.6	4,541	74.7	2,756	45.4	1,285	21.1	748	12.3
South Carolina	9,673	297.1	5,240	160.9	2,332	71.6	1,719	52.8	860	26.4	330	10.1
Georgia	16,573	289.1	9,197	160.5	4,268	74.5	2,757	48.1	1,373	24.0	652	11.4
Florida	42,782	398.3	26,531	247.0	8,798	81.9	4,823	44.9	2,625	24.4	1,730	16.1
East South Central	49,363	330.6	28,080	188.1	12,080	80.9	7,522	50.4	3,637	24.4	1,764	11.8
Kentucky	13,178	354.9	7,316	197.0	2,805	75.5	1,769	47.6	817	22.0	484	13.0
Tennessee	15,313	327.5	8,709	186.2	4,105	87.8	2,196	47.0	1,071	22.9	602	12.9
Alabama	12,447	314.2	7,463	188.4	3,094	78.1	2,025	51.1	1,033	26.1	425	10.7
Mississippi	8,425	326.4	4,592	177.9	2,076	80.4	1,532	59.4	716	27.7	253	9.8

Table 5 B (continued)

*** Deaths and death rates for major causes of death for the United States, each division, and State; and by race and sex for the United States: 1983—Con.**

[Rates per 100,000 population in each race-sex group and area. Numbers after causes of death are category numbers of the *Ninth Revision International Classification of Diseases, 1975*]

Race, sex, and area	*Diseases of heart (390–398,402, 404–429)*		*Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140–208)*		*Cerebrovascular diseases (430–438)*		*Accidents and adverse effects (E800–E949)*		*Motor vehicle accidents (E810–E825)*		*Suicide (E950–E959)*	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
West South Central	72,969	282.2	41,922	162.1	16,504	63.8	12,242	47.4	6,312	24.4	3,311	12.8
Arkansas	8,617	370.6	4,902	210.8	2,203	94.8	1,162	50.0	565	24.3	277	11.9
Louisiana	13,266	298.8	7,670	172.7	2,825	63.6	2,115	47.6	980	22.1	584	13.2
Oklahoma	11,113	335.7	6,068	183.3	2,513	75.9	1,712	51.7	899	27.2	436	13.2
Texas	39,973	253.3	23,282	147.6	8,963	56.8	7,253	46.0	3,868	24.5	2,014	12.8
Mountain	27,445	222.3	17,105	138.5	5,584	45.2	5,815	47.1	3,078	24.9	2,142	17.3
Montana	2,245	275.5	1,348	165.4	509	62.5	532	65.3	271	33.3	139	17.1
Idaho	2,497	253.0	1,445	146.4	557	56.4	522	52.9	251	25.4	158	16.0
Wyoming	1,001	194.0	587	113.8	194	37.6	293	56.8	162	31.4	105	20.3
Colorado	6,430	204.4	3,900	124.0	1,250	39.7	1,298	41.3	682	21.7	569	18.1
New Mexico	2,588	185.0	1,855	132.6	576	41.2	808	57.8	489	35.0	248	17.7
Arizona	7,655	257.7	5,027	169.3	1,457	49.1	1,340	45.1	695	23.4	500	16.8
Utah	2,940	181.7	1,482	91.6	632	39.1	628	38.8	301	18.6	212	13.1
Nevada	2,089	232.9	1,461	162.9	409	45.6	394	43.9	227	25.3	211	23.5
Pacific	88,554	263.2	56,850	169.0	19,979	59.4	13,196	39.2	6,524	19.4	4,813	14.3
Washington	11,687	271.7	7,284	169.3	2,581	60.0	1,666	38.7	783	18.2	616	14.3
Oregon	7,986	300.5	4,949	186.2	2,008	75.5	1,186	44.6	588	22.1	412	15.5
California	66,752	265.0	42,952	170.5	14,891	59.1	9,607	38.1	4,873	19.3	3,635	14.4
Alaska	371	77.1	370	76.9	70	14.6	427	88.8	138	28.7	56	11.6
Hawaii	1,758	172.7	1,295	127.2	429	42.1	310	30.5	142	13.9	94	9.2

NOTE: Caution should be used in comparing crude death rates by State. Death rates are affected by the population composition of the area.

* SOURCE: National Center for Health Statistics: Advance report of final mortality statistics, 1983. **Monthly Vital Statistics Report.** Vol. 34, No. 6 Supp. (2) Table 14, pp 41-42. DHHS. Pub. No. (PHS) 85-1120. Public Health Service. Hyattsville, Md., Sept. 26, 1985.

Table 6

INFANT MORTALITY RATES* BY SELECTED AGE GROUPS LOUISIANA, 1945 - 1983

(BY RESIDENCE)

* All data are 5 year moving averages.



Table 7

NONWHITE INFANT MORTALITY RATES* BY SELECTED AGE GROUPS LOUISIANA, 1945 - 1983

(BY RESIDENCE)



Table 8

WHITE INFANT MORTALITY RATES* BY SELECTED AGE GROUPS LOUISIANA, 1945 - 1983

(BY RESIDENCE)

* All data are 5 year moving averages.



Table 9

Louisiana

Infant Death Rates,

5 Year Average Annual Rate,

1979 - 1983



12 or Under

12.1 - 20.0

20.0 - 30.0

Over 30.0

State Rate 14.0 per 1,000 live births

XXX

Table 10

Louisiana
White Infant Death Rates,
5 Year Average Annual Rate,
1979 - 1983



12 or Under

12.1 - 20.0

20.1 -- 30.0

Over 30.0

White State Rate 10.3 per 1,000 Live Births.

Rates for the following parishes were based on 5 or fewer infant deaths during the 5 year period Bienville, Claiborne, E. Carroll, E. Feliciana, Madison, St. Helena, Tensas, W. Feliciana

Table 11

Louisiana
Nonwhite Infant Death Rates, 5 Year Average Annual Rate, 1979 - 1983



Nonwhite State Rate 19.7 per 1,000 live births

	12 or Under
	12.1 - 20.0
	20.1 - 30.0
	Over 30.0

Rates for the following parishes were based on 5 or fewer infant deaths during the 5 year period 1 Cameron, Grant, Lasalle, St. Helena W. Feliciana

1982 DATA

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	84604	84531	19.4			367	15451	30158	23967	10962	3007	571	35	13
				MW	26774	38	3949	9680	8311	3725	915	147	7	2
				FW	25393	42	3736	9235	7942	3437	863	130	4	4
				MNW	16475	160	3987	5805	3871	1892	605	141	11	3
				FNW	15889	127	3779	5438	3843	1908	624	153	13	4
ACADIA	888	1281	22.2			7	268	488	338	127	37	16	-	-
				MW	499	-	100	191	149	37	11	11	-	-
				FW	472	3	98	180	121	57	11	2	-	-
				MNW	151	3	32	63	26	17	9	1	-	-
				FNW	159	1	38	54	42	16	6	2	-	-
CROWLEY*	497	362	22.4			5	82	137	90	35	9	4	-	-
				MW	108	-	21	43	33	7	2	2	-	-
				FW	124	3	31	45	29	14	1	1	-	-
				MNW	64	2	13	26	10	8	4	1	-	-
				FNW	66	-	17	23	18	6	2	-	-	-
ALLEN	256	369	17.0			2	74	143	97	33	16	3	-	1
				MW	144	1	33	52	39	12	6	1	-	-
				FW	142	-	24	55	43	12	6	1	-	1
				MNW	45	-	10	18	8	7	1	1	-	-
				FNW	38	1	7	18	7	2	3	-	-	-
ASCENSION	19	1128	21.4			7	165	435	337	133	42	9	-	-
				MW	433	1	56	169	137	54	15	1	-	-
				FW	398	1	54	161	126	41	14	1	-	-
				MNW	146	3	26	57	33	18	8	1	-	-
				FNW	151	2	29	48	41	20	5	6	-	-
ASSUMPTION	3	547	24.1			2	92	200	153	70	25	5	-	-
				MW	168	1	29	64	47	24	3	-	-	-
				FW	137	-	14	54	44	17	5	3	-	-
				MNW	117	1	24	43	28	14	7	-	-	-
				FNW	125	-	25	39	34	15	10	2	-	-
AVOYELLES	247	764	18.0			4	167	251	217	86	30	9	-	-
				MW	241	-	50	84	72	22	11	2	-	-
				FW	250	-	55	82	72	32	7	2	-	-
				MNW	117	2	26	39	34	9	6	1	-	-
				FNW	156	2	36	46	39	23	6	4	-	-
BEAUREGARD	443	501	16.0			2	99	192	132	65	11	-	-	-
				MW	209	1	37	82	53	30	6	-	-	-
				FW	210	-	37	88	54	28	3	-	-	-
				MNW	40	-	10	14	12	4	-	-	-	-
				FNW	42	1	15	8	13	3	2	-	-	-
BIENVILLE	-	278	17.0			-	74	117	53	22	10	2	-	-
				MW	70	-	17	31	15	5	2	-	-	-
				FW	71	-	14	38	10	6	3	-	-	-
				MNW	76	-	25	24	18	3	5	1	-	-
				FNW	61	-	18	24	10	8	-	1	-	-
BOSSIER	1675	1714	20.0			4	389	694	475	171	55	5	1	-
				MW	634	-	99	249	199	63	22	2	-	-
				FW	614	-	93	262	166	71	21	1	-	-
				MNW	266	3	66	107	58	23	6	2	1	-
				FNW	200	1	51	76	52	14	6	-	-	-
BOSSIER CITY*	1661	1133	21.5			1	192	474	326	103	33	4	-	-
				MW	423	-	69	168	134	36	14	2	-	-
				FW	440	-	61	198	120	49	11	1	-	-
				MNW	158	1	33	67	41	11	4	1	-	-
				FNW	112	-	29	41	31	7	4	-	-	-
CADDO	7480	4978	19.3			31	1034	1780	1353	598	152	28	-	2
				MW	1319	2	179	476	430	178	45	8	-	1
				FW	1231	5	173	435	397	174	40	6	-	1
				MNW	1253	12	333	455	281	129	39	4	-	-
				FNW	1175	12	349	414	245	117	28	10	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
SHREVEPORT*	7477	4162	20.1			29	868	1440	1161	518	128	17	-	1
				MW	1020	2	121	359	351	147	36	3	-	1
				FW	930	3	126	315	314	140	29	3	-	-
				MNW	1143	12	307	398	266	121	37	2	-	-
				FNW	1069	12	314	368	230	110	26	9	-	-
CALCASIEU	4483	3654	21.1			12	645	1426	1054	397	97	19	3	1
				MW	1357	2	205	529	433	144	36	7	1	-
				FW	1337	1	224	526	407	144	32	1	1	1
				MNW	509	7	123	184	108	59	19	8	1	-
				FNW	451	2	93	187	106	50	10	3	-	-
LAKE CHARLES*	3822	1599	21.0			7	262	620	450	188	37	14	1	-
				MW	421	1	36	170	156	47	7	4	-	-
				FW	417	-	71	155	131	50	9	1	-	-
				MNW	401	5	101	143	81	49	15	6	1	-
				FNW	360	1	74	152	82	42	6	3	-	-
SULPHUR*	635	397	18.9			-	71	138	133	42	13	-	-	-
				MW	181	-	33	55	67	18	8	-	-	-
				FW	197	-	30	77	62	23	5	-	-	-
				MNW	13	-	5	5	3	-	-	-	-	-
				FNW	6	-	3	1	1	1	-	-	-	-
CALDWELL	105	148	13.5			-	37	54	32	19	6	-	-	-
				MW	56	-	12	20	16	6	2	-	-	-
				FW	57	-	12	22	12	9	2	-	-	-
				MNW	25	-	6	12	3	2	2	-	-	-
				FNW	10	-	7	-	1	2	-	-	-	-
CAMERON	4	194	19.9			-	44	82	50	16	1	1	-	-
				MW	99	-	24	39	26	10	-	-	-	-
				FW	81	-	16	37	20	6	1	1	-	-
				MNW	5	-	2	2	1	-	-	-	-	-
				FNW	9	-	2	4	3	-	-	-	-	-
CATAHOULA	2	241	19.6			2	56	103	54	18	8	-	-	-
				MW	90	1	19	41	17	9	3	-	-	-
				FW	81	-	18	35	21	5	2	-	-	-
				MNW	50	-	15	18	11	3	3	-	-	-
				FNW	20	1	4	9	5	1	-	-	-	-
CLAIBORNE	77	281	15.6			4	78	91	70	28	6	4	-	-
				MW	78	-	21	27	23	6	1	-	-	-
				FW	74	-	17	24	23	9	-	1	-	-
				MNW	72	3	26	21	12	7	2	1	-	-
				FNW	57	1	14	19	12	6	3	2	-	-
CONCORDIA	294	427	18.4			6	109	159	100	41	10	2	-	-
				MW	121	-	24	45	37	12	2	1	-	-
				FW	118	1	20	48	32	16	1	-	-	-
				MNW	94	1	39	28	15	8	3	-	-	-
				FNW	94	4	26	38	16	5	4	1	-	-
DESOTO	2	487	18.4			3	110	180	133	41	18	1	1	-
				MW	150	-	30	61	44	12	3	-	-	-
				FW	107	-	15	46	35	8	3	-	-	-
				MNW	111	1	32	35	30	9	4	-	-	-
				FNW	119	2	33	38	24	12	8	1	1	-
E BATON ROUGE	11640	7233	18.7			18	982	2287	2352	1244	310	36	4	-
				MW	2135	-	193	688	756	419	72	7	-	-
				FW	2069	2	198	635	770	368	89	7	-	-
				MNW	1568	12	328	502	431	214	70	11	-	-
				FNW	1461	4	263	462	395	243	79	11	4	-
BATON ROUGE*	11213	5225	21.9			16	823	1717	1567	839	230	30	3	-
				MW	1257	-	135	441	407	228	41	5	-	-
				FW	1215	2	144	372	422	213	58	4	-	-
				MNW	1411	10	297	469	378	186	61	10	-	-
				FNW	1342	4	247	435	360	212	70	11	3	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
EAST CARROLL	116	259	22.7			3	70	96	62	21	5	2	-	-
				MW	36	-	4	15	14	3	-	-	-	-
				FW	49	-	7	20	18	3	1	-	-	-
				NMW	89	1	26	33	17	8	2	2	-	-
				FNW	85	2	33	28	13	7	2	-	-	-
E FELICIANA	6	403	20.5			3	69	172	108	34	15	2	-	-
				MW	113	-	18	48	32	12	2	1	-	-
				FW	91	2	12	34	33	7	3	-	-	-
				NMW	104	1	14	50	25	10	4	-	-	-
				FNW	95	-	25	40	18	5	6	1	-	-
EVANGELINE	373	645	18.9			4	141	247	168	61	20	4	-	-
				MW	218	3	40	89	58	20	6	2	-	-
				FW	223	-	43	81	65	26	8	-	-	-
				NMW	102	-	23	41	24	10	4	-	-	-
				FNW	102	1	35	36	21	5	2	2	-	-
FRANKLIN	3	414	16.8			4	107	157	87	41	14	4	-	-
				MW	106	2	17	39	30	13	4	1	-	-
				FW	124	-	25	58	24	14	2	1	-	-
				NMW	98	2	31	34	18	8	4	1	-	-
				FNW	86	-	34	26	15	6	4	1	-	-
GRANT	2	245	14.0			1	52	75	75	31	10	1	-	-
				MW	98	-	14	36	30	12	5	1	-	-
				FW	92	-	21	25	32	11	3	-	-	-
				NMW	28	1	11	9	4	2	1	-	-	-
				FNW	27	-	6	5	9	6	1	-	-	-
IBERIA	1335	1559	23.4			6	275	574	452	187	47	16	1	1
				MW	503	1	80	190	151	63	10	7	1	-
				FW	512	1	80	192	166	48	22	3	-	-
				NMW	279	1	64	97	65	41	5	5	-	1
				FNW	265	3	51	95	70	35	10	1	-	-
NEW IBERIA*	1328	778	23.3			3	132	284	240	89	23	6	-	1
				MW	252	1	37	89	84	34	4	3	-	-
				FW	255	-	41	99	82	18	12	3	-	-
				NMW	132	-	29	49	32	18	3	-	-	1
				FNW	139	2	25	47	42	19	4	-	-	-
IBERVILLE	11	702	21.7			5	134	248	195	81	32	7	-	-
				MW	160	-	24	68	43	17	8	-	-	-
				FW	154	-	23	47	55	23	5	1	-	-
				NMW	192	3	44	71	43	17	11	3	-	-
				FNW	196	2	43	62	54	24	8	3	-	-
JACKSON	236	262	14.9			-	66	104	59	26	6	1	-	-
				MW	87	-	21	31	20	12	2	1	-	-
				FW	72	-	14	32	17	7	2	-	-	-
				NMW	49	-	13	20	13	2	1	-	-	-
				FNW	54	-	18	21	9	5	1	-	-	-
JEFFERSON	7358	8347	17.6			16	1100	2688	2760	1336	311	55	-	1
				MW	3266	2	394	1021	1137	556	139	17	-	-
				FW	3092	2	376	1002	1070	514	110	18	-	-
				NMW	984	6	196	346	254	143	30	9	-	-
				FNW	1005	6	214	319	299	123	32	11	-	1
KENNER*	7	1276	18.1			5	181	368	455	207	54	6	-	-
				MW	492	1	47	138	192	90	24	-	-	-
				FW	517	1	58	151	192	90	23	2	-	-
				NMW	134	2	40	40	30	17	2	3	-	-
				FNW	133	1	36	39	41	10	5	1	-	-
GRETNA*	4	830	40.3			1	140	322	253	86	23	5	-	-
				MW	317	-	58	114	98	32	12	3	-	-
				FW	269	-	47	110	80	24	6	2	-	-
				NMW	125	-	17	52	36	15	5	-	-	-
				FNW	119	1	18	46	39	15	-	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
HARAHAN*	1	64	5.6			-	1	24	23	12	3	1	-	-
				MW	35	-	-	13	11	8	3	-	-	-
				FW	28	-	1	11	12	3	-	1	-	-
				MNW	1	-	-	-	-	1	-	-	-	-
				FNW	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	-	334	26.1			-	98	140	65	25	4	2	-	-
				MW	109	-	26	54	20	7	2	-	-	-
				FW	111	-	36	43	23	7	1	1	-	-
				MNW	54	-	16	20	9	8	-	1	-	-
				FNW	60	-	20	23	13	3	1	-	-	-
JEFF DAVIS	255	656	20.0			3	122	246	192	60	26	5	2	-
				MW	269	1	45	102	87	23	8	3	-	-
				FW	232	-	42	89	73	16	10	1	1	-
				MNW	87	2	23	29	21	7	5	-	-	-
				FNW	68	-	12	26	11	14	3	1	1	-
JENNINGS*	246	252	20.3			3	60	97	66	19	6	1	-	-
				MW	97	1	23	41	26	3	2	1	-	-
				FW	79	-	15	34	26	2	2	-	-	-
				MNW	44	2	16	12	8	5	1	-	-	-
				FNW	32	-	6	10	6	9	1	-	-	-
LAFAYETTE	6060	3485	21.7			12	451	1210	1185	481	128	16	2	-
				MW	1312	4	121	456	472	208	45	4	2	-
				FW	1272	3	126	444	477	170	45	7	-	-
				MNW	444	3	106	155	113	52	14	1	-	-
				FNW	457	2	98	155	123	51	24	4	-	-
LAFAYETTE*	6042	1767	20.0			9	266	581	575	257	68	11	-	-
				MW	562	3	60	177	203	97	19	3	-	-
				FW	541	2	51	180	202	82	21	3	-	-
				MNW	325	2	81	108	82	40	11	1	-	-
				FNW	339	2	74	116	88	38	17	4	-	-
LAFOURCHE	1617	1763	20.4			8	343	659	470	205	64	10	4	-
				MW	706	-	123	265	197	82	32	4	3	-
				FW	715	2	126	273	204	81	23	6	-	-
				MNW	167	4	43	57	30	25	7	-	1	-
				FNW	175	2	51	64	39	17	2	-	-	-
THIBODAUX*	1055	320	20.2			3	64	131	71	38	10	2	1	-
				MW	99	-	15	44	22	12	4	2	-	-
				FW	92	-	15	43	22	10	2	-	-	-
				MNW	59	2	10	23	13	8	2	-	1	-
				FNW	70	1	24	21	14	8	2	-	-	-
LASALLE	90	263	14.9			1	57	108	62	26	5	4	-	-
				MW	115	-	26	46	27	12	4	-	-	-
				FW	121	1	25	55	29	8	-	3	-	-
				MNW	14	-	4	4	2	3	1	-	-	-
				FNW	13	-	2	3	4	3	-	1	-	-
LINCOLN	332	565	13.6			6	100	179	154	103	18	5	-	-
				MW	178	-	21	55	64	33	4	1	-	-
				FW	161	1	22	46	51	34	6	1	-	-
				MNW	103	2	31	34	15	15	4	2	-	-
				FNW	123	3	26	44	24	21	4	1	-	-
RUSTON*	320	260	12.1			3	45	79	68	53	9	3	-	-
				MW	80	-	6	23	30	18	2	1	-	-
				FW	68	-	6	20	17	19	5	1	-	-
				MNW	48	1	16	15	7	6	2	1	-	-
				FNW	64	2	17	21	14	10	-	-	-	-
LIVINGSTON	6	1263	19.5			3	227	527	332	137	31	6	-	-
				MW	614	-	113	259	157	68	15	2	-	-
				FW	542	1	87	228	151	58	14	3	-	-
				MNW	51	-	12	19	15	5	-	-	-	-
				FNW	56	2	15	21	9	6	2	1	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
MADISON	72	297	18.7			7	80	103	71	23	10	3	-	-
				MW	41	-	7	20	7	2	5	-	-	-
				FW	32	-	7	11	12	2	-	-	-	-
				MNW	116	5	37	38	25	9	2	-	-	-
				FNW	108	2	29	34	27	10	3	3	-	-
MOREHOUSE	506	655	18.5			9	187	235	144	54	18	7	1	-
				MW	172	-	37	67	46	18	3	1	-	-
				FW	139	-	27	55	35	15	6	1	-	-
				MNW	174	5	60	60	27	11	8	3	-	-
				FNW	170	4	63	53	36	10	1	2	1	-
BASTROP*	506	328	21.5			7	97	118	63	33	5	4	1	-
				MW	84	-	17	34	19	13	-	1	-	-
				FW	49	-	12	17	12	6	1	1	-	-
				MNW	97	4	33	34	14	7	4	1	-	-
				FNW	98	3	35	33	18	7	-	1	1	-
NATCHITOCHES	519	713	17.5			3	151	267	171	88	22	10	1	-
				MW	188	-	37	71	44	33	2	1	-	-
				FW	176	-	27	70	54	17	7	1	-	-
				MNW	160	2	42	55	32	18	5	5	1	-
				FNW	189	1	45	71	41	20	8	3	-	-
NATCHITOCHES*	514	357	20.7			1	68	136	88	44	14	5	1	-
				MW	63	-	10	24	20	8	1	-	-	-
				FW	65	-	6	26	22	9	2	-	-	-
				MNW	102	-	27	37	18	13	4	2	1	-
				FNW	127	1	25	49	28	14	7	3	-	-
ORLEANS	15967	10414	18.5			51	1997	3362	2911	1574	432	81	4	2
				MW	1423	1	121	377	536	314	63	11	-	-
				FW	1408	2	125	396	480	310	85	10	-	-
				MNW	3868	26	906	1331	968	457	145	31	2	2
				FNW	3715	22	845	1258	927	493	139	29	2	-
OUACHITA	4385	2553	17.9			23	483	945	705	296	85	14	2	-
				MW	760	2	98	283	254	96	23	4	-	-
				FW	696	2	100	261	221	84	23	4	1	-
				MNW	559	10	164	205	106	55	17	1	1	-
				FNW	538	9	121	196	124	61	22	5	-	-
MONROE*	3472	1210	20.7			16	273	441	291	135	46	7	1	-
				MW	203	1	21	76	68	30	5	2	-	-
				FW	201	1	26	68	64	29	12	1	-	-
				MNW	418	8	129	156	70	38	15	1	1	-
				FNW	388	6	97	141	89	38	14	3	-	-
WEST MONROE*	897	304	20.1			2	66	118	90	20	5	3	-	-
				MW	119	-	31	44	36	5	2	1	-	-
				FW	135	-	25	57	44	8	-	1	-	-
				MNW	27	1	6	10	6	4	-	-	-	-
			—	FNW	23	1	4	7	4	3	3	1	-	-
PLAQUEMINES	24	578	22.1			2	121	234	138	64	14	5	-	-
				MW	230	-	54	86	55	27	6	2	-	-
				FW	186	1	29	84	48	18	4	2	-	-
				MNW	79	1	19	34	14	11	-	-	-	-
				FNW	83	-	19	30	21	8	4	1	-	-
POINTE COUPEE	130	522	21.1			5	93	206	139	58	14	6	1	-
				MW	145	-	25	57	36	23	3	1	-	-
				FW	131	-	26	57	35	11	1	1	-	-
				MNW	133	3	25	42	42	15	3	2	1	-
				FNW	113	2	17	50	26	9	7	2	-	-
RAPIDES	4069	2454	17.7			8	494	985	645	288	99	11	1	3
				MW	844	1	154	310	251	94	32	2	-	-
				FW	697	-	110	277	183	87	34	4	1	1
				MNW	471	3	111	174	109	55	14	5	-	-
				FNW	442	4	119	144	102	52	19	-	-	2

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ALEXANDRIA*	2329	1134	21.7			3	266	427	257	135	40	5	-	1
				MW	246	-	47	102	61	28	8	-	-	-
				FW	214	-	32	96	43	30	11	1	-	1
				MNW	341	-	91	129	71	37	9	4	-	-
				FNW	333	3	96	100	82	40	12	-	-	-
RED RIVER	39	194	17.4			1	45	76	37	27	8	-	-	-
				MW	59	-	9	28	12	10	-	-	-	-
				FW	50	-	9	18	12	8	3	-	-	-
				MNW	44	-	12	14	9	6	3	-	-	-
				FNW	41	1	15	16	4	3	2	-	-	-
RICHLAND	209	420	18.6			5	114	167	85	37	8	3	1	-
				MW	101	-	14	52	24	11	-	-	-	-
				FW	100	-	29	36	26	8	1	-	-	-
				MNW	115	3	35	48	14	9	5	-	1	-
				FNW	104	2	36	31	21	9	2	3	-	-
SABINE	15	416	15.3			3	110	148	89	40	19	7	-	-
				MW	165	-	44	53	42	14	9	3	-	-
				FW	141	-	24	61	30	17	6	3	-	-
				MNW	57	2	24	18	5	5	2	1	-	-
				FNW	53	1	18	16	12	4	2	-	-	-
ST BERNARD	2	1151	17.2			-	151	450	349	156	39	6	-	-
				MW	538	-	68	210	154	85	19	2	-	-
				FW	531	-	66	209	182	58	12	4	-	-
				MNW	40	-	10	15	7	6	2	-	-	-
				FNW	42	-	7	16	6	7	6	-	-	-
ST CHARLES	78	892	22.9			4	133	326	274	125	22	7	-	1
				MW	345	-	43	128	107	60	6	-	-	1
				FW	280	1	26	109	95	37	9	3	-	-
				MNW	127	1	30	45	32	12	6	1	-	-
				FNW	140	2	34	44	40	16	1	3	-	-
ST HELENA	-	152	15.5			-	22	44	54	20	10	1	1	-
				MW	44	-	9	14	17	4	-	-	-	-
				FW	30	-	1	7	14	7	1	-	-	-
				MNW	44	-	6	15	12	5	5	-	1	-
				FNW	34	-	6	8	11	4	4	1	-	-
ST JAMES	89	491	22.6			-	69	185	152	58	21	6	-	-
				MW	114	-	11	48	37	9	6	3	-	-
				FW	102	-	10	46	36	9	1	-	-	-
				MNW	149	-	24	46	45	23	9	2	-	-
				FNW	126	-	24	45	34	17	5	1	-	-
ST JOHN	48	902	26.2			4	152	330	260	120	32	3	-	1
				MW	292	-	29	118	90	41	14	-	-	-
				FW	268	-	35	105	86	33	9	-	-	-
				MNW	178	4	43	54	42	29	4	2	-	-
				FNW	164	-	45	53	42	17	5	1	-	1
ST LANDRY	1408	1846	21.5			6	382	682	464	216	79	17	-	-
				MW	525	-	83	210	134	70	21	7	-	-
				FW	510	2	88	197	151	54	18	-	-	-
				MNW	403	2	106	144	87	45	14	5	-	-
				FNW	408	2	105	131	92	47	26	5	-	-
OPELOUSAS*	1042	471	24.6			2	107	168	111	53	21	9	-	-
				MW	81	-	11	31	22	11	3	3	-	-
				FW	75	-	12	25	27	7	4	-	-	-
				MNW	159	1	43	56	33	20	3	3	-	-
				FNW	156	1	41	56	29	15	11	3	-	-
EUNICE*	364	256	20.5			3	54	92	67	28	12	-	-	-
				MW	99	-	17	36	28	12	6	-	-	-
				FW	95	1	21	38	24	10	1	-	-	-
				MNW	35	1	10	10	8	3	3	-	-	-
				FNW	27	1	6	8	7	3	2	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS							
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ST MARTIN	220	904	21.3			2	179	322	252	105	32	11	1	-
				MW	287	1	43	114	88	30	7	4	-	-
				FW	280	1	53	98	83	35	7	3	-	-
				MNW	172	-	43	62	42	15	8	2	-	-
				FNW	165	-	40	48	39	25	10	2	1	-
ST MARY	869	1438	22.0			3	300	579	348	157	42	9	-	-
				MW	456	1	87	192	111	45	19	1	-	-
				FW	450	-	89	176	131	48	6	-	-	-
				MNW	268	2	52	119	59	31	9	5	-	-
				FNW	264	-	72	101	47	33	8	3	-	-
MORGAN CITY*	536	356	22.1			-	64	140	96	43	11	2	-	-
				MW	189	-	18	43	27	16	5	-	-	-
				FW	124	-	20	48	40	14	2	-	-	-
				MNW	65	-	8	29	16	8	3	1	-	-
				FNW	58	-	18	20	13	5	1	1	-	-
ST TAMMANY	1726	2273	18.4			3	329	703	742	369	112	15	-	-
				MW	987	-	129	307	339	153	53	6	-	-
				FW	907	1	117	271	309	167	39	3	-	-
				MNW	198	-	44	64	53	23	10	4	-	-
				FNW	181	2	39	61	41	26	10	2	-	-
SLIDELL*	856	496	18.4			1	69	116	100	91	35	4	-	-
				MW	213	-	32	45	80	40	15	1	-	-
				FW	203	-	23	43	83	39	13	2	-	-
				MNW	37	-	7	13	7	4	5	1	-	-
				FNW	43	1	7	15	10	8	2	-	-	-
TANGIPAHOA	1889	1869	22.1			11	399	662	461	267	57	10	2	-
				MW	574	1	100	225	155	75	14	4	-	-
				FW	519	2	94	172	144	89	17	1	-	-
				MNW	396	4	107	137	84	50	11	3	-	-
				FNW	380	4	98	128	78	53	15	2	2	-
HAMMOND*	6	324	20.8			1	68	104	94	48	8	1	-	-
				MW	72	-	6	17	38	10	1	-	-	-
				FW	73	-	13	21	21	18	-	-	-	-
				MNW	89	-	25	31	19	10	3	1	-	-
				FNW	90	1	24	35	16	10	4	-	-	-
TENSAS	36	148	18.2			3	32	58	35	14	5	1	-	-
				MW	27	-	6	9	9	3	-	-	-	-
				FW	28	1	3	12	6	5	1	-	-	-
				MNW	48	-	13	21	10	3	1	-	-	-
				FNW	45	2	10	16	10	3	3	1	-	-
TERREBONNE	3573	2480	25.1			6	498	917	656	304	89	9	1	-
				MW	911	2	165	336	245	130	31	2	-	-
				FW	930	-	166	368	251	112	28	5	-	-
				MNW	289	1	79	98	81	20	10	-	-	-
				FNW	350	3	88	115	79	42	20	2	1	-
HOUMA*	1543	909	27.3			4	217	313	218	113	38	5	1	-
				MW	323	1	72	113	77	48	11	1	-	-
				FW	308	-	66	115	80	33	12	2	-	-
				MNW	119	1	37	33	34	9	5	-	-	-
				FNW	159	2	42	52	27	23	10	2	1	-
UNION	113	340	15.9			7	79	132	73	41	6	2	-	-
				MW	100	1	21	37	28	12	1	-	-	-
				FW	108	-	22	46	22	18	-	-	-	-
				MNW	74	3	19	29	11	6	4	2	-	-
				FNW	58	3	17	20	12	5	1	-	-	-
VERMILION	746	1083	21.6			1	212	420	300	106	40	4	-	-
				MW	440	1	76	179	120	43	19	2	-	-
				FW	446	-	86	171	134	44	10	1	-	-
				MNW	96	-	23	30	26	13	4	-	-	-
				FNW	101	-	27	40	20	6	7	1	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ABBEVILLE*	382	339	27.3			-	78	127	90	32	11	1	-	-
				MW	100	-	16	39	33	10	2	-	-	-
				FW	106	-	22	40	30	11	3	-	-	-
				MNW	61	-	16	20	16	8	1	-	-	-
				FNW	72	-	24	28	11	3	5	1	-	-
VERNON	1146	1545	26.7			2	299	728	359	114	36	7	-	-
				MW	543	1	112	251	125	43	10	1	-	-
				FW	527	-	101	249	116	41	16	4	-	-
				MNW	242	-	40	122	56	17	7	-	-	-
				FNW	233	1	46	106	62	13	3	2	-	-
WASHINGTON	850	835	18.5			5	167	301	214	104	27	17	-	-
				MW	246	1	54	86	62	36	5	2	-	-
				FW	241	1	43	90	65	30	8	4	-	-
				MNW	178	3	38	65	39	21	6	6	-	-
				FNW	170	-	32	60	48	17	8	5	-	-
BOGALUSA*	747	276	16.3			3	47	109	65	37	9	6	-	-
				MW	80	1	14	28	20	14	3	-	-	-
				FW	83	-	16	41	12	9	5	-	-	-
				MNW	67	2	11	25	17	9	-	3	-	-
				FNW	46	-	6	15	16	5	1	3	-	-
WEBSTER	432	731	16.3			8	181	267	176	66	23	9	1	-
				MW	251	2	57	91	71	19	8	3	-	-
				FW	218	1	39	85	64	20	7	2	-	-
				MNW	135	4	46	44	18	15	5	2	1	-
				FNW	127	1	39	47	23	12	3	2	-	-
MINDEN*	372	271	18.1			3	91	87	58	22	7	3	-	-
				MW	79	-	23	20	20	5	3	-	-	-
				FW	50	-	10	18	17	3	1	1	-	-
				MNW	73	2	32	21	12	5	1	-	-	-
				FNW	69	1	26	20	9	9	2	2	-	-
W BATON ROUGE	3	463	23.8			2	88	175	131	49	12	6	-	-
				MW	135	-	17	56	42	16	3	1	-	-
				FW	145	-	30	57	42	11	2	3	-	-
				MNW	90	1	21	27	23	14	2	2	-	-
				FNW	93	1	20	35	24	8	5	-	-	-
WEST CARROLL	1	250	19.1			2	63	96	58	22	6	3	-	-
				MW	104	1	26	38	28	8	3	-	-	-
				FW	91	-	21	42	19	7	2	-	-	-
				MNW	32	-	10	9	6	5	-	2	-	-
				FNW	23	1	6	7	5	2	1	1	-	-
W FELICIANA	20	173	13.7			1	25	60	52	24	10	1	-	-
				MW	51	-	6	23	10	10	2	-	-	-
				FW	43	1	2	14	19	4	3	-	-	-
				MNW	36	-	11	8	8	6	2	1	-	-
				FNW	43	-	6	15	15	4	3	-	-	-
WINN	2	293	16.6			1	79	101	61	37	12	2	-	-
				MW	92	-	18	36	20	14	4	-	-	-
				FW	82	-	20	31	19	8	3	1	-	-
				MNW	68	1	23	20	11	8	5	-	-	-
				FNW	51	-	18	14	11	7	-	1	-	-
OUT OF STATE**	957	1030				4	190	376	294	120	40	6	-	-
				MW	418	1	72	155	126	45	17	2	-	-
				FW	442	-	79	170	118	57	17	1	-	-
				MNW	83	3	22	21	20	10	4	3	-	-
				FNW	87	-	17	30	30	8	2	-	-	-

*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

TABLE I-B
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1982

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	84604	84531	19.4			367	15451	30158	23967	10962	3007	571	35	13
				MW	26774	38	3949	9680	8311	3725	915	147	7	2
				FW	25393	42	3736	9235	7942	3437	863	130	4	4
				MNW	16475	160	3987	5805	3871	1892	605	141	11	3
				FNW	15889	127	3779	5438	3843	1908	624	153	13	4
SPD 1	25077	22763	18.2			72	3778	7437	6900	3499	908	162	4	3
				MW	6444	3	766	2001	2221	1135	280	38	-	-
				FW	6124	6	713	1962	2089	1067	250	37	-	-
				MNW	5169	33	1175	1790	1296	648	187	44	2	2
				FNW	5026	30	1124	1684	1294	657	191	43	2	1
SPD 2	14574	14743	19.6			60	2371	5117	4375	2151	560	101	8	-
				MW	4650	3	615	1693	1447	734	139	19	-	-
				FW	4363	10	570	1502	1454	649	157	21	-	-
				MNW	2938	30	632	993	755	375	122	29	2	-
				FNW	2792	17	554	929	719	393	142	32	6	-
SPD 3	5408	7075	23.3			24	1287	2617	1965	882	253	40	5	2
				MW	2536	3	400	959	723	346	92	9	3	1
				FW	2432	3	377	955	716	289	75	17	-	-
				MNW	1027	11	243	343	258	123	43	5	1	-
				FNW	1080	7	267	360	268	124	43	9	1	1
SPD 4	11899	12241	21.7			41	2208	4522	3507	1440	425	93	4	1
				MW	4240	11	630	1621	1283	516	138	38	3	-
				FW	4165	10	663	1539	1328	482	127	16	-	-
				MNW	1915	11	449	782	442	224	67	19	-	1
				FNW	1921	9	466	660	454	218	93	20	1	-
SPD 5	5441	5374	20.0			19	984	2089	1525	571	151	28	5	2
				MW	2078	5	344	804	638	219	56	11	1	-
				FW	2002	1	343	795	597	206	52	4	2	2
				MNW	686	9	168	247	150	77	25	9	1	-
				FNW	608	4	129	243	140	69	18	4	1	-
SPD 6	5852	6232	19.0			25	1313	2430	1573	641	210	36	1	3
				MW	2144	3	417	849	579	218	71	7	-	-
				FW	1968	2	370	802	504	208	66	14	1	1
				MNW	1084	8	269	414	242	105	40	6	-	-
				FNW	1036	12	257	365	248	110	33	9	-	2
SPD 7	10571	10357	18.2			63	2192	3799	2711	1184	331	71	4	2
				MW	3092	4	514	1142	944	373	96	18	-	1
				FW	2843	7	433	1085	842	364	96	15	-	1
				MNW	2277	29	637	807	478	230	75	18	3	-
				FNW	2145	23	608	765	447	217	64	20	1	-
SPD 8	5782	5746	17.8			63	1318	2147	1411	594	169	40	4	-
				MW	1590	6	263	611	476	184	43	7	-	-
				FW	1496	3	267	595	412	172	40	6	1	-
				MNW	1379	29	414	589	250	118	46	11	2	-
				FNW	1281	25	374	432	273	120	40	16	1	-
HSA 1	30485	29838	19.2			96	5065	10054	8865	4381	1161	202	9	5
				MW	8980	6	1166	2960	2944	1481	372	47	3	1
				FW	8556	9	1090	2917	2805	1356	325	54	-	-
				MNW	6196	44	1418	2133	1554	763	230	49	3	2
				FNW	6106	37	1391	2044	1562	781	234	52	3	2
HSA 2	31914	32358	20.4			120	5563	11728	9407	4162	1136	222	17	3
				MW	10968	19	1589	4118	3368	1469	333	68	4	-
				FW	10530	21	1576	3836	3379	1337	336	41	2	2
				MNW	5539	50	1249	1942	1347	676	214	57	3	1
				FNW	5321	30	1149	1832	1313	680	253	56	8	-
HSA 3	22205	22335	18.3			151	4823	8376	5695	2419	710	147	9	5
				MW	6826	13	1194	2602	1999	775	210	32	-	1
				FW	6307	12	1070	2482	1758	744	202	35	2	2
				MNW	4740	66	1320	1730	970	453	161	35	5	-
				FNW	4462	60	1239	1562	968	447	137	45	2	2

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1982

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
					ATTENDED BY				ATTENDED BY				
				TOTAL	PHYSICIAN	MIDWIFE	OTHER	TOTAL	PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
TOTAL	84604	84531	19.4	52167	51783	255	129	32364	32106	144	114	43249	41282
ACADIA	888	1281	22.2	971	966	-	5	310	309	-	1	650	631
CROWLEY*	497	362	22.4	232	231	-	1	130	129	-	1	172	190
ALLEN	256	369	17.0	286	286	-	-	83	83	-	-	189	180
ASCENSION	19	1128	21.4	831	826	3	2	297	292	-	5	579	549
ASSUMPTION	3	547	24.1	305	305	-	-	242	236	-	6	285	262
AVOYELLES	247	764	18.0	491	489	-	2	273	272	-	1	358	406
BEAUREGARD	443	501	16.0	419	419	-	-	82	81	-	1	249	252
BIENVILLE	-	278	17.0	141	141	-	-	137	137	-	-	146	132
BOSSIER	1675	1714	20.0	1248	1140	107	1	466	435	31	-	900	814
BOSSIER CITY*	1661	1133	21.5	863	769	93	1	270	239	31	-	581	552
CADDO	7480	4978	19.3	2550	2524	23	3	2428	2402	26	-	2572	2406
SHREVEPORT*	7477	4162	20.1	1950	1930	18	2	2212	2189	23	-	2163	1999
CALCASIEU	4483	3654	21.1	2694	2694	-	-	960	956	-	4	1866	1788
LAKE CHARLES*	3822	1599	21.0	838	838	-	-	761	759	-	2	822	777
SULPHUR*	635	397	18.9	378	378	-	-	19	18	-	1	194	203
CALDWELL	105	148	13.5	113	113	-	-	35	35	-	-	81	67
CAMERON	4	194	19.9	180	180	-	-	14	14	-	-	104	90
CATAHOULA	2	241	19.6	171	169	-	2	70	70	-	-	140	101
CLAIBORNE	77	281	15.6	152	151	-	1	129	128	-	1	150	131
CONCORDIA	294	427	18.4	239	239	-	-	188	185	-	3	215	212
DE SOTO	2	487	18.4	257	256	-	1	230	230	-	-	261	226
EAST BATON ROUGE	11640	7233	18.7	4204	4181	17	6	3029	3006	2	21	3703	3530
BATON ROUGE*	11213	5225	21.9	2472	2452	15	5	2753	2731	2	20	2668	2557
EAST CARROLL	116	259	22.7	85	84	1	-	174	169	5	-	125	134
EAST FELICIANA	6	403	20.5	204	201	1	2	199	194	-	5	217	186
EVANGELINE	373	645	18.9	441	440	-	1	204	203	-	1	320	325
FRANKLIN	3	414	16.8	230	229	1	-	184	184	-	-	204	210
GRANT	2	245	14.0	190	190	-	-	55	54	-	1	126	119
IBERIA	1335	1559	23.4	1015	1012	-	3	544	534	-	10	782	777
NEW IBERIA*	1328	778	23.3	507	506	-	1	271	267	-	4	384	394
IBERVILLE	11	702	21.7	314	313	-	1	388	383	-	5	352	350
JACKSON	236	262	14.9	159	159	-	-	103	103	-	-	136	126
JEFFERSON	7358	8347	17.6	6358	6330	21	7	1989	1983	2	4	4250	4097
KENNER*	7	1276	18.1	1009	1004	4	1	267	267	-	-	626	650
GRETNA*	4	830	40.3	586	583	1	2	244	244	-	-	442	388
HARAHAN*	1	64	5.6	63	62	1	-	1	1	-	-	36	28
WESTWEGO*	-	334	26.1	220	220	-	-	114	113	-	1	163	171
JEFFERSON DAVIS	255	656	26.0	501	500	-	1	155	155	-	-	356	300
JENNINGS*	246	252	20.3	176	175	-	1	76	76	-	-	141	111

(CONTINUED)

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1982

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
				TOTAL	ATTENDED BY			TOTAL	ATTENDED BY			MALE	FEMALE
					PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER		
LAFAYETTE	6060	3485	21.7	2584	2555	-	29	901	895	1	5	1756	1729
LAFAYETTE*	6042	1767	20.0	1103	1086	-	17	664	660	1	3	887	880
LAFOURCHE	1617	1763	20.4	1421	1413	2	6	342	340	-	2	873	890
THIBODAUX*	1055	320	20.2	191	191	-	-	129	129	-	-	158	162
LA SALLE	90	263	14.9	236	236	-	-	27	27	-	-	129	134
LINCOLN	332	565	13.6	339	338	1	-	226	226	-	-	281	284
RUSTON*	320	260	12.1	148	148	-	-	112	112	-	-	128	132
LIVINGSTON	6	1263	19.5	1156	1147	4	5	107	107	-	-	665	598
MADISON	72	297	18.7	73	69	4	-	224	160	63	1	157	140
MOREHOUSE	506	655	18.5	311	311	-	-	344	344	-	-	346	309
BASTROP*	506	328	21.5	133	133	-	-	195	195	-	-	181	147
NATCHITOCHES	519	713	17.5	364	362	-	2	349	343	3	3	348	365
NATCHITOCHES*	514	357	20.7	128	127	-	1	229	227	1	1	165	192
ORLEANS	15967	10414	18.5	2831	2797	31	3	7583	7572	4	7	5291	5123
OUACHITA	4385	2553	17.9	1456	1455	-	1	1097	1097	-	-	1319	1234
MONROE*	3472	1210	20.7	404	404	-	-	806	806	-	-	621	589
WEST MONROE*	897	304	20.1	254	254	-	-	50	50	-	-	146	158
PLAQUEMINES	24	578	22.1	416	413	1	2	162	161	-	1	309	269
POINTE COUPEE	130	522	21.1	276	274	-	2	246	245	-	1	278	244
RAPIDES	4069	2454	17.7	1541	1535	2	4	913	911	-	2	1315	1139
ALEXANDRIA*	2329	1134	21.7	460	458	1	1	674	673	-	1	587	547
RED RIVER	39	194	17.4	109	109	-	-	85	84	-	1	103	91
RICHLAND	209	420	18.6	201	201	-	-	219	219	-	-	216	204
SABINE	15	416	15.3	306	303	-	3	110	110	-	-	222	194
ST BERNARD	2	1151	17.2	1069	1067	2	-	82	82	-	-	578	573
ST CHARLES	78	892	22.9	625	622	2	1	267	267	-	-	472	420
ST HELENA	-	152	15.5	74	74	-	-	78	78	-	-	88	64
ST JAMES	89	491	22.6	216	214	-	2	275	273	-	2	263	228
ST JOHN	48	902	26.2	560	559	1	-	342	341	-	1	470	432
ST LANDRY	1488	1846	21.5	1035	1033	1	1	811	810	-	1	928	918
OPELOUSAS*	1042	471	24.6	156	155	-	1	315	315	-	-	240	231
EUNICE*	364	256	20.5	194	194	-	-	62	62	-	-	134	122
ST MARTIN	220	904	21.3	567	563	-	4	337	335	-	2	459	445
ST MARY	869	1438	22.8	906	905	-	1	532	528	-	4	724	714
MORGAN CITY*	536	356	22.1	233	233	-	-	123	122	-	1	174	182
ST TAMMANY	1726	2273	18.4	1894	1873	15	6	379	377	-	2	1185	1088
SLIDELL*	856	496	18.4	416	411	4	1	80	80	-	-	250	246
TANGIPAHOA	1889	1869	22.1	1093	1087	4	2	776	776	-	-	970	899
HAMMOND*	6	324	20.8	145	143	2	-	179	179	-	-	161	163
TENSAS	36	148	18.2	55	54	1	-	93	92	1	-	75	73

(CONTINUED)

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1982

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
					ATTENDED BY				ATTENDED BY				
				TOTAL	PHYSICIAN	MIDWIFE	OTHER	TOTAL	PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
TERREBONNE	3573	2480	25.1	1841	1833	2	6	639	637	-	2	1200	1280
HOUMA*	1543	989	27.3	631	630	1	-	278	277	-	1	442	467
UNION	113	340	15.9	208	208	-	-	132	131	1	-	174	166
VERMILION	746	1083	21.6	886	878	-	8	197	197	-	-	536	547
ABBEVILLE*	382	339	27.3	206	201	-	5	133	133	-	-	161	178
VERNON	1146	1545	26.7	1070	1066	2	2	475	474	-	1	785	760
WASHINGTON	850	835	18.5	487	486	1	-	348	345	2	1	424	411
BOGALUSA*	747	276	16.3	163	163	-	-	113	112	1	-	147	129
WEBSTER	432	731	16.3	469	466	2	1	262	259	2	1	386	345
MINDEN*	372	271	18.1	129	129	-	-	142	141	1	-	152	119
WEST BATON ROUGE	3	463	23.8	280	279	1	-	183	179	-	4	225	238
WEST CARROLL	1	250	19.1	195	195	-	-	55	55	-	-	136	114
WEST FELICIANA	20	173	13.7	94	93	1	-	79	78	1	-	87	86
WINN	2	293	16.6	174	173	1	-	119	118	-	1	160	133
OUT OF STATE**	957	1030		860	853	4	3	170	169	-	1	501	529

*INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
TOTAL	84684	26814	25490	16435	15865
ACADIA	888	384	355	68	81
ACADIA-ST. LANDRY HOSPITAL	152	55	42	25	30
AMERICAN LEGION HOSPITAL	493	244	225	12	12
RAYNE BRANCH HOSPITAL	234	85	82	30	37
OUT OF HOSPITAL	9	-	6	1	2
ALLEN	256	101	98	35	22
ALLEN PARISH HOSPITAL	179	80	68	17	14
HUMANA HOSPITAL, OAKDALE	77	21	30	18	8
ASCENSION	19	3	6	6	4
EAST ASCENSION GENERAL HOSPITAL	4	1	2	1	-
PREVOST MEMORIAL HOSPITAL	6	-	2	2	2
OUT OF HOSPITAL	9	2	2	3	2
ASSUMPTION	3	-	-	2	1
ASSUMPTION GENERAL HOSPITAL	1	-	-	1	-
OUT OF HOSPITAL	2	-	-	1	1
AVOYELLES	247	73	77	46	51
BUNKIE GENERAL HOSPITAL	90	32	31	15	12
HUMANA HOSPITAL-MARKSVILLE	153	39	46	30	38
OUT OF HOSPITAL	4	2	-	1	1
BEAUREGARD	443	187	188	37	31
BEAUREGARD MEMORIAL HOSPITAL	441	186	188	37	30
OUT OF HOSPITAL	2	1	-	-	1
BOSSIER	1675	683	733	145	114
U S AIR FORCE BASE HOSPITAL	569	200	226	82	61
BOSSIER MEDICAL CENTER	1100	479	507	61	53
OUT OF HOSPITAL	6	4	-	2	-
CADDO	7480	1989	1785	1916	1790
L.S.U. MEDICAL CENTER	4085	559	506	1544	1476
HIGHLAND HOSPITAL	506	231	217	38	20
NORTH CADDO MEMORIAL HOSPITAL	1	-	1	-	-
DOCTORS HOSPITAL OF CADDO	112	28	34	25	25
PHYSICIANS AND SURGEONS HOSPITAL	314	107	92	65	50
T. E. SCHUMPERT HOSPITAL	1233	559	498	101	78
WILLIS KNIGHTON MEDICAL CENTER	1222	503	437	143	139
OUT OF HOSPITAL	4	2	-	-	2
CALCASIEU	4483	1697	1655	603	528
DEQUINCY GENERAL HOSPITAL	25	12	8	2	3
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	1319	356	365	334	264
LAKE CHARLES MEMORIAL HOSPITAL	1466	594	531	171	170
ST. PATRICKS HOSPITAL	1028	435	455	64	74
WEST CALCASIEU-CAMERON HOSPITAL	634	298	294	27	15
OUT OF HOSPITAL	11	2	2	5	2
CALDWELL	105	27	36	29	13
CALDWELL MEMORIAL HOSPITAL	50	12	12	18	8
CITIZENS MEDICAL HOSPITAL	55	15	24	11	5
CAMERON	4	3	1	-	-
SOUTH CAMERON MEMORIAL HOSPITAL	3	3	-	-	-
OUT OF HOSPITAL	1	-	1	-	-
CATAHOULA	2	-	1	1	-
CATAHOULA PARISH HOSPITAL	1	-	-	1	-
OUT OF HOSPITAL	1	-	1	-	-
CLAIBORNE	77	22	16	23	16
HOMER MEMORIAL HOSPITAL	76	22	16	22	16
OUT OF HOSPITAL	1	-	-	1	-
CONCORDIA	294	68	54	95	77
CONCORDIA PARISH HOSPITAL	290	68	54	94	74
OUT OF HOSPITAL	4	-	-	1	3

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
DESOTO	2	-	1	-	1
DESOTO GENERAL HOSPITAL	1	-	-	-	1
OUT OF HOSPITAL	1	-	1	-	-
EAST BATON ROUGE	11640	3713	3521	2263	2143
EARL K. LONG MEMORIAL HOSPITAL	3313	438	414	1255	1214
LANE MEMORIAL HOSPITAL	431	152	163	68	48
OUR LADY OF THE LAKE MEDICAL CENTER	4	-	1	1	2
WOMANS HOSPITAL	7846	3125	2936	922	863
OUT OF HOSPITAL	46	6	7	17	16
EAST CARROLL	116	12	10	52	42
EAST CARROLL PARISH HOSPITAL	113	12	9	51	41
OUT OF HOSPITAL	3	-	1	1	1
EAST FELICIANA	6	-	2	-	4
OUT OF HOSPITAL	6	-	2	-	4
EVANGELINE	373	95	110	87	81
HUMANA HOSPITAL-VILLE PLATTE	143	40	35	35	33
SAVOY MEMORIAL HOSPITAL	228	55	74	52	47
OUT OF HOSPITAL	2	-	1	-	1
FRANKLIN	3	1	-	1	1
FRANKLIN PARISH HOSPITAL	1	-	-	-	1
OUT OF HOSPITAL	2	1	-	1	-
GRANT	2	-	-	-	2
OUT OF HOSPITAL	2	-	-	-	2
IBERIA	1335	458	471	209	197
DAUTERIVE HOSPITAL INC.	646	262	293	48	43
IBERIA GENERAL HOSP AND MEDICAL CENTER	677	194	178	156	149
OUT OF HOSPITAL	12	2	-	5	5
IBERVILLE	11	1	1	4	5
RHODES SPEDALE GENERAL HOSPITAL	7	-	1	3	3
OUT OF HOSPITAL	4	1	-	1	2
JACKSON	236	42	30	76	88
JACKSON PARISH HOSPITAL	236	42	30	76	88
JEFFERSON	7358	3200	3108	468	582
EAST JEFFERSON GENERAL HOSPITAL	878	423	399	24	32
OCHSNER FOUNDATION HOSPITAL	688	315	253	55	65
LAKESIDE HOSPITAL	4430	2027	1944	220	239
MEADOWCREST HOSPITAL	1	-	-	1	-
WEST JEFFERSON GENERAL HOSPITAL	1326	496	500	165	165
OUT OF HOSPITAL	35	19	12	3	1
JEFFERSON DAVIS	255	132	100	12	11
JENNINGS AMERICAN LEGION HOSPITAL	245	127	96	12	10
WELSH GENERAL HOSPITAL	9	5	3	-	1
OUT OF HOSPITAL	1	-	1	-	-
LAFAYETTE	6060	1974	1915	1076	1095
UNIVERSITY MEDICAL CENTER	2560	439	446	839	836
LAFAYETTE GENERAL HOSPITAL	3446	1520	1449	226	251
OUT OF HOSPITAL	54	15	20	11	8
LAFOURCHE	1617	693	707	104	113
LADY OF THE SEA HOSPITAL	133	64	64	3	2
ST. ANNE HOSPITAL	416	194	196	13	13
THIBODAUX GENERAL HOSPITAL	1056	429	444	88	95
OUT OF HOSPITAL	12	6	3	-	3
LASALLE	90	42	46	1	1
HARDTNER MEDICAL CENTER	90	42	46	1	1
LINCOLN	332	146	126	34	26
LINCOLN GENERAL HOSPITAL	321	145	125	29	22
OUT OF HOSPITAL	11	1	1	5	4

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
LIVINGSTON	6	4	2	-	-
OUT OF HOSPITAL	6	4	2	-	-
MADISON	72	4	4	28	36
MADISON PARISH HOSPITAL	70	4	4	28	34
OUT OF HOSPITAL	2	-	-	-	2
MOREHOUSE	506	157	147	102	100
MOREHOUSE GENERAL HOSPITAL	505	157	147	102	99
OUT OF HOSPITAL	1	-	-	-	1
NATCHITOCHES	519	194	154	80	91
NATCHITOCHES PARISH HOSPITAL	512	193	152	78	89
OUT OF HOSPITAL	7	1	2	2	2
ORLEANS	15967	3190	3034	4946	4797
JO ELLEN SMITH MEMORIAL HOSPITAL	1721	530	492	357	342
SOUTHERN BAPTIST HOSPITAL	2321	1037	977	145	162
CHARITY HOSPITAL OF NEW ORLEANS	6541	577	547	2708	2709
UNITED MEDICAL CENTER	564	5	8	299	252
FLINT GOODRIDGE HOSP OF DILLARD UNIV	160	2	3	76	79
HOTEL DIEU HOSPITAL	851	195	172	255	229
PENDLETON MEMORIAL METHODIST HOSPITAL	1978	588	585	416	389
NEW ORLEANS GENERAL HOSPITAL	28	-	-	20	8
TOURO INFIRMARY	1389	195	189	515	490
TULANE MEDICAL CENTER HOSPITAL	338	41	38	142	117
OUT OF HOSPITAL	76	20	23	13	20
OUACHITA	4385	1237	1194	998	956
E. A. CONWAY HOSPITAL	2043	247	238	798	760
GLENWOOD HOSPITAL	897	485	376	58	58
ST. FRANCIS HOSPITAL	1416	582	579	130	125
OUT OF HOSPITAL	29	3	1	12	13
PLAQUEMINES	24	9	7	2	6
PLAQUEMINES PARISH GENERAL HOSPITAL	21	8	5	2	6
OUT OF HOSPITAL	3	1	2	-	-
POINTE COUPEE	130	15	26	49	40
POINTE COUPEE GENERAL HOSPITAL	126	14	25	48	39
OUT OF HOSPITAL	4	1	1	1	1
RAPIDES	4069	1369	1199	763	738
RAPIDES GENERAL HOSPITAL	1250	533	470	128	119
WOODVIEW REGIONAL HOSPITAL	16	9	4	3	-
HUEY P. LONG CHARITY HOSPITAL	1727	330	293	550	554
ST. FRANCIS CABRINI HOSPITAL	1058	491	429	79	59
OUT OF HOSPITAL	18	6	3	3	6
RED RIVER	39	19	13	2	5
L. S. HUCKABAY MEMORIAL HOSPITAL	38	19	12	2	5
OUT OF HOSPITAL	1	-	1	-	-
RICHLAND	209	97	91	13	8
RICHLAND PARISH HOSPITAL - URBAN	202	97	90	7	8
RICHLAND PARISH HOSPITAL - RURAL	4	-	1	3	-
OUT OF HOSPITAL	3	-	-	3	-
SABINE	15	2	2	8	3
SABINE MEDICAL CENTER	1	-	-	-	1
PLEASANT HILL GENERAL HOSPITAL	11	1	-	8	2
OUT OF HOSPITAL	3	1	2	-	-
ST.BERNARD	2	-	2	-	-
OUT OF HOSPITAL	2	-	2	-	-
ST.CHARLES	78	23	14	24	17
ST. CHARLES PARISH HOSPITAL	76	22	13	24	17
OUT OF HOSPITAL	2	1	1	-	-
ST. JAMES	89	30	23	17	19
ST. JAMES PARISH HOSPITAL	85	29	22	16	18
WEST ST. JAMES PARISH HOSPITAL	2	-	-	1	1
OUT OF HOSPITAL	2	1	1	-	-

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ST. JOHN	48	20	14	8	6
RIVER PARISHES MEDICAL CENTER	44	19	13	7	5
OUT OF HOSPITAL	4	1	1	1	1
ST. LANDRY	1408	566	523	157	162
MOOSA MEMORIAL HOSPITAL	357	161	147	23	26
OPELOUSAS GENERAL HOSPITAL	1048	405	375	132	136
OUT OF HOSPITAL	3	-	1	2	-
ST. MARTIN	220	58	83	39	40
CARY MEMORIAL HOSPITAL	145	33	47	30	35
ST. MARTIN INFIRMARY	70	23	34	9	4
OUT OF HOSPITAL	5	2	2	-	1
ST. MARY	869	312	315	128	114
FRANKLIN FOUNDATION HOSPITAL	337	97	103	77	60
LAKEWOOD HOSPITAL	530	215	211	51	53
OUT OF HOSPITAL	2	-	1	-	1
ST. TAMMANY	1726	743	690	160	133
HIGHLAND PARK HOSPITAL	370	155	132	44	39
ST. TAMMANY PARISH HOSPITAL	455	176	173	64	42
SLIDELL MEMORIAL HOSPITAL	855	386	368	50	51
OUT OF HOSPITAL	46	26	17	2	1
TANGIPAHOA	1889	542	479	442	426
HAMMOND STATE HOSPITAL	1	1	-	-	-
LALLIE KEMP CHARITY HOSPITAL	890	147	174	285	284
SEVENTH WARD GENERAL HOSPITAL	993	392	303	157	141
OUT OF HOSPITAL	5	2	2	-	1
TENSAS	36	3	3	15	15
TENSAS MEMORIAL HOSPITAL	35	3	3	14	15
OUT OF HOSPITAL	1	-	-	1	-
TERREBONNE	3573	1205	1157	582	629
SOUTH LOUISIANA MEDICAL CENTER	2099	564	514	504	517
TERREBONNE PARISH GENERAL HOSPITAL	1455	636	639	73	107
OUT OF HOSPITAL	19	5	4	5	5
UNION	113	39	34	23	17
TRI-WARD GENERAL HOSPITAL	3	2	1	-	-
UNION GENERAL HOSPITAL	110	37	33	23	17
VERMILION	746	319	303	61	63
ABROM KAPLAN MEMORIAL HOSPITAL	359	169	159	16	15
ABBEVILLE GENERAL HOSPITAL	367	145	136	40	46
ERATH GENERAL HOSPITAL	12	3	2	5	2
OUT OF HOSPITAL	8	2	6	-	-
VERNON	1146	364	360	206	216
LEESVILLE GENERAL HOSPITAL	36	13	17	2	4
BAYNE JONES ARMY COMMUNITY HOSPITAL	1042	323	328	193	198
BYRD MEMORIAL HOSPITAL	64	25	14	11	14
OUT OF HOSPITAL	4	3	1	-	-
WASHINGTON	850	277	279	151	143
5907	1	1	-	-	-
BOGALUSA COMMUNITY MEDICAL CENTER	294	131	118	22	23
RIVERSIDE MEDICAL CENTER	100	35	46	9	10
WASHINGTON-ST. TAMMANY HOSPITAL	451	109	115	118	109
OUT OF HOSPITAL	4	1	-	2	1
WEBSTER	432	180	178	33	41
HUMANA HOSPITAL-MINDEN	366	148	151	30	37
HUMANA HOSPITAL-SPRINGHILL	61	30	26	2	3
OUT OF HOSPITAL	5	2	1	1	1
WEST BATON ROUGE	3	-	-	1	2
OUT OF HOSPITAL	3	-	-	1	2
WEST CARROLL	1	-	-	1	-
WEST CARROLL PARISH HOSPITAL	1	-	-	1	-

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
WEST FELICIANA	20	10	6	2	2
WEST FELICIANA PARISH HOSPITAL	12	6	4	-	2
OUT OF HOSPITAL	8	4	2	2	-
WINN	2	-	1	1	-
HUMANA HOSPITAL-WINN PARISH	1	-	-	1	-
OUT OF HOSPITAL	1	-	1	-	-

TABLE IV
CONGENITAL ANOMALIES SPECIFIED ON BIRTH CERTIFICATES
SHOWN BY TYPE OF ANOMALY AND AGE OF MOTHER
LOUISIANA RESIDENTS, 1982

CONGENITAL ANOMALY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK
TOTAL	668	5	125	233	184	79	33	9	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES - (740)	15	-	-	4	7	2	1	1	-	-
SPINA BIFIDA - (741)	19	-	2	8	6	3	-	-	-	-
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM - (742)	22	-	3	7	10	1	1	-	-	-
CONGENITAL ANOMALIES OF EYE - (743)	12	-	3	4	3	1	1	-	-	-
CONGENITAL ANOMALIES OF EAR, FACE AND NECK - (744)	19	-	6	3	8	1	1	-	-	-
BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE - (745)	9	-	1	1	4	3	-	-	-	-
OTHER CONGENITAL ANOMALIES OF HEART - (746)	22	-	5	7	4	5	-	1	-	-
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM - (747)	15	-	2	4	4	4	1	-	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM - (748)	17	1	4	5	4	2	1	-	-	-
CLEFT PALATE AND CLEFT LIP - (749)	49	-	5	23	14	5	1	1	-	-
OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT - (750)	10	-	1	6	3	-	-	-	-	-
OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM - (751)	20	-	2	6	10	1	1	-	-	-
CONGENITAL ANOMALIES OF GENITAL ORGANS - (752)	60	1	12	17	17	10	3	-	-	-
CONGENITAL ANOMALIES OF URINARY SYSTEM - (753)	12	-	2	3	3	3	1	-	-	-
CERTAIN CONGENITAL MUSCULOSKELETAL DEFORMITIES - (754)	84	-	17	38	19	6	4	-	-	-
OTHER CONGENITAL ANOMALIES OF LIMBS - (755)	156	1	30	61	41	15	8	-	-	-
OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES - (756)	34	-	8	13	7	3	2	1	-	-
CONGENITAL ANOMALIES OF THE INTEGUMENT - (757)	35	-	10	10	9	4	1	1	-	-
CHROMOSOMAL ANOMALIES - (758)	28	-	3	4	6	6	5	4	-	-
OTHER AND UNSPECIFIED CONGENITAL ANOMALIES - (759)	22	1	6	7	3	4	1	-	-	-
CONDITIONS OTHER THAN (740-759) MENTIONED ON BIRTH CERTIFICATE	8	1	3	2	2	-	-	-	-	-

THIS IS NOT AN UNDUPLICATED COUNT,
MORE THAN ONE CONGENITAL ANOMALY WAS SHOWN ON SOME BIRTH CERTIFICATES.

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
TOTAL	7150	1513	1547	1858	2232	1418	1393	4339
ACADIA	50	14	20	6	10	5	10	35
ACADIA-ST. LANDRY HOSPITAL	7	2	-	3	2	-	1	6
AMERICAN LEGION HOSPITAL	31	11	15	1	4	4	7	20
RAYNE BRANCH HOSPITAL	11	1	5	1	4	1	2	8
OUT OF HOSPITAL	1	-	-	1	-	-	-	1
ALLEN	9	2	2	1	4	2	2	5
ALLEN PARISH HOSPITAL	5	2	1	-	2	2	1	2
HUMANA HOSPITAL, OAKDALE	4	-	1	1	2	-	1	3
ASCENSION	1	1	-	-	-	-	-	1
OUT OF HOSPITAL	1	1	-	-	-	-	-	1
AVOYELLES	16	4	6	3	3	-	3	13
BUNKIE GENERAL HOSPITAL	8	4	3	1	-	-	2	6
HUMANA HOSPITAL-MARKSVILLE	7	-	3	2	2	-	1	6
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
BEAUREGARD	13	7	4	-	2	-	3	10
BEAUREGARD MEMORIAL HOSPITAL	13	7	4	-	2	-	3	10
BOSSIER	102	32	43	14	13	19	18	65
U S AIR FORCE BASE HOSPITAL	25	3	12	5	5	1	2	22
BOSSIER MEDICAL CENTER	75	28	31	8	8	16	16	43
OUT OF HOSPITAL	2	1	-	1	-	2	-	-
CADDO	794	141	139	245	269	211	139	444
L.S.U. MEDICAL CENTER	531	53	52	196	230	140	86	305
HIGHLAND HOSPITAL	22	7	8	4	3	4	2	16
NORTH CADDO MEMORIAL HOSPITAL	1	-	1	-	-	-	-	1
DOCTORS HOSPITAL OF CADDO	11	2	4	2	3	3	3	5
PHYSICIANS AND SURGEONS HOSPITAL	35	10	12	7	6	7	11	17
T. E. SCHUMPERT HOSPITAL	109	45	33	19	12	39	25	45
WILLIS KNIGHTON MEDICAL CENTER	85	24	29	17	15	18	12	55
CALCASIEU	344	108	108	57	71	60	61	223
DEQUINCY GENERAL HOSPITAL	3	-	1	1	1	-	2	1
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	117	21	33	34	29	22	27	68
LAKE CHARLES MEMORIAL HOSPITAL	108	36	32	12	28	15	19	74
ST. PATRICKS HOSPITAL	67	28	24	5	10	12	9	46
WEST CALCASIEU-CAMERON HOSPITAL	47	23	17	4	3	10	4	33
OUT OF HOSPITAL	2	-	1	1	-	1	-	1
CALDWELL	4	2	-	1	1	-	2	2
CALDWELL MEMORIAL HOSPITAL	2	1	-	-	1	-	2	-
CITIZENS MEDICAL HOSPITAL	2	1	-	1	-	-	-	2
CAMERON	3	2	1	-	-	-	1	2
SOUTH CAMERON MEMORIAL HOSPITAL	2	2	-	-	-	-	-	2
OUT OF HOSPITAL	1	-	1	-	-	-	1	-
CATAHOULA	1	-	-	1	-	-	-	1
CATAHOULA PARISH HOSPITAL	1	-	-	1	-	-	-	1
CLAIBORNE	5	-	-	4	1	1	1	3
HOMER MEMORIAL HOSPITAL	5	-	-	4	1	1	1	3
CONCORDIA	27	4	3	6	14	6	4	17
CONCORDIA PARISH HOSPITAL	26	4	3	6	13	5	4	17
OUT OF HOSPITAL	1	-	-	-	1	1	-	-
EAST BATON ROUGE	927	180	203	252	292	179	189	559
EARL K. LONG MEMORIAL HOSPITAL	404	36	45	153	170	68	94	242
LANE MEMORIAL HOSPITAL	40	9	14	7	10	8	13	19
OUR LADY OF THE LAKE MEDICAL CENTER	1	-	-	-	1	-	-	1
WOMANS HOSPITAL	474	134	143	90	107	99	82	293
OUT OF HOSPITAL	8	1	1	2	4	4	-	4

(CONTINUED)

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
EAST CARROLL	17	-	1	6	10	3	2	12
EAST CARROLL PARISH HOSPITAL	15	-	-	5	10	2	2	11
OUT OF HOSPITAL	2	-	1	1	-	1	-	1
EAST FELICIANA	3	-	-	-	3	-	2	1
OUT OF HOSPITAL	3	-	-	-	3	-	2	1
EVANGELINE	26	3	3	9	11	4	3	19
HUMANA HOSPITAL-VILLE PLATTE	11	1	-	4	6	1	1	9
SAVOY MEMORIAL HOSPITAL	14	2	3	5	4	3	1	10
OUT OF HOSPITAL	1	-	-	-	1	-	1	-
FRANKLIN	1	-	-	1	-	-	1	-
OUT OF HOSPITAL	1	-	-	1	-	-	1	-
GRANT	1	-	-	-	1	-	-	1
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
IBERIA	89	27	26	17	19	10	14	65
DAUTERIVE HOSPITAL INC.	37	13	16	3	5	3	9	25
IBERIA GENERAL HOSP AND MEDICAL CENTER	49	14	10	12	13	7	5	37
OUT OF HOSPITAL	3	-	-	2	1	-	-	3
IBERVILLE	1	-	-	-	1	-	-	1
RHODES SPEDALE GENERAL HOSPITAL	1	-	-	-	1	-	-	1
JACKSON	27	5	4	8	10	2	6	19
JACKSON PARISH HOSPITAL	27	5	4	8	10	2	6	19
JEFFERSON	475	180	196	41	58	77	98	300
EAST JEFFERSON GENERAL HOSPITAL	45	20	20	1	4	7	6	32
OCHSNER FOUNDATION HOSPITAL	96	31	43	10	12	38	20	38
LAKESIDE HOSPITAL	239	100	105	10	24	23	47	169
MEADOWCREST HOSPITAL	1	-	-	1	-	1	-	-
WEST JEFFERSON GENERAL HOSPITAL	94	29	28	19	18	8	25	61
JEFFERSON DAVIS	19	10	6	1	2	2	2	15
JENNINGS AMERICAN LEGION HOSPITAL	17	9	6	1	1	2	2	13
WELSH GENERAL HOSPITAL	2	1	-	-	1	-	-	2
LAFAYETTE	577	101	131	159	186	123	130	324
UNIVERSITY MEDICAL CENTER	351	31	50	124	146	73	80	198
LAFAYETTE GENERAL HOSPITAL	222	69	81	34	38	48	50	124
OUT OF HOSPITAL	4	1	-	1	2	2	-	2
LAFOURCHE	76	25	27	13	11	12	12	52
LADY OF THE SEA HOSPITAL	5	2	3	-	-	1	1	3
ST. ANNE HOSPITAL	18	7	10	-	1	1	3	14
THIBODAUX GENERAL HOSPITAL	53	16	14	13	10	10	8	35
LASALLE	3	2	1	-	-	-	-	3
HARDTNER MEDICAL CENTER	3	2	1	-	-	-	-	3
LINCOLN	20	7	4	5	4	3	3	14
LINCOLN GENERAL HOSPITAL	18	7	4	4	3	3	2	13
OUT OF HOSPITAL	2	-	-	1	1	-	1	1
MADISON	5	-	-	1	4	1	2	2
MADISON PARISH HOSPITAL	5	-	-	1	4	1	2	2
MOREHOUSE	40	8	9	11	12	9	12	19
MOREHOUSE GENERAL HOSPITAL	40	8	9	11	12	9	12	19
NATCHITOCHES	27	7	5	7	8	4	7	16
NATCHITOCHES PARISH HOSPITAL	26	7	5	6	8	3	7	16
OUT OF HOSPITAL	1	-	-	1	-	1	-	-

(CONTINUED)

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
ORLEANS	1809	228	212	621	748	391	368	1050
JO ELLEN SMITH MEMORIAL HOSPITAL	133	33	30	35	35	15	15	103
SOUTHERN BAPTIST HOSPITAL	127	59	40	13	15	29	26	72
CHARITY HOSPITAL OF NEW ORLEANS	1008	71	78	385	474	252	225	531
UNITED MEDICAL CENTER	78	1	-	34	43	12	18	48
FLINT GOODRIDGE HOSP OF DILLARD UNIV	13	1	1	7	4	2	1	10
HOTEL DIEU HOSPITAL	70	7	7	24	32	11	13	46
PENDLETON MEMORIAL METHODIST HOSPITAL	159	34	38	42	45	25	36	98
NEW ORLEANS GENERAL HOSPITAL	3	-	-	2	1	-	-	3
TOURO INFIRMARY	149	8	13	58	70	25	22	102
TULANE MEDICAL CENTER HOSPITAL	59	11	4	18	26	20	9	30
OUT OF HOSPITAL	10	3	1	3	3	-	3	7
OUACHITA	348	73	70	89	116	78	70	200
E. A. CONWAY HOSPITAL	198	23	14	72	89	36	46	116
GLENWOOD HOSPITAL	39	14	15	4	6	4	6	29
ST. FRANCIS HOSPITAL	106	36	41	11	18	36	17	53
OUT OF HOSPITAL	5	-	-	2	3	2	1	2
PLAQUEMINES	1	-	-	-	1	-	-	1
PLAQUEMINES PARISH GENERAL HOSPITAL	1	-	-	-	1	-	-	1
POINTE COUPEE	10	2	1	3	4	1	4	5
POINTE COUPEE GENERAL HOSPITAL	9	1	1	3	4	1	4	4
OUT OF HOSPITAL	1	1	-	-	-	-	-	1
RAPIDES	343	88	69	89	97	68	59	216
RAPIDES GENERAL HOSPITAL	68	22	17	15	14	6	11	51
WOODVIEW REGIONAL HOSPITAL	2	-	1	1	-	-	-	2
HUEY P. LONG CHARITY HOSPITAL	178	26	24	57	71	29	29	120
ST. FRANCIS CABRINI HOSPITAL	92	39	27	16	10	33	19	40
OUT OF HOSPITAL	3	1	-	-	2	-	-	3
RED RIVER	2	-	-	-	2	-	1	1
L. S. HUCKABAY MEMORIAL HOSPITAL	2	-	-	-	2	-	1	1
RICHLAND	10	5	4	-	1	1	2	7
RICHLAND PARISH HOSPITAL - URBAN	10	5	4	-	1	1	2	7
SABINE	1	-	-	-	1	1	-	-
SABINE MEDICAL CENTER	1	-	-	-	1	1	-	-
ST.CHARLES	5	1	2	1	1	2	1	2
ST. CHARLES PARISH HOSPITAL	4	1	1	1	1	1	1	2
OUT OF HOSPITAL	1	-	1	-	-	1	-	-
ST. JAMES	8	7	-	1	-	-	1	7
ST. JAMES PARISH HOSPITAL	8	7	-	1	-	-	1	7
ST. JOHN	2	-	-	1	1	1	1	-
RIVER PARISHES MEDICAL CENTER	2	-	-	1	1	1	1	-
ST. LANDRY	84	24	24	14	22	14	16	54
MOOSA MEMORIAL HOSPITAL	18	8	8	-	2	5	6	7
OPELOUSAS GENERAL HOSPITAL	66	16	16	14	20	9	10	47
ST. MARTIN	12	1	7	1	3	1	3	8
GARY MEMORIAL HOSPITAL	10	1	6	1	2	-	3	7
ST. MARTIN INFIRMARY	2	-	1	-	1	1	-	1
ST. MARY	45	14	12	8	11	8	9	28
FRANKLIN FOUNDATION HOSPITAL	15	3	3	4	5	2	2	11
LAKEWOOD HOSPITAL	29	11	8	4	6	5	7	17
OUT OF HOSPITAL	1	-	1	-	-	1	-	-
ST. TAMMANY	90	28	30	12	20	14	17	59
HIGHLAND PARK HOSPITAL	28	8	9	1	10	3	7	18
ST. TAMMANY PARISH HOSPITAL	34	10	12	7	5	8	4	22
SLIDELL MEMORIAL HOSPITAL	27	10	9	4	4	3	6	18
OUT OF HOSPITAL	1	-	-	-	1	-	-	1

(CONTINUED)

TABLE V
INMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
TANGIPAHOA	194	37	31	62	64	39	32	123
LALLIE KEMP CHARITY HOSPITAL	96	11	13	35	37	18	17	61
SEVENTH WARD GENERAL HOSPITAL	98	26	18	27	27	21	15	62
TENSAS	4	-	-	2	2	1	1	2
TENSAS MEMORIAL HOSPITAL	4	-	-	2	2	1	1	2
TERREBONNE	287	79	71	59	78	42	46	199
SOUTH LOUISIANA MEDICAL CENTER	210	46	41	54	69	27	33	150
TERREBONNE PARISH GENERAL HOSPITAL	77	33	30	5	9	15	13	49
UNION	4	-	1	1	2	-	-	4
UNION GENERAL HOSPITAL	4	-	1	1	2	-	-	4
VERMILION	39	15	12	3	9	1	12	26
ABROM KAPLAN MEMORIAL HOSPITAL	14	6	5	1	2	1	4	9
ABBEVILLE GENERAL HOSPITAL	23	8	6	2	7	-	7	16
OUT OF HOSPITAL	2	1	1	-	-	-	1	1
VERNON	61	14	21	11	15	9	7	45
LEESVILLE GENERAL HOSPITAL	2	-	-	1	1	-	-	2
BAYNE JONES ARMY COMMUNITY HOSPITAL	54	13	19	9	13	7	6	41
BYRD MEMORIAL HOSPITAL	5	1	2	1	1	2	1	2
WASHINGTON	61	16	26	9	10	12	11	38
BOGALUSA COMMUNITY MEDICAL CENTER	19	8	11	-	-	3	1	15
RIVERSIDE MEDICAL CENTER	5	1	4	-	-	2	2	1
WASHINGTON-ST. TAMMANY HOSPITAL	37	7	11	9	10	7	8	22
WEBSTER	27	9	12	2	4	1	5	21
HUMANA HOSPITAL-MINDEN	19	8	8	1	2	-	3	16
HUMANA HOSPITAL-SPRINGHILL	7	1	4	-	2	1	1	5
OUT OF HOSPITAL	1	-	-	1	-	-	1	-

TABLE VI
LIVE BIRTHS BY LIVE BIRTH ORDER BY WEIGHT OF CHILD
LOUISIANA RESIDENTS, 1982

BIRTH ORDER	TOTAL	WEIGHT IN POUNDS								NOT STATED	IMMATURE BIRTHS	PERCENT OF TOTAL LIVE BIRTHS
		THROUGH 2.5	OVER 2.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5	OVER 5.5 THROUGH 6.5	OVER 6.5 THROUGH 7.5	OVER 7.5 THROUGH 8.5	OVER 8.5 THROUGH 9.5	OVER 9.5			
TOTAL	84531	692	2102	4310	14532	27844	23442	9059	2486	64	7104	8.4
1	34345	305	793	1757	6129	11691	9449	3400	798	23	2855	8.3
2	26774	189	613	1254	4349	8838	7698	2994	821	18	2056	7.7
3	13687	103	352	730	2320	4377	3732	1563	496	14	1185	8.7
4	5407	46	180	284	949	1644	1496	608	196	4	510	9.4
5	2125	23	67	134	399	651	519	246	84	2	224	10.5
6	1001	11	41	63	181	292	251	120	41	1	115	11.5
7	486	4	24	30	81	154	133	42	17	1	58	11.9
8	249	2	16	26	35	63	62	33	12	-	44	17.7
9	134	3	5	11	35	35	24	12	9	-	19	14.2
10	77	1	3	6	10	24	16	15	2	-	10	13.0
11	49	-	4	3	7	11	14	7	3	-	7	14.3
12	20	-	1	1	4	5	6	-	3	-	2	10.0
13	10	-	-	-	3	3	2	1	1	-	-	-
14	11	-	-	2	2	3	1	2	1	-	2	18.2
15	8	-	-	-	1	1	1	4	-	1	-	-
UNK.	148	5	3	9	27	52	38	12	2	-	17	11.5

TABLE VII
LIVE BIRTHS BY WEIGHT OF CHILD SHOWN BY SEX AND RACE
LOUISIANA RESIDENTS, 1982

WEIGHT IN POUNDS	TOTAL	PERCENT	WHITE				NONWHITE			
			MALE	PERCENT	FEMALE	PERCENT	MALE	PERCENT	FEMALE	PERCENT
0.5 OR LESS	14	0.0	5	0.0	1	0.0	4	0.0	4	0.0
OVER 0.5 THROUGH 1.5	226	0.3	37	0.1	41	0.2	74	0.4	74	0.5
OVER 1.5 THROUGH 2.5	452	0.5	84	0.3	74	0.3	146	0.9	148	0.9
OVER 2.5 THROUGH 3.5	711	0.8	158	0.6	125	0.5	201	1.2	227	1.4
OVER 3.5 THROUGH 4.5	1391	1.6	306	1.1	279	1.1	365	2.2	441	2.8
OVER 4.5 THROUGH 5.5	4310	5.1	900	3.4	1016	4.0	1961	6.4	1333	8.4
OVER 5.5 THROUGH 6.5	14532	17.2	3051	11.4	4118	16.2	3307	20.1	4056	25.6
OVER 6.5 THROUGH 7.5	27844	33.0	7730	28.9	8779	34.6	5681	34.5	5654	35.6
OVER 7.5 THROUGH 8.5	23442	27.8	8921	33.3	7577	29.9	3962	24.1	2982	18.8
OVER 8.5 THROUGH 9.5	9059	10.7	4243	15.9	2669	10.5	1371	8.3	776	4.9
OVER 9.5	2486	2.9	1321	4.9	704	2.8	284	1.7	177	1.1
TOTAL(WITH WEIGHT STATED)	84467	100.0	26756	100.0	25383	100.0	16456	100.0	15872	100.0
WEIGHT NOT STATED	64	-	18	-	10	-	19	-	17	-
TOTAL	84531	-	26774	-	25393	-	16475	-	15889	-

PERCENT MAY NOT ADD DUE TO ROUNDING

TABLE VIII
LIVE BIRTHS BY BIRTH WEIGHT, AGE OF MOTHER, AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

AGE OF MOTHER AND RACE	TOTAL	BIRTH WEIGHT											
		499 GRAMS OR LESS	500-999 GRAMS	1000-1499 GRAMS	1500-1999 GRAMS	2000-2499 GRAMS	2500-2999 GRAMS	3000-3499 GRAMS	3500-3999 GRAMS	4000-4499 GRAMS	4500-4999 GRAMS	5000 GRAMS & OVER	NOT STATED
ALL RACES	84531	96	441	648	1332	4561	15934	31706	22284	6159	1117	189	64
UNDER 15 YEARS	367	2	5	6	12	33	91	145	57	12	2	1	1
15-19 YEARS	15451	22	126	159	289	1062	3620	6015	3303	706	113	20	16
20-24 YEARS	30158	29	154	209	457	1618	5768	11665	7848	2024	307	57	22
25-29 YEARS	23967	18	97	162	329	1101	4142	8842	6814	2001	387	59	15
30-34 YEARS	10962	16	46	77	174	518	1723	3874	3201	1063	230	35	5
35-39 YEARS	3007	9	12	26	57	181	479	981	884	295	66	14	3
40-44 YEARS	571	-	1	7	14	45	101	168	165	54	12	3	1
45-49 YEARS	33	-	-	2	-	3	8	7	9	4	-	-	-
50 YEARS & OVER	2	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	13	-	-	-	-	-	2	7	3	-	-	-	1
WHITE	52167	37	147	258	563	2012	7907	19270	16056	4827	920	142	28
UNDER 15 YEARS	80	-	-	1	3	6	14	34	14	8	-	-	-
15-19 YEARS	7685	9	32	52	87	335	1373	2997	2152	526	101	16	5
20-24 YEARS	18915	14	61	84	195	741	2939	7203	5714	1633	266	50	15
25-29 YEARS	16253	3	36	69	167	571	2363	5903	5183	1591	321	43	3
30-34 YEARS	7162	6	15	33	84	256	923	2501	2315	828	176	23	2
35-39 YEARS	1778	5	3	16	20	82	246	557	583	208	48	8	2
40-44 YEARS	277	-	-	3	7	21	44	69	91	32	8	2	-
45-49 YEARS	11	-	-	-	-	-	4	3	3	1	-	-	-
50 YEARS & OVER	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	6	-	-	-	-	-	1	3	1	-	-	-	1
NONWHITE	32364	59	294	390	769	2549	8027	12436	6228	1332	197	47	36
UNDER 15 YEARS	287	2	5	5	9	27	77	111	43	4	2	1	1
15-19 YEARS	7766	13	94	107	202	727	2247	3018	1151	180	12	4	11
20-24 YEARS	11243	15	93	125	262	877	2829	4462	2134	391	41	7	7
25-29 YEARS	7714	15	61	93	162	530	1779	2939	1631	410	66	16	12
30-34 YEARS	3800	10	31	44	90	262	800	1373	886	235	54	12	3
35-39 YEARS	1229	4	9	10	37	99	233	424	301	87	18	6	1
40-44 YEARS	294	-	1	4	7	24	57	99	74	22	4	1	1
45-49 YEARS	22	-	-	2	-	3	4	4	6	3	-	-	-
50 YEARS & OVER	2	-	-	-	-	-	-	2	-	-	-	-	-
NOT STATED	7	-	-	-	-	-	1	4	2	-	-	-	-

TABLE IX
LIVE BIRTHS BY BIRTH ORDER SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

BIRTH ORDER	RACE	TOTAL	MOTHER'S AGE IN YEARS								PERCENT OF ALL LIVE BIRTHS	MEAN* AGE OF MOTHER
			UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK.		
TOTAL		84531	367	15451	30158	23967	10962	3007	571	35	13	100.0	24.4
	W	52167	80	7685	18915	16253	7162	1778	277	11	6	61.7	24.8
	NW	32364	287	7766	11243	7714	3800	1229	294	24	7	38.3	23.8
1		34345	355	11659	13582	6650	1781	285	26	1	6	40.6	21.8
	W	22986	77	6299	9715	5260	1395	221	14	1	4	27.2	22.5
	NW	11359	278	5360	3867	1390	386	64	12	-	2	13.4	20.5
2		26774	8	3058	10732	8929	3413	571	60	1	2	31.7	24.7
	W	17506	2	1228	6824	6554	2462	389	46	-	1	20.7	25.3
	NW	9268	6	1830	3908	2375	951	182	14	1	1	11.0	23.6
3		13687	1	569	4132	5212	2989	698	80	2	4	16.2	26.8
	W	7780	1	125	1933	3210	1992	472	46	-	1	9.2	27.6
	NW	5907	-	444	2199	2002	997	226	34	2	3	7.0	25.7
4		5407	-	83	1210	2010	1471	552	80	1	-	6.4	28.3
	W	2482	-	10	347	907	837	339	42	-	-	2.9	29.6
	NW	2925	-	73	863	1103	634	213	38	1	-	3.5	27.3
5		2125	-	12	322	694	661	347	87	2	-	2.5	30.0
	W	771	-	-	52	213	292	165	47	2	-	0.9	31.7
	NW	1354	-	12	270	481	369	182	40	-	-	1.6	29.1
6		1001	-	1	92	280	325	225	73	5	-	1.2	31.6
	W	335	-	-	17	63	112	102	40	1	-	0.4	33.3
	NW	666	-	1	75	217	213	123	33	4	-	0.8	30.7
7		486	-	1	22	124	160	129	43	7	-	0.6	32.7
	W	131	-	-	1	25	44	41	18	2	-	0.2	34.1
	NW	355	-	1	21	99	116	88	25	5	-	0.4	32.1
8		249	-	1	5	31	88	83	37	4	-	0.3	34.5
	W	53	-	-	1	4	16	24	8	-	-	0.1	35.2
	NW	196	-	1	4	27	72	59	29	4	-	0.2	34.3
9		134	-	-	1	21	36	52	22	2	-	0.2	34.9
	W	27	-	-	-	6	6	8	7	-	-	0.0	35.0
	NW	107	-	-	1	15	30	44	15	2	-	0.1	34.9
10		77	-	-	-	2	15	34	20	6	-	0.1	37.8
	W	19	-	-	-	-	1	11	4	3	-	0.0	39.4
	NW	58	-	-	-	2	14	23	16	3	-	0.1	37.3
11		49	-	-	-	-	14	19	14	2	-	0.1	37.4
	W	9	-	-	-	-	1	5	2	1	-	0.0	38.7
	NW	40	-	-	-	-	13	14	12	1	-	0.0	37.1
12		20	-	-	-	-	2	6	12	-	-	0.0	39.5
	W	3	-	-	-	-	1	1	1	-	-	0.0	37.0
	NW	17	-	-	-	-	1	5	11	-	-	0.0	39.9
13		10	-	-	-	-	1	3	5	1	-	0.0	40.0
	W	1	-	-	-	-	1	-	-	-	-	0.0	32.0
	NW	9	-	-	-	-	-	3	5	1	-	0.0	40.9
14		11	-	-	-	1	1	2	7	-	-	0.0	38.8
	W	2	-	-	-	1	-	-	1	-	-	0.0	34.5
	NW	9	-	-	-	-	1	2	6	-	-	0.0	39.8
15		8	-	-	-	-	1	1	5	1	-	0.0	40.8
	W	2	-	-	-	-	-	-	1	1	-	0.0	44.5
	NW	6	-	-	-	-	1	1	4	-	-	0.0	39.5
UNK.		148	3	67	60	13	4	-	-	-	1	0.2	20.2
	W	60	-	23	25	10	2	-	-	-	-	0.1	21.3
	NW	88	3	44	35	3	2	-	-	-	1	0.1	19.5

*MEAN AGE CALCULATED FROM GROUPED DATA AT MIDPOINT OF GROUP
PERCENT MAY NOT ADD DUE TO ROUNDING

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	20137	20179	238.7			336	8055	7082	3050	1165	378	103	7	3
				W	4019	53	1763	1408	515	202	58	19	-	1
				NW	16160	283	6292	5674	2535	963	320	84	7	2
ACADIA	132	271	211.6			6	105	91	42	18	5	4	-	-
				W	89	2	47	27	8	2	1	2	-	-
				NW	182	4	58	64	34	16	4	2	-	-
ALLEN	51	62	168.0			2	22	25	7	2	3	1	-	-
				W	26	1	11	8	4	-	2	-	-	-
				NW	36	1	11	17	3	2	1	1	-	-
ASCENSION	10	201	178.2			6	71	73	31	13	5	2	-	-
				W	63	1	29	21	6	5	1	-	-	-
				NW	138	5	42	52	25	8	4	2	-	-
ASSUMPTION	2	129	235.8			1	53	44	23	4	3	1	-	-
				W	18	-	9	9	-	-	-	-	-	-
				NW	111	1	44	35	23	4	3	1	-	-
AVOYELLES	64	161	210.7			4	63	44	31	13	3	3	-	-
				W	33	-	15	10	4	2	1	1	-	-
				NW	128	4	48	34	27	11	2	2	-	-
BEAUREGARD	57	58	115.8			2	34	12	8	2	-	-	-	-
				W	26	1	14	7	3	1	-	-	-	-
				NW	32	1	20	5	5	1	-	-	-	-
BIENVILLE	-	86	309.4			-	38	31	13	3	1	-	-	-
				W	7	-	3	3	1	-	-	-	-	-
				NW	79	-	35	28	12	3	1	-	-	-
BOSSIER	109	326	198.2			4	150	120	37	9	3	2	1	-
				W	107	-	53	37	14	1	2	-	-	-
				NW	219	4	97	83	23	8	1	2	1	-
CADDO	2531	1588	319.0			30	692	555	207	71	26	7	-	-
				W	198	6	87	74	24	5	2	-	-	-
				NW	1390	24	605	481	183	66	24	7	-	-
CALCASIEU	774	628	171.9			11	267	239	71	26	10	3	-	1
				W	220	2	105	78	22	9	3	-	-	1
				NW	408	9	162	161	49	17	7	3	-	-
CALDWELL	39	28	189.2			-	16	9	2	-	1	-	-	-
				W	8	-	6	1	1	-	-	-	-	-
				NW	20	-	10	8	1	-	1	-	-	-
CAMERON	2	24	123.7			-	14	7	1	-	1	1	-	-
				W	19	-	11	6	-	-	1	1	-	-
				NW	5	-	3	1	1	-	-	-	-	-
CATAHOULA	1	53	219.9			1	23	20	8	1	-	-	-	-
				W	10	-	5	2	3	-	-	-	-	-
				NW	43	1	18	18	5	1	-	-	-	-
CLAIBORNE	34	91	323.8			4	38	27	13	8	1	-	-	-
				W	12	-	6	3	1	2	-	-	-	-
				NW	79	4	32	24	12	6	1	-	-	-
CONCORDIA	142	147	344.3			6	70	52	13	4	2	-	-	-
				W	18	1	10	5	2	-	-	-	-	-
				NW	129	5	60	47	11	4	2	-	-	-
DESOTO	-	136	279.3			3	56	47	20	6	4	-	-	-
				W	11	-	4	5	2	-	-	-	-	-
				NW	125	3	52	42	18	6	4	-	-	-
E BATON ROUGE	2503	1564	216.2			16	551	545	272	124	47	7	2	-
				W	248	1	96	99	37	10	4	1	-	-
				NW	1316	15	455	446	235	114	43	6	2	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
EAST CARROLL	79	132	509.7											
				W	6	3	59	41	18	7	3	1	-	-
				NW	126	-	3	1	1	1	-	-	-	-
						3	56	40	17	6	3	1	-	-
E FELICIANA	4	130	322.6											
				W	13	2	39	59	19	8	2	1	-	-
				NW	117	1	4	5	2	1	-	-	-	-
						1	35	54	17	7	2	1	-	-
EVANGELINE	111	125	193.8											
				W	36	3	57	44	13	6	2	-	-	-
				NW	89	2	17	13	2	1	1	-	-	-
						1	40	31	11	5	1	-	-	-
FRANKLIN	1	140	338.2											
				W	14	2	61	49	17	6	3	2	-	-
				NW	126	-	5	6	2	1	-	-	-	-
						2	56	43	15	5	3	2	-	-
GRANT	-	43	175.5											
				W	13	1	15	12	9	3	3	-	-	-
				NW	30	-	4	6	1	-	2	-	-	-
						1	11	6	8	3	1	-	-	-
IBERIA	212	342	219.4											
				W	92	4	142	123	47	20	3	3	-	-
				NW	250	1	45	33	9	3	-	1	-	-
						3	97	90	38	17	3	2	-	-
IBERVILLE	7	243	346.2											
				W	22	5	87	90	46	12	2	1	-	-
				NW	221	-	13	5	2	2	-	-	-	-
						5	74	85	44	10	2	1	-	-
JACKSON	125	70	267.2											
				W	15	-	37	23	7	2	1	-	-	-
				NW	55	-	11	3	1	-	-	-	-	-
						-	26	20	6	2	1	-	-	-
JEFFERSON	477	1278	153.1											
				W	489	14	539	424	203	76	15	7	-	-
				NW	789	2	220	163	69	27	5	3	-	-
						12	319	261	134	49	10	4	-	-
JEFF DAVIS	14	115	175.3											
				W	45	3	53	35	12	9	2	1	-	-
				NW	70	1	24	13	4	2	-	1	-	-
						2	29	22	8	7	2	-	-	-
LAFAYETTE	1346	587	168.4											
				W	181	11	238	200	93	32	13	-	-	-
				NW	406	6	71	68	24	10	2	-	-	-
						5	167	132	69	22	11	-	-	-
LAFOURCHE	78	284	161.1											
				W	110	7	121	101	37	14	4	-	-	-
				NW	174	1	51	37	17	3	1	-	-	-
						6	70	64	20	11	3	-	-	-
LASALLE	6	27	102.7											
				W	15	-	15	6	4	2	-	-	-	-
				NW	12	-	10	2	2	1	-	-	-	-
						-	5	4	2	1	-	-	-	-
LINCOLN	26	142	251.3											
				W	7	5	52	51	15	14	3	2	-	-
				NW	135	-	2	4	1	-	-	-	-	-
						5	50	47	14	14	3	2	-	-
LIVINGSTON	-	147	116.4											
				W	88	3	62	59	17	5	1	-	-	-
				NW	59	1	42	33	7	4	1	-	-	-
						2	20	26	10	1	-	-	-	-
MADISON	58	170	572.4											
				W	8	7	66	56	32	6	2	1	-	-
				NW	162	-	5	2	-	1	-	-	-	-
						7	61	54	32	5	2	1	-	-
MOREHOUSE	157	258	393.9											
				W	24	9	132	77	32	4	2	2	-	-
				NW	234	-	17	6	-	-	-	1	-	-
						9	115	71	32	4	2	1	-	-
NATCHITOCHES	92	200	280.5											
				W	26	3	78	71	29	13	3	2	1	-
				NW	174	-	13	10	1	2	-	-	-	-
						3	65	61	28	11	3	2	1	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ORLEANS	6008	4396	422.1											
				W	289	50	1572	1571	793	296	91	21	1	1
				NW	4107	3	73	104	67	30	10	2	-	-
						47	1499	1467	726	266	81	19	1	1
OUACHITA	1373	770	301.6											
				W	109	23	306	284	101	45	9	2	-	-
				NW	661	4	46	36	12	9	2	-	-	-
						19	260	248	89	36	7	2	-	-
PLAQUEMINES	7	111	192.0											
				W	44	2	41	44	17	6	-	1	-	-
				NW	67	1	20	13	8	1	-	1	-	-
						1	21	31	9	5	-	-	-	-
POINTE COUPEE	51	136	260.5											
				W	11	5	43	53	23	10	2	-	-	-
				NW	125	-	6	4	-	1	-	-	-	-
						5	37	49	23	9	2	-	-	-
RAPIDES	901	561	228.6											
				W	125	7	246	192	76	30	10	-	-	-
				NW	436	-	63	42	15	5	-	-	-	-
						7	183	150	61	25	10	-	-	-
RED RIVER	5	54	278.4											
				W	8	1	23	18	7	4	1	-	-	-
				NW	46	-	3	2	2	1	-	-	-	-
						1	20	16	5	3	1	-	-	-
RICHLAND	23	172	409.5											
				W	16	5	67	65	19	11	4	-	1	-
				NW	156	-	9	6	-	1	-	-	-	-
						5	58	59	19	10	4	-	1	-
SABINE	6	93	223.6											
				W	27	3	48	28	9	2	3	-	-	-
				NW	66	-	12	12	2	1	-	-	-	-
						3	36	16	7	1	3	-	-	-
ST BERNARD	-	118	102.5											
				W	87	-	33	51	18	14	2	-	-	-
				NW	31	-	23	36	16	10	2	-	-	-
						-	10	15	2	4	-	-	-	-
ST CHARLES	24	156	174.9											
				W	44	3	61	57	22	10	2	1	-	-
				NW	112	1	18	18	6	1	-	-	-	-
						2	43	39	16	9	2	1	-	-
ST HELENA	-	37	243.4											
				W	8	-	13	11	8	4	1	-	-	-
				NW	29	-	4	2	2	-	-	-	-	-
						-	9	9	6	4	1	-	-	-
ST JAMES	16	131	266.8											
				W	15	-	43	45	29	9	4	1	-	-
				NW	116	-	5	6	3	-	-	1	-	-
						-	38	39	26	9	4	-	-	-
ST JOHN	9	188	208.4											
				W	33	4	84	55	27	11	3	3	-	1
				NW	155	-	16	12	4	1	-	-	-	-
						4	68	43	23	10	3	3	-	1
ST LANDRY	169	425	230.2											
				W	81	6	186	141	56	21	14	1	-	-
				NW	344	2	38	24	11	4	1	1	-	-
						4	148	117	45	17	13	-	-	-
ST MARTIN	55	189	209.1											
				W	39	1	77	67	27	10	2	4	1	-
				NW	150	1	14	14	4	2	1	3	-	-
						-	63	53	23	8	1	1	1	-
ST MARY	108	306	212.8											
				W	82	3	130	120	30	16	6	1	-	-
				NW	224	1	40	29	7	2	3	-	-	-
						2	90	91	23	14	3	1	-	-
ST TAMMANY	214	292	128.5											
				W	126	3	133	95	40	15	4	2	-	-
				NW	166	1	67	39	11	6	2	-	-	-
						2	66	56	29	9	2	2	-	-
TANGIPAHOA	559	507	271.3											
				W	73	9	192	184	85	31	5	1	-	-
				NW	434	1	29	25	12	5	1	-	-	-
						8	163	159	73	26	4	1	-	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS							
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TENSAS	26	64	432.4			2	24	23	11	3	1	-	-	-
				W	3	-	3	-	-	-	-	-	-	-
				NW	61	2	21	23	11	3	1	-	-	-
TERREBONNE	885	416	167.7			5	174	147	59	21	9	1	-	-
				W	183	1	75	69	22	13	3	-	-	-
				NW	233	4	99	78	37	8	6	1	-	-
UNION	24	86	252.9			7	38	27	6	3	4	1	-	-
				W	14	1	5	6	1	1	-	-	-	-
				NW	72	6	33	21	5	2	4	1	-	-
VERMILION	121	171	157.9			-	64	66	27	12	2	-	-	-
				W	79	-	30	32	11	5	1	-	-	-
				NW	92	-	34	34	16	7	1	-	-	-
VERNON	88	129	83.5			2	55	53	13	2	4	-	-	-
				W	60	1	22	27	6	2	2	-	-	-
				NW	69	1	33	26	7	-	2	-	-	-
WASHINGTON	187	203	243.1			5	81	68	33	7	6	3	-	-
				W	54	2	30	13	7	2	-	-	-	-
				NW	149	3	51	55	26	5	6	3	-	-
WEBSTER	29	183	250.3			7	86	61	17	8	3	1	-	-
				W	31	2	16	10	2	-	1	-	-	-
				NW	152	5	70	51	15	8	2	1	-	-
W BATON ROUGE	2	131	282.9			2	43	48	23	11	3	1	-	-
				W	27	-	8	12	4	3	-	-	-	-
				NW	104	2	35	36	19	8	3	1	-	-
WEST CARROLL	-	51	204.0			1	22	14	9	3	-	2	-	-
				W	14	-	9	4	1	-	-	-	-	-
				NW	37	1	13	10	8	3	-	2	-	-
W FELICIANA	2	48	277.5			1	16	17	8	4	1	1	-	-
				W	7	1	1	4	1	-	-	-	-	-
				NW	41	-	15	13	7	4	1	1	-	-
WINN	1	69	235.5			1	38	15	8	3	3	1	-	-
				W	13	-	10	2	1	-	-	-	-	-
				NW	56	1	28	13	7	3	3	1	-	-
OUT OF STATE**	173	131				4	70	34	17	3	3	-	-	-
				W	69	1	41	18	6	2	1	-	-	-
				NW	62	3	29	16	11	1	2	-	-	-

**NOT INCLUDED IN STATE TOTALS

TABLE X-B

ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1982

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	20137	20179	238.7			336	8055	7082	3050	1165	378	103	7	3
				W	4019	53	1763	1408	515	202	58	19	-	1
				NW	16160	283	6292	5674	2535	963	320	84	7	2
SPD 1	6706	6195	272.2			69	2318	2185	1071	407	112	31	1	1
				W	1035	7	403	355	171	74	19	6	-	-
				NW	5160	62	1915	1830	900	333	93	25	1	1
SPD 2	3325	3347	227.0			54	1198	1207	565	229	75	17	2	-
				W	614	8	262	223	80	33	7	1	-	-
				NW	2733	46	936	984	485	196	68	16	2	-
SPD 3	1014	1304	184.3			20	536	449	197	69	25	7	-	1
				W	403	3	174	151	52	18	4	1	-	-
				NW	901	17	362	298	145	51	21	6	-	1
SPD 4	2254	2416	197.4			34	999	852	335	135	47	13	1	-
				W	679	15	382	240	76	29	10	7	-	-
				NW	1737	19	697	612	259	106	37	6	1	-
SPD 5	898	887	165.1			18	390	318	99	39	16	6	-	1
				W	336	5	165	112	33	12	6	2	-	1
				NW	551	13	225	206	66	27	10	4	-	-
SPD 6	1203	1190	190.9			22	525	394	162	58	25	4	-	-
				W	287	2	139	96	34	10	5	1	-	-
				NW	903	20	386	298	128	48	20	3	-	-
SPD 7	2832	2899	279.9			60	1261	1009	367	136	48	14	2	-
				W	434	8	199	160	50	12	5	-	-	-
				NW	2465	52	1062	849	317	126	43	14	2	-
SPD 8	1905	1941	337.8			59	828	668	254	90	30	11	1	-
				W	231	5	119	71	19	14	2	1	-	-
				NW	1710	54	709	597	235	76	28	10	1	-
HSA 1	7720	7499	251.3			89	2854	2634	1268	476	137	38	1	2
				W	1438	10	577	586	223	92	23	7	-	-
				NW	6061	79	2277	2128	1045	384	114	31	1	2
HSA 2	6477	6650	285.5			106	2587	2377	999	463	138	36	3	1
				W	1629	28	729	575	189	74	23	10	-	1
				NW	5021	78	1858	1802	810	329	115	26	3	-
HSA 3	5940	6030	270.0			141	2614	2071	783	286	103	29	3	-
				W	952	15	457	327	103	36	12	2	-	-
				NW	5078	126	2157	1744	680	250	91	27	3	-

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	870	859	10.2			11	168	261	223	117	52	18	2	7
				W	342	-	44	110	106	50	25	5	1	1
				NW	517	11	124	151	117	67	27	13	1	6
ACADIA	11	17	13.3			-	5	5	3	2	2	-	-	-
				W	8	-	2	1	2	1	2	-	-	-
				NW	9	-	3	4	1	1	-	-	-	-
ALLEN	2	3	8.1			-	2	-	1	-	-	-	-	-
				W	3	-	2	-	1	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	8	7.1			-	2	2	1	2	1	-	-	-
				W	3	-	1	2	-	-	-	-	-	-
				NW	5	-	1	-	1	2	1	-	-	-
ASSUMPTION	-	7	12.8			-	3	1	2	1	-	-	-	-
				W	2	-	-	-	1	1	-	-	-	-
				NW	5	-	3	1	1	-	-	-	-	-
AVOYELLES	3	9	11.8			-	2	1	2	2	1	1	-	-
				W	3	-	1	1	-	1	-	-	-	-
				NW	6	-	1	-	2	1	1	1	-	-
BEAUREGARD	2	3	6.0			-	-	2	1	-	-	-	-	-
				W	3	-	-	2	1	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	3	10.8			1	1	-	-	-	-	-	-	1
				W	-	-	-	-	-	-	-	-	-	-
				NW	3	1	1	-	-	-	-	-	-	1
BOSSIER	12	19	11.1			-	1	8	5	5	-	-	-	-
				W	11	-	-	6	2	3	-	-	-	-
				NW	8	-	1	2	3	2	-	-	-	-
CADDO	110	67	13.5			2	15	20	13	13	4	-	-	-
				W	17	-	1	4	4	6	2	-	-	-
				NW	50	2	14	16	9	7	2	-	-	-
CALCASIEU	26	24	6.6			-	7	6	7	4	-	-	-	-
				W	15	-	3	3	6	3	-	-	-	-
				NW	9	-	4	3	1	1	-	-	-	-
CALDWELL	1	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	3	12.4			-	-	1	1	-	-	-	-	1
				W	2	-	-	-	1	-	-	-	-	1
				NW	1	-	-	1	-	-	-	-	-	-
CLAIBORNE	2	3	10.7			-	1	-	-	-	1	1	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	3	-	1	-	-	-	1	1	-	-
CONCORDIA	3	4	9.4			-	2	1	1	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	4	-	2	1	1	-	-	-	-	-
DESOTO	-	12	24.6			1	3	5	2	1	-	-	-	-
				W	6	-	2	2	2	-	-	-	-	-
				NW	6	1	1	3	-	1	-	-	-	-
E BATON ROUGE	105	68	9.4			-	5	14	24	16	4	4	1	-
				W	31	-	2	8	11	9	1	-	-	-
				NW	37	-	3	6	13	7	3	4	1	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
EAST CARROLL	1	3	11.6			-	-	1	-	-	1	1	-	-
				W	2	-	-	-	-	-	1	1	-	-
				NW	1	-	-	1	-	-	-	-	-	-
E FELICIANA	1	4	9.9			-	1	1	2	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	4	-	1	1	2	-	-	-	-	-
EVANGELINE	1	4	6.2			-	1	3	-	-	-	-	-	-
				W	1	-	1	-	-	-	-	-	-	-
				NW	3	-	-	3	-	-	-	-	-	-
FRANKLIN	1	4	9.7			-	3	1	-	-	-	-	-	-
				W	2	-	1	1	-	-	-	-	-	-
				NW	2	-	2	-	-	-	-	-	-	-
GRANT	-	3	12.2			-	-	2	1	-	-	-	-	-
				W	3	-	-	2	1	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
IBERIA	7	12	7.7			-	1	7	1	2	1	-	-	-
				W	5	-	-	5	-	-	-	-	-	-
				NW	7	-	1	2	1	2	1	-	-	-
IBERVILLE	1	9	12.8			-	-	5	2	1	1	-	-	-
				W	3	-	-	3	-	-	-	-	-	-
				NW	6	-	-	2	2	1	1	-	-	-
JACKSON	1	1	3.8			-	-	-	-	1	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	-	1	-	-	-	-
JEFFERSON	55	69	8.3			-	11	21	21	10	5	-	-	1
				W	43	-	6	13	12	8	4	-	-	-
				NW	26	-	5	8	9	2	1	-	-	1
JEFF DAVIS	6	9	13.7			1	2	4	2	-	-	-	-	-
				W	8	-	2	4	2	-	-	-	-	-
				NW	1	1	-	-	-	-	-	-	-	-
LAFAYETTE	67	31	8.9			-	5	10	8	2	4	2	-	-
				W	16	-	2	2	6	1	4	1	-	-
				NW	15	-	3	8	2	1	-	1	-	-
LAFOURCHE	17	19	10.8			1	3	3	5	5	1	1	-	-
				W	13	-	1	2	4	5	-	1	-	-
				NW	6	1	2	1	1	-	1	-	-	-
LASALLE	2	1	3.8			-	1	-	-	-	-	-	-	-
				W	1	-	1	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
LINCOLN	4	7	12.4			-	1	1	2	2	-	1	-	-
				W	2	-	-	-	1	1	-	-	-	-
				NW	5	-	1	1	1	1	-	1	-	-
LIVINGSTON	1	9	7.1			-	3	3	2	1	-	-	-	-
				W	6	-	2	2	2	-	-	-	-	-
				NW	3	-	1	1	-	1	-	-	-	-
MADISON	-	2	6.7			-	-	1	1	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
MOREHOUSE	2	3	4.6			-	-	1	2	-	-	-	-	-
				W	2	-	-	1	1	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
NATCHITOCHES	8	9	12.6			-	2	3	2	2	-	-	-	-
				W	2	-	-	-	1	1	-	-	-	-
				NW	7	-	2	3	1	1	-	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ORLEANS	211	139	13.3			2	23	43	38	19	7	4	-	3
				W	23	-	2	6	10	4	-	1	-	-
				NW	116	2	21	37	28	15	7	3	-	3
OUACHITA	34	16	6.3			-	4	5	4	1	2	-	-	-
				W	7	-	1	3	2	-	1	-	-	-
				NW	9	-	3	2	2	1	1	-	-	-
PLAQUEMINES	-	8	13.8			-	2	1	4	-	-	-	1	-
				W	3	-	-	1	1	-	-	-	1	-
				NW	5	-	2	-	3	-	-	-	-	-
POINTE COUPEE	-	3	5.7			-	2	1	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	2	-	2	-	-	-	-	-	-	-
RAPIDES	45	28	11.4			1	7	8	8	1	3	-	-	-
				W	9	-	2	1	4	-	2	-	-	-
				NW	19	1	5	7	4	1	1	-	-	-
RED RIVER	1	9	46.4			-	5	1	2	1	-	-	-	-
				W	2	-	-	-	2	-	-	-	-	-
				NW	7	-	5	1	-	1	-	-	-	-
RICHLAND	3	6	14.3			-	2	3	1	-	-	-	-	-
				W	2	-	-	2	-	-	-	-	-	-
				NW	4	-	2	1	1	-	-	-	-	-
SABINE	-	3	7.2			-	1	1	-	-	1	-	-	-
				W	1	-	-	-	-	-	-	-	-	-
				NW	2	-	1	1	-	-	-	-	-	-
ST BERNARD	-	9	7.8			-	3	4	-	1	1	-	-	-
				W	7	-	1	4	-	1	1	-	-	-
				NW	2	-	2	-	-	-	-	-	-	-
ST CHARLES	-	9	10.1			-	-	4	4	-	1	-	-	-
				W	5	-	-	-	4	-	1	-	-	-
				NW	4	-	-	4	-	-	-	-	-	-
ST HELENA	-	1	6.6			-	-	-	-	1	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	-	1	-	-	-	-
ST JAMES	-	5	10.2			-	2	1	-	2	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	5	-	2	1	-	2	-	-	-	-
ST JOHN	-	12	13.3			-	1	6	3	2	-	-	-	-
				W	4	-	1	3	-	-	-	-	-	-
				NW	8	-	-	3	3	2	-	-	-	-
ST LANDRY	12	24	13.0			-	7	6	8	1	1	1	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	23	-	7	6	7	1	1	1	-	-
ST MARTIN	3	12	13.3			-	2	4	1	2	2	1	-	-
				W	7	-	2	3	1	1	-	-	-	-
				NW	5	-	-	1	-	1	2	1	-	-
ST MARY	8	14	9.7			-	3	2	4	3	-	1	-	1
				W	4	-	-	1	1	1	-	1	-	-
				NW	10	-	3	1	3	2	-	-	-	1
ST TAMMANY	13	13	5.7			-	-	4	6	-	3	-	-	-
				W	4	-	-	-	3	-	1	-	-	-
				NW	9	-	-	4	3	-	2	-	-	-
TANGIPAHOA	13	18	9.6			1	4	4	6	3	-	-	-	-
				W	9	-	1	3	5	-	-	-	-	-
				NW	9	1	3	1	1	3	-	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TENSAS	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
TERREBONNE	43	28	11.3			1	3	10	7	4	3	-	-	-
				W	18	-	1	8	4	2	3	-	-	-
				NW	10	1	2	2	3	2	-	-	-	-
UNION	2	5	14.7			-	1	3	1	-	-	-	-	-
				W	3	-	1	1	1	-	-	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
VERMILION	8	12	11.1			-	5	3	4	-	-	-	-	-
				W	2	-	-	1	1	-	-	-	-	-
				NW	10	-	5	2	3	-	-	-	-	-
VERNON	6	7	4.5			-	1	5	1	-	-	-	-	-
				W	4	-	1	3	-	-	-	-	-	-
				NW	3	-	-	2	1	-	-	-	-	-
WASHINGTON	11	12	14.4			-	2	7	2	1	-	-	-	-
				W	7	-	1	4	2	-	-	-	-	-
				NW	5	-	1	3	-	1	-	-	-	-
WEBSTER	3	6	8.2			-	3	-	1	1	1	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	5	-	3	-	-	1	1	-	-	-
W BATON ROUGE	-	3	6.5			-	1	-	1	1	-	-	-	-
				W	2	-	-	-	1	1	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
WEST CARROLL	-	2	8.0			-	-	1	-	-	1	-	-	-
				W	1	-	-	-	-	-	1	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
W FELICIANA	1	4	23.1			-	1	-	2	1	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	4	-	1	-	2	1	-	-	-	-
WINN	1	2	6.8			-	-	1	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
OUT OF STATE**	17	28				-	2	13	7	4	1	-	-	1
				W	14	-	-	7	5	1	1	-	-	-
				NW	14	-	2	6	2	3	-	-	-	1

**NOT INCLUDED IN STATE TOTALS

TABLE XI-B
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDNCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1982

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	870	859	10.2			11	168	261	223	117	52	18	2	7
				W	342	-	44	110	106	50	25	5	1	1
				NW	517	11	124	151	117	67	27	13	1	6
SPD 1	279	238	10.5			2	39	73	69	30	16	4	1	4
				W	80	-	9	24	26	13	6	1	1	-
				NW	158	2	30	49	43	17	10	3	-	4
SPD 2	133	139	9.4			1	21	37	42	27	6	4	1	-
				W	62	-	7	23	21	10	1	-	-	-
				NW	77	1	14	14	21	17	5	4	1	-
SPD 3	60	80	11.3			2	12	25	21	14	5	1	-	-
				W	42	-	3	13	13	8	4	1	-	-
				NW	38	2	9	12	8	6	1	-	-	-
SPD 4	117	126	10.3			-	29	40	29	12	10	5	-	1
				W	44	-	7	13	12	4	6	2	-	-
				NW	82	-	22	27	17	8	4	3	-	1
SPD 5	36	39	7.3			1	11	12	11	4	-	-	-	-
				W	29	-	7	9	10	3	-	-	-	-
				NW	10	1	4	3	1	1	-	-	-	-
SPD 6	60	57	9.1			1	13	19	15	3	4	1	-	1
				W	23	-	5	7	7	1	2	-	-	1
				NW	34	1	8	12	8	2	2	1	-	-
SPD 7	140	138	13.3			4	33	39	27	25	7	2	-	1
				W	42	-	3	12	13	11	3	-	-	-
				NW	96	4	30	27	14	14	4	2	-	1
SPD 8	45	42	7.3			-	10	16	9	2	4	1	-	-
				W	20	-	3	9	4	-	3	1	-	-
				NW	22	-	7	7	5	2	1	-	-	-
HSA 1	339	318	10.7			4	51	98	90	44	21	5	1	4
				W	122	-	12	37	39	21	10	2	1	-
				NW	196	4	39	61	51	23	11	3	-	4
HSA 2	286	304	9.4			2	61	89	82	43	16	9	1	1
				W	135	-	21	45	43	17	7	2	-	-
				NW	169	2	40	44	39	26	9	7	1	1
HSA 3	245	237	10.6			5	56	74	51	30	15	4	-	2
				W	85	-	11	28	24	12	8	1	-	1
				NW	152	5	45	46	27	18	7	3	-	1

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
TOTAL	859	1016.2			11	168	261	223	117	52	18	2	7
			W	342	-	44	110	106	50	25	5	1	1
			NW	517	11	124	151	117	67	27	13	1	6
CONGENITAL ANOMALIES - (740-759)	56	66.2			-	12	15	20	3	3	2	-	1
			W	34	-	4	12	13	2	2	1	-	-
			NW	22	-	8	3	7	1	1	1	-	1
ANENCEPHALUS AND SIMILAR ANOMALIES - (740)	20	23.7			-	3	8	9	-	-	-	-	-
			W	13	-	1	6	6	-	-	-	-	-
			NW	7	-	2	2	3	-	-	-	-	-
SPINA BIFIDA - (741)	2	2.4			-	1	-	1	-	-	-	-	-
			W	1	-	-	-	1	-	-	-	-	-
			NW	1	-	1	-	-	-	-	-	-	-
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM - (742)	9	10.6			-	4	2	3	-	-	-	-	-
			W	4	-	1	1	2	-	-	-	-	-
			NW	5	-	3	1	1	-	-	-	-	-
CONGENITAL ANOMALIES OF HEART - (745-746)	1	1.2			-	-	-	-	-	1	-	-	-
			W	1	-	-	-	-	-	1	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM - (748)	1	1.2			-	1	-	-	-	-	-	-	-
			W	1	-	1	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
MULTIPLE CONGENITAL ANOMALIES - (759.7)	17	20.1			-	1	5	7	2	1	1	-	-
			W	11	-	-	5	4	1	1	-	-	-
			NW	6	-	1	-	3	1	-	1	-	-
ALL OTHER CONGENITAL ANOMALIES - (REMAINDER OF 740-759)	6	7.1			-	2	-	-	1	1	1	-	1
			W	3	-	1	-	-	1	-	1	-	-
			NW	3	-	1	-	-	-	1	-	-	1
FETUS AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY - (760)	44	52.1			-	8	8	14	7	4	3	-	-
			W	19	-	2	4	8	2	3	-	-	-
			NW	25	-	6	4	6	5	1	3	-	-
MATERNAL HYPERTENSIVE DISORDERS - (760.0)	34	40.2			-	5	6	10	6	4	3	-	-
			W	15	-	2	3	6	1	3	-	-	-
			NW	19	-	3	3	4	5	1	3	-	-
MATERNAL INJURY - (760.5)	3	3.5			-	1	-	1	1	-	-	-	-
			W	2	-	-	-	1	1	-	-	-	-
			NW	1	-	1	-	-	-	-	-	-	-
FETUS AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PREGNANCY - (REMAINDER OF 760)	7	8.3			-	2	2	3	-	-	-	-	-
			W	2	-	-	1	1	-	-	-	-	-
			NW	5	-	2	1	2	-	-	-	-	-
FETUS AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY - (761)	72	85.2			-	13	17	23	15	4	-	-	-
			W	35	-	3	9	14	7	2	-	-	-
			NW	37	-	10	8	9	8	2	-	-	-

(CONTINUED)

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
PREMATURE RUPTURE OF MEMBRANES - (761.1)	25	29.6			-	3	2	13	4	3	-	-	-
			W	13	-	1	1	8	2	1	-	-	-
			NW	12	-	2	1	5	2	2	-	-	-
MULTIPLE PREGNANCY - (761.5)	34	40.2			-	8	12	6	8	-	-	-	-
			W	15	-	1	6	4	4	-	-	-	-
			NW	19	-	7	6	2	4	-	-	-	-
FETUS AFFECTED BY OTHER MATERNAL COMPLICATIONS OF PREGNANCY - (REMAINDER OF 761)	13	15.4			-	2	3	4	3	1	-	-	-
			W	7	-	1	2	2	1	1	-	-	-
			NW	6	-	1	1	2	2	-	-	-	-
FETUS AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES - (762)	281	332.4			2	47	77	76	47	20	9	2	1
			W	134	-	16	39	40	24	11	3	1	-
			NW	147	2	31	38	36	23	9	6	1	1
PLACENTA PRAEVIA - (762.0)	7	8.3			-	2	2	1	1	1	-	-	-
			W	3	-	1	-	1	-	1	-	-	-
			NW	4	-	1	2	-	1	-	-	-	-
OTHER FORMS OF PLACENTAL SEPARATION AND HAEMORRHAGE - (762.1)	114	134.9			-	25	28	35	15	8	2	-	1
			W	41	-	8	12	13	5	3	-	-	-
			NW	73	-	17	16	22	10	5	2	-	1
OTHER AND UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA - (762.2)	63	74.5			1	9	15	16	10	6	5	1	-
			W	40	-	3	10	12	7	4	3	1	-
			NW	23	1	6	5	4	3	2	2	-	-
PLACENTAL TRANSFUSION SYNDROMES - (762.3)		-			-	-	-	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
PROLAPSED CORD - (762.4)	3	3.5			-	-	2	-	1	-	-	-	-
			W	1	-	-	1	-	-	-	-	-	-
			NW	2	-	-	1	-	1	-	-	-	-
OTHER COMPRESSION OF UMBILICAL CORD - (762.5)	64	75.7			-	8	23	13	15	3	2	-	-
			W	38	-	4	13	10	10	1	-	-	-
			NW	26	-	4	10	3	5	2	2	-	-
OTHER AND UNSPECIFIED CONDITIONS OF UMBILICAL CORD - (762.6)	22	26.0			1	1	6	7	4	2	-	1	-
			W	10	-	-	3	3	2	2	-	-	-
			NW	12	1	1	3	4	2	-	-	1	-
ABNORMALITIES OF CHORION AND AMNION - (762.7 - 762.9)	8	9.5			-	2	1	4	1	-	-	-	-
			W	1	-	-	-	1	-	-	-	-	-
			NW	7	-	2	1	3	1	-	-	-	-
FETUS AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY - (763)	5	5.9			-	1	1	2	-	-	-	-	1
			W	-	-	-	-	-	-	-	-	-	-
			NW	5	-	1	1	2	-	-	-	-	1
SLOW FETAL GROWTH AND FETAL MALNUTRITION - (764)		-			-	-	-	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1982

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT - (765)	121	143.1			3	30	43	24	17	4	-	-	-
			W	26	-	4	11	6	4	1	-	-	-
			NW	95	3	26	32	18	13	3	-	-	-
BIRTH TRAUMA - (767)	4	4.7			-	1	-	1	1	-	-	-	1
			W	1	-	-	-	1	-	-	-	-	-
			NW	3	-	1	-	-	1	-	-	-	1
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA - (768)	43	50.9			2	6	13	10	6	5	-	-	1
			W	18	-	2	4	6	4	2	-	-	-
			NW	25	2	4	9	4	2	3	-	-	1
HAEMOLYTIC DISEASE OF FETUS DUE TO ISOIMMUNIZATION AND OTHER PERINATAL JAUNDICE - (773 - 774)		-			-	-	-	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
SYNDROME OF 'INFANT OF A DIABETIC MOTHER' AND NEONATAL DIABETES MELLITUS - (775.0 - 775.1)	7	8.3			-	-	3	3	-	1	-	-	-
			W	3	-	-	2	-	-	1	-	-	-
			NW	4	-	-	1	3	-	-	-	-	-
UNSPECIFIED CAUSE - (779.9, 799.9)	193	228.3			4	43	74	41	20	7	4	-	-
			W	55	-	9	23	14	7	1	1	-	-
			NW	138	4	34	51	27	13	6	3	-	-
ALL OTHER CAUSES - (RESIDUAL)	33	39.0			-	7	10	9	1	4	-	-	2
			W	17	-	4	6	4	-	2	-	-	1
			NW	16	-	3	4	5	1	2	-	-	1

* RATIO PER 100,000 LIVE BIRTHS

TABLE XIII
REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WEEKS OF GESTATION, RACE, AGE AND MARITAL STATUS OCCURRING IN LOUISIANA, 1982

WEEKS OF GESTATION	TOTAL	RACE	TOTAL BY RACE	AGE									MARITAL STATUS		
				UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN	MARRIED	UNMARRIED	UNKNOWN
TOTAL	19793			171	4087	5830	3656	1958	886	251	24	2930	4436	11827	3530
		W	9943	51	1991	2925	1724	856	369	96	6	1925	2175	5833	1935
		NW	9026	111	1897	2640	1769	1031	487	142	16	933	2149	5799	1078
		U	824	9	199	265	163	71	30	13	2	72	112	195	517
8 AND UNDER	9815			69	1858	2991	1892	997	436	113	8	1451	2084	5792	1939
		W	5788	28	1059	1753	1087	522	209	57	4	1069	1181	3341	1266
		NW	3671	38	722	1124	719	444	216	48	4	356	858	2378	435
		U	356	3	77	114	86	31	11	8	-	26	45	73	238
9	2170			8	394	575	390	222	101	39	-	441	581	1275	314
		W	1113	1	175	275	181	105	40	20	-	316	277	659	177
		NW	978	7	194	274	192	111	59	19	-	122	290	591	97
		U	79	-	25	26	17	6	2	-	-	3	14	25	40
10	2344			26	486	708	406	217	116	35	3	347	585	1442	317
		W	1081	7	217	341	167	91	47	6	-	205	269	656	156
		NW	1190	19	250	343	225	121	65	27	2	138	296	766	128
		U	73	-	19	24	14	5	4	2	1	4	20	20	33
11	1002			6	219	266	187	87	27	5	1	204	234	608	160
		W	479	2	117	112	75	35	14	1	1	122	102	279	98
		NW	483	4	95	140	101	49	13	4	-	77	123	316	44
		U	40	-	7	14	11	3	-	-	-	5	9	13	18
12	1087			18	284	281	189	104	48	6	-	157	253	701	133
		W	504	4	149	133	77	39	16	3	-	83	118	308	78
		NW	559	14	131	138	107	63	30	3	-	73	132	385	42
		U	24	-	4	10	5	2	2	-	-	1	3	8	13
13	564			10	171	166	67	35	17	8	-	90	132	326	106
		W	299	3	88	98	34	12	13	2	-	49	88	168	43
		NW	234	5	69	61	29	21	3	6	-	40	44	154	36
		U	31	2	14	7	4	2	1	-	-	1	-	4	27
14	426			10	134	123	65	28	14	3	-	49	72	267	87
		W	153	2	47	46	20	10	7	1	-	20	31	96	26
		NW	247	7	83	66	40	15	6	2	-	28	39	168	40
		U	26	1	4	11	5	3	1	-	-	1	2	3	21
15	222			3	64	56	25	18	8	6	-	42	53	128	41
		W	85	1	23	22	10	6	1	1	-	21	24	49	12
		NW	116	-	33	30	13	11	6	5	-	18	27	74	15
		U	21	2	8	4	2	1	1	-	-	3	2	5	14
16	231			2	63	69	30	13	7	2	-	45	44	129	58
		W	76	-	19	25	9	3	2	1	-	17	10	51	15
		NW	120	2	31	34	13	9	3	1	-	27	32	76	12
		U	35	-	13	10	8	1	2	-	-	1	2	2	31
17	175			1	63	57	15	14	8	1	-	16	31	103	41
		W	71	1	24	24	4	5	4	1	-	8	15	47	9
		NW	77	-	29	19	10	7	4	-	-	8	15	53	9
		U	27	-	10	14	1	2	-	-	-	-	1	3	23
18	56			5	21	14	6	1	3	2	-	4	8	28	20
		W	16	2	5	4	2	-	1	2	-	-	4	10	2
		NW	26	2	9	8	4	1	2	-	-	-	4	18	4
		U	14	1	7	2	-	-	-	-	-	4	-	-	14
19	4			-	1	2	-	-	-	-	-	1	-	3	1
		W	1	-	-	1	-	-	-	-	-	-	-	1	-
		NW	2	-	-	1	-	-	-	-	-	1	-	2	-
		U	1	-	1	-	-	-	-	-	-	-	-	-	1
20	2			-	1	-	1	-	-	-	-	-	1	-	1
		W	1	-	1	-	-	-	-	-	-	-	-	-	1
		NW	1	-	-	-	1	-	-	-	-	-	1	-	-
		U	-	-	-	-	-	-	-	-	-	-	-	-	-
21 AND OVER	2			-	1	-	1	-	-	-	-	-	1	1	-
		W	-	-	-	-	-	-	-	-	-	-	-	-	-
		NW	2	-	1	-	1	-	-	-	-	-	1	1	-
		U	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1693			13	327	522	382	222	101	31	12	83	357	1024	312
		W	276	-	67	91	58	28	15	1	1	15	56	168	52
		NW	1320	13	250	402	314	179	80	27	10	45	287	817	216
		U	97	-	10	29	10	15	6	3	1	23	14	39	44

TABLE XIV
REPORTED INDUCED TERMINATIONS OF PREGNANCY
BY TYPE OF PROCEDURE AND WEEKS OF GESTATION
OCCURRING IN LOUISIANA, 1982

WEEKS OF GESTATION	TOTAL	TYPE OF PROCEDURE								
		CURETTAGE		INTRAUTERINE INSTILLATION		HYSEROTOMY	HYSERECTOMY	DILATION AND EVACUATION	OTHER	UNKNOWN
		SUCTION	SHARP	SALINE	PROSTAGLANDIN					
TOTAL	19793	19000	41	-	1	2	3	527	-	139
8 AND UNDER	9815	9718	19	-	-	1	1	11	-	65
9	2170	2150	5	-	-	-	-	4	-	11
10	2344	2325	3	-	-	-	-	9	-	7
11	1002	980	3	-	-	-	-	14	-	5
12	1087	1047	6	-	-	-	-	27	-	7
13	564	410	3	-	-	-	1	147	-	3
14	426	347	-	-	-	-	-	76	-	3
15	222	156	1	-	-	-	-	62	-	3
16	231	180	-	-	-	-	-	50	-	1
17	175	98	-	-	-	-	-	76	-	1
18	56	17	-	-	1	1	-	37	-	-
19	4	2	-	-	-	-	-	1	-	1
20	2	2	-	-	-	-	-	-	-	-
21 AND OVER	2	2	-	-	-	-	-	-	-	-
UNKNOWN	1693	1646	1	-	-	-	1	13	-	32

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	36175	35725	8.2			1094	222	117	136	1117	1255	1375	2624	5540	22190	55
				MW	13115	276	67	43	51	557	496	544	1000	2381	7597	23
				FW	11239	213	53	32	36	158	189	273	567	1304	8401	13
				NMW	6302	331	57	26	35	321	402	368	601	1079	3072	10
				FNW	5069	274	45	16	14	81	168	190	376	776	3120	9
ACADIA	383	504	8.7			12	4	1	3	16	19	16	40	83	310	-
				MW	219	4	2	-	1	11	7	7	20	41	126	-
				FW	191	5	2	1	1	1	4	6	11	21	139	-
				NMW	61	3	-	-	-	4	7	2	6	13	26	-
				FNW	33	-	-	-	1	-	1	1	3	8	19	-
CROWLEY*	192	173	10.7			2	-	-	2	3	4	5	13	33	111	-
				MW	61	-	-	-	1	1	-	1	5	13	40	-
				FW	65	-	-	-	-	-	-	2	5	8	50	-
				NMW	31	2	-	-	-	2	3	2	2	8	12	-
				FNW	16	-	-	-	1	-	1	-	1	4	9	-
ALLEN	201	235	10.8			3	2	-	-	2	7	9	11	37	164	-
				MW	103	1	1	-	-	-	3	7	3	21	67	-
				FW	72	1	1	-	-	1	-	-	4	7	58	-
				NMW	30	-	-	-	-	1	3	2	3	4	17	-
				FNW	30	1	-	-	-	-	1	-	1	5	22	-
ASCENSION	255	338	6.4			11	3	3	-	11	14	21	25	57	193	-
				MW	145	2	1	3	-	7	8	7	12	29	76	-
				FW	103	5	2	-	-	3	1	4	4	11	73	-
				NMW	58	2	-	-	-	1	4	5	8	10	28	-
				FNW	32	2	-	-	-	-	1	5	1	7	16	-
ASSUMPTION	113	201	8.8			3	3	2	2	5	7	11	20	28	119	1
				MW	73	1	-	1	-	4	6	7	9	9	36	-
				FW	45	-	-	-	1	-	-	2	-	3	38	1
				NMW	43	1	2	-	1	-	1	2	8	9	19	-
				FNW	40	1	1	1	-	1	-	-	3	7	26	-
AVOYELLES	344	446	10.5			7	4	2	1	10	14	12	19	61	315	1
				MW	206	2	1	2	-	6	9	4	9	36	137	-
				FW	140	1	2	-	1	-	1	3	4	12	116	-
				NMW	61	2	1	-	-	3	4	3	6	8	33	1
				FNW	39	2	-	-	-	1	-	2	-	5	29	-
BEAUREGARD	206	226	7.2			5	2	2	1	11	9	5	19	38	142	-
				MW	103	3	-	1	-	8	5	3	9	13	61	-
				FW	91	-	2	1	1	2	4	1	7	13	60	-
				NMW	12	-	-	-	-	-	-	1	2	1	8	-
				FNW	20	2	-	-	-	1	-	-	1	3	13	-
BIENVILLE	99	193	11.8			3	-	1	1	9	2	2	13	32	130	-
				MW	61	-	-	1	-	3	-	1	4	12	40	-
				FW	58	1	-	-	-	2	-	-	3	8	44	-
				NMW	41	-	-	-	1	4	2	1	3	9	21	-
				FNW	33	2	-	-	-	-	-	-	3	3	25	-
BOSSIER	412	513	6.0			14	-	4	2	24	11	17	54	93	293	1
				MW	208	2	-	2	-	17	6	6	25	48	102	-
				FW	176	6	-	2	-	5	3	8	15	24	112	1
				NMW	70	1	-	-	1	1	2	2	9	14	40	-
				FNW	59	5	-	-	1	1	-	1	5	7	39	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
BOSSIER CITY*	330	295	5.6													
				MW	128	8	-	2	1	11	7	10	33	50	172	1
				FW	122	2	-	1	-	7	4	4	16	28	66	-
				MNW	25	5	-	1	-	3	2	6	10	16	78	1
				FNW	20	-	-	-	1	1	1	-	4	4	14	-
						1	-	-	-	-	-	-	3	2	14	-
CADDO	3511	2514	9.8													
				MW	764	76	11	7	9	65	63	85	191	365	1642	-
				FW	777	18	4	1	3	35	20	28	67	119	469	-
				MNW	544	11	3	2	3	4	7	15	42	81	609	-
				FNW	429	20	1	4	2	19	25	26	56	99	284	-
						19	3	-	1	7	11	16	26	66	280	-
SHREVEPORT*	3351	2170	10.5													
				MW	642	64	8	7	9	51	57	76	173	308	1417	-
				FW	688	12	2	1	3	25	16	24	57	98	404	-
				MNW	466	9	3	2	3	3	6	15	38	67	542	-
				FNW	374	26	-	4	2	17	25	24	53	84	231	-
						17	3	-	1	6	10	13	25	59	240	-
CALCASIEU	1308	1229	7.1													
				MW	516	37	6	5	8	35	45	46	112	202	733	-
				FW	422	10	2	2	4	13	22	19	59	97	288	-
				MNW	170	13	2	-	2	9	6	13	17	48	312	-
				FNW	121	6	-	2	1	10	14	9	22	36	70	-
						8	2	1	1	3	3	5	14	21	63	-
LAKE CHARLES*	938	639	8.4													
				MW	234	14	2	4	1	21	23	23	60	106	385	-
				FW	186	1	1	1	-	8	6	6	27	34	150	-
				MNW	128	2	-	-	-	1	3	7	6	23	144	-
				FNW	91	4	-	2	1	9	12	6	16	30	48	-
						7	1	1	-	3	2	4	11	19	43	-
SULPHUR*	212	156	7.4													
				MW	76	4	1	-	1	4	2	6	19	17	102	-
				FW	70	3	1	-	-	1	2	5	12	12	40	-
				MNW	6	1	-	-	1	3	-	-	5	3	57	-
				FNW	4	-	-	-	-	-	-	1	2	1	2	-
						-	-	-	-	-	-	-	-	1	3	-
CALDWELL	98	111	10.1													
				MW	52	5	-	-	2	3	2	3	6	16	74	-
				FW	45	1	-	-	2	2	1	2	4	11	29	-
				MNW	10	2	-	-	-	-	1	-	1	5	36	-
				FNW	4	2	-	-	-	1	-	-	-	-	7	-
						-	-	-	-	-	-	1	1	-	2	-
CAMERON	35	61	6.2													
				MW	31	2	1	-	1	4	1	-	7	15	29	1
				FW	24	1	1	-	1	3	1	-	5	8	10	1
				MNW	5	1	-	-	-	-	-	-	2	4	17	-
				FNW	1	-	-	-	-	1	-	-	-	2	2	-
						-	-	-	-	-	-	-	-	1	-	-
CATAHOULA	85	99	8.1													
				MW	34	4	-	-	-	3	1	1	7	9	73	1
				FW	29	-	-	-	-	2	-	-	3	7	21	1
				MNW	22	-	-	-	-	1	-	-	2	1	25	-
				FNW	14	4	-	-	-	-	1	-	2	-	15	-
						-	-	-	-	-	-	1	-	1	12	-
CLAIBORNE	181	231	12.8													
				MW	70	4	1	-	-	4	-	2	14	36	170	-
				FW	60	1	-	-	-	-	-	1	5	11	52	-
				MNW	54	-	1	-	-	-	-	-	3	5	51	-
				FNW	47	2	-	-	-	3	-	1	6	11	31	-
						1	-	-	-	1	-	-	-	9	36	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000	POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
							UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
CONCORDIA	148	203	8.7				4	2	-	-	6	6	5	10	33	137	-
					MW	65	1	2	-	-	3	1	1	4	14	39	-
					FW	55	2	-	-	-	2	1	1	1	9	39	-
					NMW	42	-	-	-	-	1	2	3	4	5	27	-
					FNW	41	1	-	-	-	-	2	-	1	5	32	-
DESOTO	160	257	9.7				5	3	-	-	8	4	10	15	29	183	-
					MW	68	1	-	-	-	2	1	4	4	11	45	-
					FW	67	-	-	-	-	2	-	2	3	6	54	-
					NMW	74	2	2	-	-	4	2	3	6	8	47	-
					FNW	48	2	1	-	-	-	1	1	2	4	37	-
E BATON ROUGE	3000	2429	6.3				98	15	7	7	72	107	109	189	399	1425	1
					MW	792	22	2	2	3	33	27	37	75	160	431	-
					FW	739	16	3	-	2	5	11	16	36	92	558	-
					NMW	501	37	7	3	2	30	43	34	44	82	218	1
					FNW	397	23	3	2	-	4	26	22	34	65	218	-
BATON ROUGE*	2654	1959	8.2				81	12	6	4	54	88	87	146	320	1160	1
					MW	580	16	1	1	1	22	16	26	52	123	322	-
					FW	585	10	1	-	2	2	9	10	21	69	461	-
					NMW	446	34	7	3	1	26	40	31	42	72	189	1
					FNW	348	21	3	2	-	4	23	20	31	56	188	-
EAST CARROLL	98	121	10.6				4	2	-	-	5	5	2	6	10	85	2
					MW	17	-	-	-	-	1	3	1	-	4	8	-
					FW	14	-	-	-	-	-	-	-	-	1	13	-
					NMW	39	2	2	-	-	2	2	1	2	3	24	1
					FNW	51	2	-	-	-	2	-	-	4	2	40	1
E FELICIANA	172	182	9.3				3	1	1	1	3	10	6	14	21	122	-
					MW	54	-	-	-	1	-	2	3	4	5	39	-
					FW	35	1	-	1	-	-	2	1	2	3	25	-
					NMW	46	-	-	-	-	2	3	1	4	6	30	-
					FNW	47	2	1	-	-	1	3	1	4	7	28	-
EVANGELINE	287	326	9.6				10	1	2	-	12	16	12	22	39	212	-
					MW	144	4	-	-	-	6	9	5	10	19	91	-
					FW	112	-	-	1	-	2	2	3	7	9	88	-
					NMW	34	2	-	-	-	4	3	3	3	6	13	-
					FNW	36	4	1	1	-	-	2	1	2	5	20	-
FRANKLIN	175	241	9.8				7	-	1	1	6	4	9	11	33	169	-
					MW	92	2	-	1	-	2	2	4	7	16	58	-
					FW	66	-	-	-	-	-	-	1	1	9	55	-
					NMW	42	3	-	-	1	4	1	3	2	5	23	-
					FNW	41	2	-	-	-	-	1	1	1	3	33	-
GRANT	72	192	11.0				4	-	-	-	6	7	6	6	35	127	1
					MW	92	3	-	-	-	4	3	3	3	18	58	-
					FW	64	1	-	-	-	-	1	2	-	9	50	1
					NMW	17	-	-	-	-	2	2	1	-	3	9	-
					FNW	19	-	-	-	-	-	1	-	3	5	10	-
IBERIA	493	514	7.7				18	6	3	1	23	29	16	35	67	316	-
					MW	195	7	5	1	-	16	14	4	16	24	108	-
					FW	169	4	-	1	-	4	2	2	10	19	127	-
					NMW	88	2	-	-	1	3	9	10	7	13	43	-
					FNW	62	5	1	1	-	-	4	-	2	11	38	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/100 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
NEW IBERIA*	417	287	8.6			13	4	1	1	12	17	8	16	36	179	-
				MW	110	4	4	1	-	7	6	2	7	14	65	-
				FW	104	3	-	-	-	3	-	2	6	11	79	-
				MNW	45	1	-	-	1	2	7	4	3	9	18	-
				FNW	28	5	-	-	-	-	4	-	-	2	17	-
IBERVILLE	236	339	10.5			6	1	1	2	12	10	8	21	41	237	-
				MW	87	-	-	-	-	4	3	4	6	6	64	-
				FW	84	-	-	-	-	4	1	1	6	8	64	-
				MNW	83	2	1	-	2	4	4	1	4	12	53	-
				FNW	85	4	-	1	-	-	2	2	5	15	56	-
JACKSON	142	186	10.7			7	-	-	-	2	4	2	4	27	142	-
				MW	55	3	-	-	-	-	1	1	1	7	42	-
				FW	69	1	-	-	-	-	2	1	2	8	55	-
				MNW	37	2	-	-	-	2	1	-	1	7	24	-
				FNW	27	1	-	-	-	-	-	-	-	5	21	-
JEFFERSON	3060	3158	6.7			106	14	11	14	104	121	140	272	555	1818	3
				MW	1467	36	6	4	6	68	64	75	132	326	749	1
				FW	1268	21	4	4	5	23	28	40	93	165	884	1
				MNW	242	26	1	2	1	11	21	16	29	42	93	-
				FNW	181	23	3	1	2	2	8	9	18	22	92	1
KENNER*	223	288	4.1			22	3	2	4	11	11	17	32	38	148	-
				MW	97	7	1	1	2	7	5	8	14	7	45	-
				FW	128	6	2	1	1	4	2	4	10	20	78	-
				MNW	35	3	-	-	-	-	3	4	7	7	11	-
				FNW	28	6	-	-	1	-	1	1	1	4	14	-
GRETNA*	51	372	18.1			10	-	-	3	13	19	16	32	66	213	-
				MW	163	2	-	-	1	8	12	9	12	36	84	-
				FW	139	3	-	-	2	4	3	4	15	18	90	-
				MNW	37	3	-	-	-	1	3	3	2	9	16	-
				FNW	33	2	-	-	-	-	1	1	3	3	23	-
HARAHAN*	15	66	5.8			2	-	-	1	-	3	-	3	10	47	-
				MW	33	1	-	-	1	-	1	-	1	7	22	-
				FW	33	1	-	-	-	-	2	-	2	3	25	-
				MNW	-	-	-	-	-	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	12	148	11.6			5	1	-	-	9	5	2	15	27	83	1
				MW	70	1	-	-	-	4	4	1	8	20	32	-
				FW	51	-	-	-	-	2	1	1	3	5	39	-
				MNW	13	1	-	-	-	2	-	-	3	2	5	-
				FNW	14	3	1	-	-	1	-	-	1	-	7	1
JEFF DAVIS	232	257	7.8			6	-	1	1	6	4	6	19	43	171	-
				MW	113	1	-	1	1	2	3	2	9	26	68	-
				FW	87	5	-	-	-	2	-	2	2	10	66	-
				MNW	34	-	-	-	-	-	-	2	8	3	21	-
				FNW	23	-	-	-	-	2	1	-	-	4	16	-
JENNINGS*	156	107	8.6			-	-	-	-	2	1	2	12	17	73	-
				MW	47	-	-	-	-	1	-	-	5	12	29	-
				FW	25	-	-	-	-	-	-	1	1	1	22	-
				MNW	21	-	-	-	-	-	-	1	6	2	12	-
				FNW	14	-	-	-	-	1	1	-	-	2	10	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
LAFAYETTE	1366	952	5.9			34	8	8	4	40	41	53	89	139	515	1
				WM	484	6	3	4	2	23	24	26	45	68	283	-
				FM	321	8	3	3	1	7	9	11	16	44	219	-
				NWM	126	13	-	1	1	8	6	9	21	20	46	1
				FNW	101	7	2	-	-	2	2	7	7	27	47	-
LAFAYETTE*	1285	628	7.1			21	2	5	3	22	24	30	63	116	341	1
				WM	245	4	1	3	1	11	13	14	26	52	120	-
				FM	211	2	-	1	1	4	4	7	12	32	148	-
				NWM	97	10	-	1	1	5	6	5	19	14	35	1
				FNW	75	5	1	-	-	2	1	4	6	18	38	-
LAFOURCHE	602	640	7.4			21	8	-	1	39	33	27	53	78	390	-
				WM	320	9	4	-	1	20	19	14	25	44	176	-
				FM	226	9	3	-	-	7	3	5	17	19	163	-
				NWM	55	1	1	-	-	4	10	5	4	9	21	-
				FNW	39	2	-	-	-	-	1	3	7	6	20	-
THIBODAUX*	234	177	11.2			9	2	-	1	5	5	12	14	14	115	-
				WM	71	2	1	-	1	5	1	6	4	8	43	-
				FM	69	4	-	-	-	-	1	1	5	2	56	-
				NWM	20	1	1	-	-	-	3	5	2	2	6	-
				FNW	17	2	-	-	-	-	-	-	3	2	10	-
LASALLE	151	176	9.9			3	1	-	-	1	2	11	12	16	128	2
				WM	82	-	-	-	-	-	1	5	8	7	60	1
				FM	72	2	-	-	-	1	-	1	3	7	57	1
				NWM	15	1	-	-	-	-	-	4	1	1	8	-
				FNW	7	-	1	-	-	-	1	1	-	1	3	-
LINCOLN	261	282	6.8			9	-	-	1	8	8	6	11	33	206	-
				WM	95	3	-	-	-	3	2	3	2	12	60	-
				FM	88	1	-	-	1	-	-	-	2	7	77	-
				NWM	60	2	-	-	-	3	5	1	3	10	36	-
				FNW	49	3	-	-	-	2	1	2	4	4	33	-
RUSTON*	220	140	6.5			6	-	-	1	5	1	5	7	17	98	-
				WM	40	3	-	-	-	2	-	3	2	5	25	-
				FM	51	1	-	-	1	-	-	-	2	6	41	-
				NWM	23	1	-	-	-	1	1	-	1	4	15	-
				FNW	26	1	-	-	-	2	-	2	2	2	17	-
LIVINGSTON	210	363	5.6			8	2	4	4	18	10	21	40	60	195	1
				WM	185	3	1	1	4	13	5	13	23	40	81	1
				FM	152	5	1	2	-	3	3	5	10	17	106	-
				NWM	20	-	-	1	-	2	1	3	5	2	6	-
				FNW	6	-	-	-	-	-	1	-	2	1	2	-
MADISON	140	187	11.8			1	-	-	1	8	3	9	14	23	126	2
				WM	37	-	-	-	1	3	-	1	6	5	21	-
				FM	35	-	-	-	-	-	2	-	2	5	26	-
				NWM	54	-	-	-	-	1	1	4	3	7	37	1
				FNW	61	1	-	-	-	4	-	4	3	6	42	1
MOREHOUSE	321	336	9.5			12	1	1	1	8	8	4	13	55	232	1
				WM	106	3	-	1	-	3	2	2	4	22	69	-
				FM	81	-	-	-	1	1	1	1	4	11	62	-
				NWM	89	8	1	-	-	2	3	1	2	10	52	1
				FNW	69	1	-	-	-	2	2	-	3	12	49	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
BASTROP*	255	194	12.7			6	1	1	1	3	5	1	8	30	137	1
				MW	60	3	-	1	-	2	1	-	3	12	38	-
				FW	51	-	-	-	1	1	1	1	3	5	39	-
				NMW	43	3	1	-	-	-	1	-	-	7	30	1
				FNW	40	-	-	-	-	-	2	-	2	6	30	-
MATCHITOCHES	300	393	9.6			6	2	-	-	14	14	14	20	57	264	2
				MW	137	1	1	-	-	10	6	3	8	23	83	2
				FW	102	-	-	-	-	2	-	8	1	10	81	-
				NMW	77	3	1	-	-	2	4	3	8	9	47	-
				FNW	77	2	-	-	-	-	4	-	3	15	53	-
MATCHITOCHES*	226	179	10.4			5	1	-	-	7	7	6	6	22	124	1
				MW	51	-	-	-	-	5	3	1	2	5	34	1
				FW	37	-	-	-	-	-	-	2	-	3	32	-
				NMW	43	3	1	-	-	2	2	3	2	6	24	-
				FNW	48	2	-	-	-	-	2	-	2	8	34	-
ORLEANS	7371	5994	10.7			172	32	12	10	150	252	219	414	954	3774	5
				MW	1535	13	4	1	-	28	58	41	89	276	1023	2
				FW	1575	10	1	2	2	13	20	24	44	143	1314	2
				NMW	1601	81	18	6	7	90	118	104	173	304	699	1
				FNW	1283	68	9	3	1	19	56	50	100	231	738	-
OUACHITA	1271	1077	7.5			29	9	1	5	19	16	33	76	170	719	-
				MW	355	4	1	-	2	9	6	14	30	63	226	-
				FW	346	6	2	-	1	3	4	11	19	46	254	-
				NMW	200	11	3	1	2	5	3	4	13	45	113	-
				FNW	176	8	3	-	-	2	3	4	14	16	126	-
MONROE*	910	613	10.5			20	5	1	3	9	8	15	38	95	419	-
				MW	153	2	-	-	-	4	3	6	11	24	103	-
				FW	165	3	1	-	1	-	-	3	5	21	131	-
				NMW	153	8	2	1	2	5	2	3	9	36	85	-
				FNW	142	7	2	-	-	-	3	3	13	14	100	-
WEST MONROE*	250	192	12.7			2	1	-	-	1	3	4	17	28	136	-
				MW	78	1	-	-	-	-	2	-	9	13	53	-
				FW	81	-	-	-	-	-	1	4	6	9	61	-
				NMW	18	1	-	-	-	-	-	-	1	6	10	-
				FNW	15	-	1	-	-	1	-	-	1	-	12	-
PLAQUEMINES	97	193	7.4			10	2	2	2	10	13	5	24	30	95	-
				MW	81	-	1	1	1	5	5	3	14	14	37	-
				FW	54	6	-	1	-	-	2	-	4	9	32	-
				NMW	42	3	-	-	1	4	5	1	5	5	18	-
				FNW	16	1	1	-	-	1	1	1	1	2	8	-
POINTE COUPEE	156	208	8.4			5	2	1	1	3	5	5	13	36	137	-
				MW	64	2	-	-	-	-	2	2	2	15	41	-
				FW	73	1	-	-	-	2	1	-	5	7	27	-
				NMW	49	1	1	1	1	1	2	1	2	7	32	-
				FNW	52	1	1	-	-	-	-	2	4	7	37	-
RAPIDES	1639	1190	8.6			29	10	-	5	32	29	50	77	184	774	-
				MW	412	9	5	-	-	13	9	20	28	70	258	-
				FW	389	7	2	-	2	6	9	7	21	54	281	-
				NMW	195	11	3	-	3	9	6	14	11	34	104	-
				FNW	194	2	-	-	-	4	5	9	17	26	131	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
ALEXANDRIA#	988	570	11.0													
				WW	139	14	3	-	1	17	15	24	41	92	371	-
				FW	166	3	1	-	-	3	2	5	11	23	91	-
				NNW	126	3	1	-	1	2	3	2	8	27	119	-
				FNW	147	7	1	-	-	8	5	11	8	23	63	-
						1	-	-	-	4	5	6	14	19	98	-
RED RIVER	121	124	11.2													
				WW	50	3	-	-	-	3	8	4	10	12	83	1
				FW	39	-	-	-	-	3	3	-	4	10	29	1
				NNW	18	1	-	-	-	-	1	2	1	-	34	-
				FNW	17	-	-	-	-	-	3	1	2	2	10	-
						2	-	-	-	-	1	1	3	-	10	-
RICHLAND	274	239	10.6													
				WW	94	2	1	1	1	6	1	8	12	38	169	-
				FW	71	1	1	-	-	4	-	4	6	15	63	-
				NNW	40	1	-	-	-	-	-	1	2	9	58	-
				FNW	34	-	-	1	-	1	-	2	2	9	25	-
						-	-	-	1	1	1	1	2	5	23	-
SABINE	195	245	9.0													
				WW	117	12	2	-	-	4	6	6	17	31	166	1
				FW	86	3	1	-	-	1	4	3	14	19	72	-
				NNW	23	5	-	-	-	1	-	2	2	7	68	1
				FNW	19	1	-	-	-	1	2	1	1	3	14	-
						3	1	-	-	1	-	-	-	2	12	-
ST BERNARD	418	552	8.2													
				WW	285	15	3	3	3	14	22	26	41	105	318	2
				FW	247	5	2	1	1	8	19	19	20	65	144	1
				NNW	13	6	1	2	2	5	3	5	18	38	166	1
				FNW	7	2	-	-	-	1	-	1	2	2	5	-
						2	-	-	-	-	-	1	1	-	3	-
ST CHARLES	155	238	6.1													
				WW	100	16	2	3	-	9	17	7	18	41	125	-
				FW	73	9	1	1	-	6	8	6	8	19	42	-
				NNW	32	3	1	1	-	2	3	1	7	10	45	-
				FNW	33	3	-	1	-	1	4	-	2	4	17	-
						1	-	-	-	-	2	-	1	8	21	-
ST HELENA	65	78	8.0													
				WW	26	3	1	1	1	1	1	4	5	10	51	-
				FW	15	-	-	-	-	1	1	3	4	5	12	-
				NNW	22	1	1	-	-	-	-	-	1	1	11	-
				FNW	15	1	-	-	1	-	-	1	-	2	17	-
						1	-	1	-	-	-	-	-	2	11	-
ST JAMES	159	190	8.7													
				WW	50	6	-	-	1	4	7	4	11	28	129	-
				FW	50	1	-	-	-	3	3	1	5	9	28	-
				NNW	58	1	-	-	1	-	1	-	1	1	45	-
				FNW	32	3	-	-	-	-	3	2	4	15	31	-
						1	-	-	-	1	-	1	1	3	25	-
ST JOHN	145	225	6.5													
				WW	78	14	3	-	-	4	9	10	18	39	128	-
				FW	52	2	1	-	-	1	2	2	8	16	46	-
				NNW	53	2	-	-	-	-	2	2	4	7	35	-
				FNW	42	7	2	-	-	3	4	3	2	11	21	-
						3	-	-	-	-	1	3	4	5	26	-
ST LANDRY	646	780	9.1													
				WW	273	28	6	4	6	31	28	31	68	104	474	-
				FW	211	7	1	-	3	14	13	10	23	41	161	-
				NNW	171	1	3	2	2	4	4	6	13	16	160	-
				FNW	125	13	1	-	1	11	8	10	21	25	81	-
						7	1	2	-	2	3	5	11	22	72	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/100 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
OPELOUSAS*	323	207	10.8			8	2	1	-	4	5	5	27	26	129	-
				MW	53	1	-	-	-	1	3	1	7	8	32	-
				FW	53	1	1	-	-	-	1	-	4	3	43	-
				NMW	55	3	-	-	-	3	-	3	9	9	28	-
				FNW	46	3	1	1	-	-	1	1	7	6	26	-
EUNICE*	161	131	10.5			1	1	-	-	6	5	3	12	23	80	-
				MW	64	1	-	-	-	5	3	1	6	14	34	-
				FW	43	-	-	-	-	1	-	1	4	5	32	-
				NMW	11	-	1	-	-	-	2	1	1	2	4	-
				FNW	13	-	-	-	-	-	-	-	1	2	10	-
ST MARTIN	166	312	7.3			12	1	5	2	10	14	11	20	49	187	1
				MW	121	1	-	3	1	6	6	5	11	19	68	1
				FW	93	1	-	1	-	2	4	1	3	14	67	-
				NMW	55	3	-	1	1	2	2	2	4	9	31	-
				FNW	43	7	1	-	-	-	2	3	2	7	21	-
ST MARY	407	479	7.3			10	4	2	4	24	22	26	31	76	277	3
				MW	179	4	-	-	1	11	11	16	15	34	87	-
				FW	142	2	3	2	-	4	3	3	10	17	98	-
				NMW	92	3	-	-	1	9	7	4	2	19	45	2
				FNW	66	1	1	-	2	-	1	3	4	6	47	1
MORGAN CITY*	159	125	7.8			2	1	-	1	9	6	4	7	17	78	-
				MW	56	1	-	-	-	2	3	4	3	14	29	-
				FW	51	1	1	-	-	2	1	-	4	3	39	-
				NMW	14	-	-	-	1	5	2	-	-	-	6	-
				FNW	4	-	-	-	-	-	-	-	-	-	4	-
ST TAMMANY	698	817	6.6			24	9	2	3	26	23	42	69	141	478	-
				MW	396	10	3	1	2	17	11	31	40	82	199	-
				FW	295	9	4	-	1	6	5	7	18	37	208	-
				NMW	64	2	1	1	-	1	7	4	5	11	32	-
				FNW	62	3	1	-	-	2	-	-	6	11	39	-
SLIDELL*	266	185	6.9			5	1	-	1	7	4	14	20	34	99	-
				MW	96	3	1	-	1	4	2	11	9	19	46	-
				FW	66	2	-	-	-	2	1	1	8	10	42	-
				NMW	14	-	-	-	-	1	1	2	2	2	6	-
				FNW	9	-	-	-	-	-	-	-	1	3	5	-
TANGIPAHOA	704	700	9.2			39	5	3	4	30	29	38	52	111	464	5
				MW	271	14	2	-	3	12	8	9	17	49	155	2
				FW	239	4	1	1	-	5	6	10	15	28	168	1
				NMW	160	11	2	1	-	11	12	17	11	19	76	-
				FNW	110	10	-	1	1	2	3	2	9	15	65	2
HAMMOND*	60	157	10.1			4	1	1	1	4	9	8	7	22	100	-
				MW	45	1	-	-	-	1	2	3	1	8	29	-
				FW	41	1	1	-	-	-	-	-	1	6	32	-
				NMW	32	1	-	-	-	3	4	5	1	5	13	-
				FNW	39	1	-	1	1	-	3	-	4	3	26	-
TENSAS	68	116	14.2			7	-	1	1	6	2	3	6	14	76	-
				MW	30	1	-	-	-	1	1	-	1	5	21	-
				FW	1	-	-	-	-	1	-	-	-	2	12	-
				NMW	39	3	-	-	-	3	1	2	3	4	23	-
				FNW	32	3	-	1	1	1	-	1	2	3	20	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TERREBONNE	643	656	6.6			33	12	3	5	42	33	30	60	109	329	-
				MW	315	14	3	3	2	27	15	16	31	61	143	-
				FW	202	7	4	-	1	3	7	7	9	29	135	-
				MNW	81	4	3	-	1	9	7	4	13	13	27	-
				FNW	58	8	2	-	1	3	4	3	7	6	24	-
HOUMA*	292	284	8.5			16	5	1		7	11	9	25	44	156	-
				MW	121	4	1	1	-	1	4	6	10	23	61	-
				FW	94	4	1	-	-	1	3	2	4	14	65	-
				MNW	41	3	3	-	-	3	3	-	7	5	17	-
				FNW	28	5	-	-	-	2	1	1	4	2	13	-
UNION	180	236	11.0			3	2	-	-	4	5	5	14	35	168	-
				MW	80	-	1	-	-	1	1	-	-	16	61	-
				FW	86	-	-	-	-	-	1	-	5	10	70	-
				MNW	30	1	-	-	-	2	3	2	6	2	14	-
				FNW	40	2	1	-	-	1	-	3	3	7	23	-
VERMILION	372	456	9.1			11	1	1	2	16	16	13	28	70	297	1
				MW	234	6	1	1	2	11	9	4	16	44	139	1
				FW	157	2	-	-	-	2	5	5	6	20	117	-
				MNW	39	2	-	-	-	3	1	4	5	6	18	-
				FNW	26	1	-	-	-	-	1	-	1	-	23	-
ABBEVILLE*	149	148	11.3			5	-	-	-	7	7	3	6	16	95	1
				MW	65	2	-	-	-	4	4	-	2	10	42	1
				FW	41	1	-	-	-	1	1	-	2	4	32	-
				MNW	22	2	-	-	-	2	1	3	1	2	11	-
				FNW	12	-	-	-	-	-	1	-	1	-	10	-
VERNON	203	324	5.6			22	-	-	1	21	16	17	28	44	172	3
				MW	176	6	-	-	-	18	6	11	21	26	87	1
				FW	113	10	-	-	1	1	7	5	5	12	71	1
				MNW	17	3	-	-	-	2	2	1	1	3	5	-
				FNW	18	3	-	-	-	-	1	-	1	3	9	1
WASHINGTON	388	471	10.4			12	3	2	2	15	9	16	32	73	307	-
				MW	183	3	1	1	1	6	3	3	14	30	121	-
				FW	159	2	-	1	-	1	2	5	8	23	117	-
				MNW	81	2	1	-	1	7	4	5	5	14	42	-
				FNW	48	5	1	-	-	1	-	3	5	6	27	-
BOGALUSA*	250	211	12.5			4	1	-	2	4	1	5	14	31	149	-
				MW	77	2	1	-	1	2	1	1	6	10	53	-
				FW	76	-	-	-	-	-	-	1	3	11	61	-
				MNW	37	2	-	-	1	2	-	1	1	7	23	-
				FNW	21	-	-	-	-	-	-	2	4	3	12	-
WEBSTER	430	538	12.0			7	6	2	2	9	14	26	31	72	368	1
				MW	201	1	1	2	1	7	6	8	14	23	138	-
				FW	177	1	1	-	-	1	2	7	6	25	133	1
				MNW	84	2	2	-	-	-	4	7	9	16	44	-
				FNW	76	3	2	-	1	1	2	4	2	8	53	-
MINDEN*	215	212	14.2			3	2	-	2	5	2	12	10	28	147	1
				MW	53	-	-	-	1	3	-	2	4	6	37	-
				FW	78	-	-	-	-	1	-	2	2	9	63	1
				MNW	39	1	2	-	-	-	1	5	4	7	19	-
				FNW	42	2	-	-	1	1	1	3	-	6	28	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
W BATON ROUGE	43	128	6.6			3	1	-	3	4	9	7	10	23	68	-
				MW	42	2	-	-	1	-	3	1	3	9	23	-
				FW	30	1	-	-	1	-	-	4	1	6	17	-
				MNW	31	-	-	-	1	2	6	-	4	5	13	-
				FNW	25	-	1	-	-	2	-	2	2	3	15	-
WEST CARROLL	76	136	10.4			3	-	1	2	3	1	4	4	19	99	-
				MW	57	3	-	-	-	1	1	1	1	8	42	-
				FW	63	-	-	1	2	1	-	1	2	9	47	-
				MNW	10	-	-	-	-	1	-	1	-	2	6	-
				FNW	6	-	-	-	-	-	-	1	1	-	4	-
W FELICIANA	61	61	4.8			3	-	-	-	1	2	5	3	11	36	-
				MW	16	1	-	-	-	-	-	1	3	6	5	-
				FW	12	1	-	-	-	-	-	-	-	1	10	-
				MNW	19	1	-	-	-	1	2	3	-	3	9	-
				FNW	14	-	-	-	-	-	-	1	-	1	12	-
WINN	175	205	11.6			3	1	-	1	5	2	7	13	31	142	-
				MW	88	3	1	-	-	3	1	3	8	11	58	-
				FW	62	-	-	-	1	-	1	2	4	12	42	-
				MNW	29	-	-	-	-	1	-	2	-	5	21	-
				FNW	26	-	-	-	-	1	-	-	1	3	21	-
UNKNOWN***	-	40				-	-	-	-	8	3	7	5	3	3	11
				MW	24	-	-	-	-	5	1	4	4	2	1	7
				FW	4	-	-	-	-	2	1	-	-	-	-	1
				MNW	7	-	-	-	-	1	-	3	1	1	-	1
				FNW	5	-	-	-	-	-	1	-	-	-	2	2
OUT OF STATE**	797	1247				52	11	6	7	95	101	102	129	248	496	-
				MW	690	25	8	4	5	62	65	59	82	136	244	-
				FW	335	16	1	-	2	18	16	21	27	50	184	-
				MNW	167	8	2	2	-	13	11	19	16	45	51	-
				FNW	55	3	-	-	-	2	9	3	4	17	17	-

*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS
***PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENCE

TABLE XV-B
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY STATE PLANNING DISTRICT, 1982

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	36175	35725	8.2			1094	222	117	136	1117	1255	1375	2624	5540	22190	55
				MW	13115	276	67	43	51	557	496	544	1000	2381	7597	23
				FW	11239	213	53	32	36	158	189	273	567	1304	6401	13
				NNW	6302	331	57	26	35	321	402	368	601	1079	3072	10
				FNW	5069	274	45	16	14	81	168	190	376	776	3120	9
SPD 1	11644	10714	8.5			327	60	30	32	304	431	432	820	1785	6483	10
				MW	3764	64	16	8	10	126	157	169	295	763	2152	4
				FW	3439	52	10	9	10	47	58	76	177	392	2604	4
				NNW	1962	114	20	9	9	107	151	126	214	364	847	1
				FNW	1549	97	14	4	3	24	65	61	134	266	880	1
SPD 2	5290	5377	7.1			191	34	23	25	170	206	240	404	842	3235	7
				MW	1865	49	7	7	13	76	62	83	163	354	1048	3
				FW	1611	37	8	5	3	23	27	46	88	197	1176	1
				NNW	1070	57	12	6	8	61	81	71	87	162	524	1
				FNW	831	48	7	5	1	10	36	40	66	129	487	2
SPD 3	1817	2150	7.1			93	28	8	9	103	166	89	180	323	1210	1
				MW	936	36	9	5	3	69	53	46	86	158	471	-
				FW	648	22	8	1	3	12	16	17	38	69	461	1
				NNW	322	19	8	1	2	17	29	16	33	61	136	-
				FNW	244	16	3	1	1	5	8	10	23	35	142	-
SPD 4	4120	4323	7.7			135	31	26	22	172	185	178	333	647	2588	6
				MW	1769	39	12	9	10	98	93	77	156	290	983	2
				FW	1396	23	11	11	4	26	33	37	76	160	1015	-
				NNW	666	41	1	2	5	44	43	44	69	111	303	3
				FNW	492	32	7	4	3	4	16	20	32	86	287	1
SPD 5	1982	2008	7.5			53	11	8	11	58	66	66	168	327	1239	1
				MW	866	16	4	4	6	26	34	31	85	165	494	1
				FW	696	20	5	1	3	14	10	16	32	82	513	-
				NNW	251	6	-	2	1	12	17	14	35	46	118	-
				FNW	195	11	2	1	1	6	5	5	16	34	114	-
SPD 6	2817	2835	8.7			76	18	2	8	84	77	109	172	413	1868	8
				MW	1155	24	9	2	-	49	30	47	84	189	718	3
				FW	924	23	4	-	5	11	20	21	40	116	681	3
				NNW	398	21	4	-	3	18	17	28	25	59	222	1
				FNW	358	8	1	-	-	6	10	13	23	49	247	1
SPD 7	5670	5290	9.3			139	25	14	15	148	130	172	376	760	3505	6
				MW	1761	30	7	6	4	81	48	57	147	288	1090	3
				FW	1630	26	5	4	4	17	13	44	78	173	1263	3
				NNW	1045	41	6	4	4	37	49	46	103	181	574	-
				FNW	854	42	7	-	3	13	20	25	48	118	578	-
SPD 8	2835	2988	9.2			80	15	6	14	70	54	82	166	440	2059	5
				MW	975	18	3	2	5	27	18	30	60	172	640	-
				FW	891	10	2	1	4	6	11	16	38	115	688	-
				NNW	581	32	6	2	3	24	15	20	34	94	348	3
				FNW	541	20	4	1	2	13	7	16	34	59	383	2

UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN SPD RESIDENCE DATA

TABLE XV-C
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY HEALTH SERVICE AREA, 1982

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	36175	35725	8.2			1094	222	117	136	1117	1255	1375	2624	5540	22190	55
				MW	13115	276	67	43	51	557	496	544	1000	2381	7597	23
				FW	11239	213	53	32	36	158	189	273	567	1304	8401	13
				NNW	6302	331	57	26	35	321	402	368	601	1079	3072	10
				FNW	5069	274	45	16	14	81	168	190	376	776	3120	9
HSA 1	13461	12864	8.3			420	88	38	41	407	537	521	1000	2108	7693	11
				MW	4700	100	25	13	13	195	210	215	381	921	2623	4
				FW	4087	74	18	10	13	59	74	93	215	461	3065	5
				NNW	2284	133	28	10	11	124	180	142	247	425	983	1
				FNW	1793	113	17	5	4	29	73	71	157	301	1022	1
HSA 2	11392	11708	7.4			379	76	57	58	400	457	484	905	1816	7062	14
				MW	4500	104	23	20	29	200	189	191	404	889	2525	6
				FW	3703	80	24	17	10	63	70	99	196	439	2704	1
				NNW	1987	104	13	10	14	117	141	129	191	319	945	4
				FNW	1518	91	16	10	5	20	57	65	114	249	888	3
HSA 3	11322	11113	9.1			295	58	22	37	302	258	363	714	1613	7432	19
				MW	3891	72	19	10	9	157	96	134	291	649	2448	6
				FW	3445	59	11	5	13	34	44	81	156	404	2632	6
				NNW	2024	94	16	6	10	79	81	94	162	334	1144	4
				FNW	1753	70	12	1	5	32	37	54	105	226	1208	3

UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN HSA RESIDENCE DATA

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
TOTAL	36175	1130	224	119	138	429	726	1294	1423	2671	5622	22350	49
ACADIA	383	5	3	-	2	3	9	10	13	19	51	268	-
ACADIA-ST. LANDRY HOSPITAL	18	1	-	-	-	-	-	-	2	-	-	15	-
AMERICAN LEGION HOSPITAL	97	2	-	-	1	-	1	-	1	4	14	74	-
RAYNE BRANCH HOSPITAL	69	-	-	-	1	-	-	-	1	2	8	57	-
NURSING HOME	52	-	-	-	-	-	-	-	-	1	5	46	-
OUT OF HOSPITAL	147	2	3	-	-	3	8	10	9	12	24	76	-
ALLEN	201	1	1	-	-	-	7	4	6	11	24	147	-
ALLEN PARISH HOSPITAL	35	-	-	-	-	-	-	-	1	-	6	28	-
HUMANA HOSPITAL, OAKDALE	70	-	-	-	-	-	-	-	-	2	5	63	-
NURSING HOME	15	-	-	-	-	-	-	-	-	-	1	14	-
OUT OF HOSPITAL	81	1	1	-	-	-	7	4	5	9	12	42	-
ASCENSION	255	2	-	3	-	6	7	10	19	16	40	152	-
EAST ASCENSION GENERAL HOSPITAL	60	-	-	-	-	2	-	-	1	3	8	46	-
PREVOST MEMORIAL HOSPITAL	48	-	-	-	-	-	-	-	3	1	4	40	-
NURSING HOME	24	-	-	-	-	-	-	-	-	-	3	21	-
OUT OF HOSPITAL	123	2	-	3	-	4	7	10	15	12	25	45	-
ASSUMPTION	113	1	3	-	-	3	3	7	7	13	10	65	1
ASSUMPTION GENERAL HOSPITAL	36	-	-	-	-	-	-	1	2	1	5	26	1
NURSING HOME	9	-	-	-	-	1	-	-	-	-	-	8	-
OUT OF HOSPITAL	68	1	3	-	-	2	3	6	5	12	5	31	-
AVOYELLES	344	1	3	2	1	2	6	6	6	10	27	280	-
BUNKIE GENERAL HOSPITAL	81	-	1	-	-	1	-	1	-	1	3	74	-
HUMANA HOSPITAL-MARKSVILLE	65	-	-	-	-	-	-	1	1	2	2	59	-
NURSING HOME	91	-	-	-	-	-	-	-	-	2	2	87	-
OUT OF HOSPITAL	107	1	2	2	1	1	6	4	5	5	20	60	-
BEAUREGARD	206	2	-	2	1	2	5	8	6	18	20	142	-
BEAUREGARD MEMORIAL HOSPITAL	96	-	-	-	-	-	2	-	1	7	11	75	-
MERRYVILLE GENERAL HOSPITAL	17	-	-	-	-	-	-	-	-	1	1	15	-
NURSING HOME	23	-	-	-	-	-	-	2	-	1	1	19	-
OUT OF HOSPITAL	70	2	-	2	1	2	3	6	5	9	7	33	-
BIENVILLE	99	1	-	1	-	6	3	2	2	7	11	66	-
BIENVILLE GENERAL HOSPITAL	31	-	-	-	-	-	1	-	-	-	2	28	-
NURSING HOME	14	-	-	-	-	-	-	-	-	-	-	14	-
OUT OF HOSPITAL	54	1	-	1	-	6	2	2	2	7	9	24	-
BOSSIER	412	7	2	5	2	8	17	11	17	34	56	252	1
U S AIR FORCE BASE HOSPITAL	16	2	-	-	-	-	-	-	-	4	6	4	-
BOSSIER MEDICAL CENTER	113	2	1	1	2	-	2	2	2	6	15	80	-
RIVERSIDE COMMUNITY HOSPITAL	19	-	-	-	-	-	-	-	-	1	-	18	-
NURSING HOME	80	-	-	-	-	-	-	1	-	1	3	75	-
OUT OF HOSPITAL	184	3	1	4	-	8	15	8	15	22	32	75	1
CADDO	3511	161	18	6	9	29	55	83	121	286	621	2120	2
L.S.U. MEDICAL CENTER	644	75	9	2	2	10	15	29	35	64	133	269	1
HIGHLAND HOSPITAL	121	-	-	-	-	-	-	2	6	16	21	76	-
NORTH CADDO MEMORIAL HOSPITAL	25	-	-	-	-	-	-	-	-	1	3	21	-
DOCTORS HOSPITAL OF CADDO	88	1	-	-	-	-	-	-	1	7	15	64	-
PHYSICIANS AND SURGEONS HOSPITAL	142	1	-	1	-	-	-	-	2	5	20	113	-
T. E. SCHUMPERT HOSPITAL	544	44	2	1	-	2	4	6	15	40	75	355	-
VETERANS ADMINISTRATION MEDICAL CENTER	385	-	-	-	-	-	-	3	8	46	151	176	1
WILLIS KNIGHTON MEDICAL CENTER	331	17	1	-	1	1	2	3	11	19	54	222	-
NURSING HOME	362	-	-	-	-	-	-	-	-	3	13	346	-
OUT OF HOSPITAL	869	23	6	2	6	16	34	40	43	85	136	478	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
CALCASIEU	1308	37	7	5	9	8	30	45	52	113	213	789	-
DEQUINCY GENERAL HOSPITAL	29	-	-	-	-	-	-	-	-	3	3	23	-
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	108	17	-	1	1	-	4	4	9	13	26	33	-
LAKE CHARLES MEMORIAL HOSPITAL	239	6	1	1	2	2	3	5	7	18	45	149	-
ST. PATRICKS HOSPITAL	246	3	-	-	-	-	1	3	8	21	52	158	-
WEST CALCASIEU-CAMERON HOSPITAL	144	6	-	-	-	-	-	1	4	9	14	110	-
NURSING HOME	145	-	-	-	-	-	-	-	-	5	12	128	-
OUT OF HOSPITAL	397	5	6	3	6	6	22	32	24	44	61	188	-
CALDWELL	90	4	-	-	2	-	1	-	1	5	12	65	-
CALDWELL MEMORIAL HOSPITAL	29	2	-	-	-	-	-	-	-	-	3	24	-
CITIZENS MEDICAL HOSPITAL	21	1	-	-	-	-	-	-	-	1	3	16	-
NURSING HOME	18	-	-	-	-	-	-	-	-	-	3	15	-
OUT OF HOSPITAL	22	1	-	-	2	-	1	-	1	4	3	10	-
CAMERON	35	1	-	-	-	1	3	3	2	7	7	11	-
SOUTH CAMERON MEMORIAL HOSPITAL	2	-	-	-	-	-	-	-	-	1	-	1	-
OUT OF HOSPITAL	33	1	-	-	-	1	3	3	2	6	7	10	-
CATAHOULA	85	3	-	-	-	2	1	1	2	4	9	63	-
CATAHOULA PARISH HOSPITAL	43	1	-	-	-	-	-	1	1	2	4	34	-
NURSING HOME	8	-	-	-	-	-	-	-	-	-	-	8	-
OUT OF HOSPITAL	34	2	-	-	-	2	1	-	1	2	5	21	-
CLAIBORNE	181	3	1	-	-	1	2	1	-	11	28	134	-
HOMER MEMORIAL HOSPITAL	61	1	-	-	-	-	-	1	-	1	6	52	-
NORTH CLAIBORNE HOSPITAL	24	-	-	-	-	-	-	-	-	1	1	22	-
NURSING HOME	16	-	-	-	-	-	-	-	-	-	-	16	-
OUT OF HOSPITAL	80	2	1	-	-	1	2	-	-	9	21	44	-
CONCORDIA	148	1	-	-	-	2	3	5	4	6	20	107	-
CONCORDIA PARISH HOSPITAL	69	1	-	-	-	1	-	-	-	2	5	60	-
NURSING HOME	12	-	-	-	-	-	-	-	-	-	-	12	-
OUT OF HOSPITAL	67	-	-	-	-	1	3	5	4	4	15	35	-
DESOTO	160	-	-	-	-	2	1	5	6	9	16	121	-
DESOTO GENERAL HOSPITAL	76	-	-	-	-	-	-	1	1	3	7	64	-
NURSING HOME	6	-	-	-	-	-	-	-	-	-	-	6	-
OUT OF HOSPITAL	78	-	-	-	-	2	1	4	5	6	9	51	-
EAST BATON ROUGE	3000	112	18	6	12	22	50	107	130	237	489	1816	1
BATON ROUGE GENERAL HOSPITAL	558	3	2	-	2	4	5	4	14	34	102	388	-
DOCTORS MEMORIAL HOSPITAL	56	-	-	-	-	-	-	1	1	1	5	48	-
EARL K. LONG MEMORIAL HOSPITAL	241	34	2	2	1	3	5	15	17	31	57	74	-
LANE MEMORIAL HOSPITAL	138	4	1	-	-	-	-	-	2	10	18	103	-
OUR LADY OF THE LAKE MEDICAL CENTER	726	2	5	-	4	-	9	16	28	59	133	470	-
WOMANS HOSPITAL	51	51	-	-	-	-	-	-	-	-	-	-	-
NURSING HOME	278	-	-	-	-	-	-	1	2	8	19	248	-
OUT OF HOSPITAL	952	18	8	4	5	15	31	70	66	94	155	485	1
EAST CARROLL	98	2	1	-	-	4	3	3	2	2	10	71	-
EAST CARROLL PARISH HOSPITAL	45	-	-	-	-	1	-	1	-	1	2	40	-
NURSING HOME	11	-	-	-	-	-	-	-	1	-	1	9	-
OUT OF HOSPITAL	42	2	1	-	-	3	3	2	1	1	7	22	-
EAST FELICIANA	172	-	-	-	-	-	1	5	6	6	16	138	-
EAST FELICIANA MEDICAL CENTER	37	-	-	-	-	-	-	-	-	-	2	35	-
EAST LOUISIANA STATE HOSPITAL	15	-	-	-	-	-	-	-	1	-	3	11	-
JACKSON SPECIAL HOSPITAL	1	-	-	-	-	-	-	-	-	-	-	1	-
NURSING HOME	84	-	-	-	-	-	1	-	1	3	6	73	-
OUT OF HOSPITAL	35	-	-	-	-	-	-	5	4	3	5	18	-
EVANGELINE	287	5	-	-	-	6	3	16	10	17	38	192	-
HUMANA HOSPITAL-VILLE PLATTE	75	-	-	-	-	2	-	2	3	6	8	54	-
SAVOY MEMORIAL HOSPITAL	99	-	-	-	-	-	-	2	3	6	9	79	-
NURSING HOME	17	-	-	-	-	-	-	-	-	-	3	14	-
OUT OF HOSPITAL	96	5	-	-	-	4	3	12	4	5	18	45	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
FRANKLIN	175	2	1	1	1	3	1	4	7	8	18	129	-
FRANKLIN PARISH HOSPITAL	75	-	-	-	-	-	-	-	1	3	8	63	-
NURSING HOME	33	-	-	-	-	-	-	-	2	1	-	30	-
OUT OF HOSPITAL	67	2	1	1	1	3	1	4	4	4	10	36	-
GRANT	72	-	-	-	-	4	2	3	3	4	11	45	-
NURSING HOME	22	-	-	-	-	-	-	-	-	-	-	22	-
OUT OF HOSPITAL	50	-	-	-	-	4	2	3	3	4	11	23	-
IBERIA	493	11	1	2	1	7	14	22	13	34	56	331	1
DAUTERIVE HOSPITAL INC.	101	1	-	-	-	-	-	4	2	7	14	73	-
IBERIA GENERAL HOSP AND MEDICAL CENTER	121	4	-	-	-	-	-	2	2	5	15	92	1
NURSING HOME	64	-	-	-	-	-	-	-	-	1	1	62	-
OUT OF HOSPITAL	207	6	1	2	1	7	14	16	9	21	26	104	-
IBERVILLE	236	1	1	2	1	3	1	9	10	11	31	166	-
U. S. PUBLIC HEALTH SERVICE HOSPITAL	7	-	-	-	-	-	-	-	-	-	-	7	-
RHODES SPEDALE GENERAL HOSPITAL	84	-	-	-	-	-	-	-	1	1	10	72	-
WHITE CASTLE HOSPITAL	1	-	-	-	-	-	-	-	-	-	1	-	-
NURSING HOME	12	-	-	-	-	-	-	-	-	1	-	11	-
OUT OF HOSPITAL	132	1	1	2	1	3	1	9	9	9	20	76	-
JACKSON	142	4	-	-	-	-	1	4	2	3	10	110	-
JACKSON PARISH HOSPITAL	63	1	-	-	-	-	-	-	-	1	8	53	-
NURSING HOME	27	-	-	-	-	-	-	-	-	-	2	25	-
OUT OF HOSPITAL	52	3	-	-	-	-	1	4	2	2	8	32	-
JEFFERSON	3060	142	29	12	19	41	76	146	140	255	519	1669	12
EAST JEFFERSON GENERAL HOSPITAL	573	2	1	2	2	5	5	12	15	37	104	387	1
OCHSNER FOUNDATION HOSPITAL	519	90	16	3	4	1	5	10	16	33	93	248	-
LAKESIDE HOSPITAL	60	22	-	-	-	-	-	-	3	5	7	23	-
BONNABEL HOSPITAL	69	-	-	-	-	-	-	-	-	-	4	65	-
MEADOWCREST HOSPITAL	22	-	-	-	-	-	1	-	1	2	5	13	-
WEST JEFFERSON GENERAL HOSPITAL	442	7	-	-	1	2	10	11	11	43	89	267	1
NURSING HOME	137	-	-	-	-	-	-	-	-	3	6	128	-
OUT OF HOSPITAL	1238	21	12	7	12	33	55	113	94	132	211	538	10
JEFFERSON DAVIS	232	1	-	2	1	4	2	3	6	17	32	164	-
JENNINGS AMERICAN LEGION HOSPITAL	88	-	-	-	1	-	-	-	1	5	13	68	-
WELSH GENERAL HOSPITAL	27	-	-	-	-	-	-	-	-	2	3	22	-
NURSING HOME	38	-	-	-	-	-	-	-	-	1	-	37	-
OUT OF HOSPITAL	79	1	-	2	-	4	2	3	5	9	16	37	-
LAFAYETTE	1366	63	12	7	9	18	35	61	71	129	247	712	2
UNIVERSITY MEDICAL CENTER	224	37	1	-	2	1	5	6	19	36	62	55	-
LAFAYETTE GENERAL HOSPITAL	306	22	6	3	2	2	6	14	9	21	62	159	-
OUR LADY OF LOURDES HOSPITAL	358	-	1	-	1	1	4	12	16	29	69	225	-
NURSING HOME	102	-	-	-	-	-	-	-	3	1	5	92	1
OUT OF HOSPITAL	376	4	4	4	4	14	20	29	24	42	49	181	1
LAFOURCHE	602	8	5	1	-	15	20	35	19	50	66	382	1
LADY OF THE SEA HOSPITAL	53	-	-	-	-	-	1	-	1	6	6	39	-
ST. ANNE HOSPITAL	66	-	-	-	-	-	-	-	-	3	10	52	1
THIBODAUX GENERAL HOSPITAL	137	2	-	-	-	-	-	3	3	14	15	100	-
NURSING HOME	77	-	-	-	-	-	-	1	-	-	2	74	-
OUT OF HOSPITAL	269	6	5	1	-	15	19	31	15	27	33	117	-
LASALLE	151	-	1	-	-	-	1	1	7	7	15	116	3
HARDTNER MEDICAL CENTER	44	-	-	-	-	-	-	-	2	3	2	36	1
LASALLE GENERAL HOSPITAL	63	-	1	-	-	-	-	-	3	3	5	50	1
NURSING HOME	3	-	-	-	-	-	-	-	-	-	-	3	-
OUT OF HOSPITAL	41	-	-	-	-	-	1	1	2	1	8	27	1
LINCOLN	261	2	1	-	1	2	4	6	5	14	30	196	-
LINCOLN GENERAL HOSPITAL	154	1	-	-	-	-	-	-	1	7	21	124	-
NURSING HOME	25	-	-	-	-	-	-	-	-	-	1	24	-
OUT OF HOSPITAL	82	1	1	-	1	2	4	6	4	7	8	48	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
LIVINGSTON	210	1	2	4	1	4	7	9	8	18	28	128	-
DIXON MEMORIAL HOSPITAL	81	-	-	1	-	-	-	-	2	1	3	74	-
NURSING HOME	16	-	-	-	-	-	-	-	-	-	2	14	-
OUT OF HOSPITAL	113	1	2	3	1	4	7	9	6	17	23	40	-
MADISON	140	-	-	-	-	1	4	4	5	8	15	102	1
MADISON PARISH HOSPITAL	42	-	-	-	-	-	-	-	-	4	2	36	-
NURSING HOME	36	-	-	-	-	-	-	-	-	-	2	34	-
OUT OF HOSPITAL	62	-	-	-	-	1	4	4	5	4	11	32	1
MOREHOUSE	321	4	-	-	1	3	3	7	3	12	45	242	1
MOREHOUSE GENERAL HOSPITAL	156	1	-	-	1	-	-	1	2	6	22	122	1
NURSING HOME	58	-	-	-	-	-	-	-	-	-	3	55	-
OUT OF HOSPITAL	107	3	-	-	-	3	3	6	1	6	20	65	-
NATCHITOCHES	300	3	2	-	-	9	6	11	11	18	36	203	1
NATCHITOCHES PARISH HOSPITAL	128	1	-	-	-	1	-	2	4	4	15	100	1
NURSING HOME	38	-	-	-	-	-	-	-	-	1	-	37	-
OUT OF HOSPITAL	134	2	2	-	-	8	6	9	7	13	21	66	-
ORLEANS	7371	323	47	26	20	68	146	316	312	580	1280	4250	3
JO ELLEN SMITH MEMORIAL HOSPITAL	264	7	-	2	1	2	3	5	3	19	46	176	-
SOUTHERN BAPTIST HOSPITAL	581	48	3	2	-	1	1	6	18	30	99	373	-
CHARITY HOSPITAL OF NEW ORLEANS	1294	175	11	8	5	18	45	86	97	160	243	446	-
CHILDRENS HOSPITAL	19	4	5	4	4	2	-	-	-	-	-	-	-
DEPAUL HOSP AND COMM MENTAL HEALTH CEN	1	-	-	-	-	-	-	-	-	-	-	1	-
UNITED MEDICAL CENTER	109	2	-	1	-	-	2	3	2	8	14	77	-
EYE AND EAR INSTITUTE OF LOUISIANA	3	-	-	-	-	-	-	-	-	1	-	2	-
FLINT GOODRIDGE HOSP OF DILLARD UNIV	60	1	-	-	-	-	-	1	1	-	6	51	-
HOTEL DIEU HOSPITAL	341	2	2	-	-	2	2	6	12	19	41	255	-
PENDLETON MEMORIAL METHODIST HOSPITAL	253	6	2	-	1	-	4	1	6	19	43	171	-
MERCY HOSPITAL	313	-	-	-	-	-	1	5	3	11	44	249	-
MONTELEPRE MEMORIAL HOSPITAL	49	-	-	-	-	-	-	-	-	1	8	40	-
NEW ORLEANS GENERAL HOSPITAL	63	1	1	-	-	1	-	4	4	7	10	35	-
ST. CHARLES GENERAL HOSPITAL	197	1	-	-	-	-	-	-	4	4	21	167	-
TOURO INFIRMARY	506	3	-	-	-	-	-	6	8	31	90	368	-
TULANE MEDICAL CENTER HOSPITAL	238	48	8	1	3	4	4	9	10	23	34	102	-
U. S. PUBLIC HEALTH SERVICE HOSPITAL	1	-	-	-	-	-	-	-	-	-	1	-	-
VETERANS ADMINISTRATION HOSPITAL	489	1	-	-	-	1	1	4	16	58	194	214	-
NURSING HOME	393	-	-	-	-	-	2	3	1	2	16	368	1
OUT OF HOSPITAL	2197	32	15	8	6	37	81	177	127	187	370	1155	2
OUACHITA	1271	47	6	5	8	12	13	21	37	89	198	835	-
E. A. CONWAY HOSPITAL	198	9	1	1	1	1	3	7	5	30	32	108	-
GLENWOOD HOSPITAL	162	2	1	-	-	2	1	1	9	15	18	113	-
ST. FRANCIS HOSPITAL	415	30	-	3	4	2	2	4	11	19	76	264	-
STERLINGTON GENERAL HOSPITAL	20	-	-	-	-	-	-	-	-	-	1	19	-
NURSING HOME	131	-	-	-	-	-	-	-	1	3	10	117	-
OUT OF HOSPITAL	345	6	4	1	3	7	7	9	11	22	61	214	-
PLAQUEMINES	97	3	-	-	2	2	6	16	4	17	13	33	1
PLAQUEMINES PARISH GENERAL HOSPITAL	14	1	-	-	-	-	-	-	-	4	1	8	-
OUT OF HOSPITAL	83	2	-	-	2	2	6	16	4	13	12	25	1
POINTE COUPEE	156	-	2	1	1	4	1	6	6	7	20	108	-
POINTE COUPEE GENERAL HOSPITAL	76	-	-	-	-	-	-	1	1	3	10	61	-
NURSING HOME	4	-	-	-	-	-	-	-	-	-	1	3	-
OUT OF HOSPITAL	76	-	2	1	1	4	1	5	5	4	9	44	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
RAPIDES	1639	39	11	1	4	8	29	37	63	107	293	1044	3
RAPIDES GENERAL HOSPITAL	352	4	3	-	-	1	2	5	12	24	51	250	-
CENTRAL LOUISIANA STATE HOSPITAL	3	-	-	-	-	-	-	-	1	-	1	1	-
WOODVIEW REGIONAL HOSPITAL	25	-	-	-	-	-	-	-	-	1	5	19	-
ENGLAND AIR FORCE BASE HOSPITAL	9	-	-	-	-	-	-	1	-	1	5	2	-
HUEY P. LONG CHARITY HOSPITAL	138	5	-	-	-	1	4	3	16	11	30	68	-
ST. FRANCIS CABRINI HOSPITAL	309	19	1	-	1	-	2	3	6	18	35	223	1
PINECREST STATE SCHOOL	14	2	2	-	1	1	-	-	-	-	2	6	-
VETERANS ADMINISTRATION MEDICAL CENTER	251	-	-	-	-	-	-	2	3	18	84	142	2
NURSING HOME	148	-	-	-	-	-	1	1	1	4	13	128	-
OUT OF HOSPITAL	390	9	5	1	2	5	20	22	24	30	67	205	-
RED RIVER	121	-	-	-	-	3	1	4	2	9	14	88	-
L. S. HUCKABAY MEMORIAL HOSPITAL	61	-	-	-	-	-	1	2	1	4	6	47	-
NURSING HOME	21	-	-	-	-	-	-	-	-	-	-	21	-
OUT OF HOSPITAL	39	-	-	-	-	3	-	2	1	5	8	20	-
RICHLAND	274	2	1	-	2	3	2	2	6	10	40	206	-
RICHLAND PARISH HOSPITAL - URBAN	44	-	-	-	1	1	-	1	1	1	6	33	-
RICHLAND PARISH HOSPITAL - RURAL	96	-	-	-	-	-	-	-	1	2	12	81	-
NURSING HOME	58	-	-	-	-	-	-	-	-	-	5	53	-
OUT OF HOSPITAL	76	2	1	-	1	2	2	1	4	7	17	39	-
SABINE	195	3	2	-	-	2	2	3	4	12	17	149	1
SABINE MEDICAL CENTER	89	2	-	-	-	-	2	-	1	4	7	73	-
PLEASANT HILL GENERAL HOSPITAL	20	-	-	-	-	-	-	1	1	-	1	17	-
NURSING HOME	25	-	-	-	-	-	-	-	-	1	-	23	1
OUT OF HOSPITAL	61	1	2	-	-	2	-	2	2	7	9	36	-
ST.BERNARD	418	2	2	1	3	1	8	14	19	24	67	274	3
CHALMETTE GENERAL HOSPITAL	143	-	-	-	2	-	2	2	7	5	33	90	2
DE LA RONDE HOSPITAL	85	-	-	-	-	-	2	2	4	3	11	63	-
NURSING HOME	36	-	-	-	-	-	-	-	-	-	-	36	-
OUT OF HOSPITAL	154	2	2	1	1	1	4	10	8	16	23	85	1
ST.CHARLES	155	5	1	2	-	1	6	8	5	11	24	92	-
ST. CHARLES PARISH HOSPITAL	58	1	1	-	-	-	-	-	-	1	8	47	-
NURSING HOME	20	-	-	-	-	-	-	-	-	-	2	18	-
OUT OF HOSPITAL	77	4	-	2	-	1	6	8	5	10	14	27	-
ST. HELENA	65	1	-	2	1	1	2	3	3	4	10	38	-
ST. HELENA PARISH HOSPITAL	26	-	-	-	1	-	-	-	-	1	5	19	-
OUT OF HOSPITAL	39	1	-	2	-	1	2	3	3	3	5	19	-
ST. JAMES	159	1	-	-	1	2	4	6	10	10	21	104	-
ST. JAMES PARISH HOSPITAL	33	-	-	-	-	-	-	-	-	-	1	32	-
WEST ST. JAMES PARISH HOSPITAL	26	-	-	-	-	-	-	-	-	1	2	23	-
NURSING HOME	10	-	-	-	-	-	-	-	-	1	-	9	-
OUT OF HOSPITAL	90	1	-	-	1	2	4	6	10	8	18	40	-
ST. JOHN	145	3	1	1	-	1	-	9	10	12	13	95	-
RIVER PARISHES MEDICAL CENTER	25	-	-	-	-	-	-	-	1	2	2	20	-
NURSING HOME	40	-	-	-	-	-	-	-	-	-	1	39	-
OUT OF HOSPITAL	80	3	1	1	-	1	-	9	9	10	10	36	-
ST. LANDRY	646	16	5	2	5	13	10	22	22	50	82	419	-
MOOSA MEMORIAL HOSPITAL	91	4	1	1	-	-	-	1	-	6	14	64	-
OPELOUSAS GENERAL HOSPITAL	133	2	-	-	1	-	1	4	4	11	18	92	-
DOCTORS HOSPITAL OF ST. LANDRY	47	-	-	-	1	-	-	1	-	1	4	40	-
ST. LUKE HOSPITAL OF ST. LANDRY	25	-	-	-	-	-	-	-	-	-	3	22	-
NURSING HOME	70	-	-	-	-	-	-	-	-	-	2	68	-
OUT OF HOSPITAL	280	10	4	1	3	13	9	16	18	32	41	133	-
ST. MARTIN	166	3	1	3	2	3	8	10	11	5	21	99	-
GARY MEMORIAL HOSPITAL	38	-	-	-	-	-	-	1	1	1	2	33	-
ST. MARTIN INFIRMARY	10	2	1	-	-	-	-	-	1	-	1	5	-
NURSING HOME	13	-	-	-	-	-	-	-	-	-	1	12	-
OUT OF HOSPITAL	105	1	-	3	2	3	8	9	9	4	17	49	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ST. MARY	407	9	3	4	1	7	14	28	23	28	56	232	2
FAIRVIEW HOSPITAL	28	-	-	-	-	-	-	-	2	2	3	21	-
FRANKLIN FOUNDATION HOSPITAL	90	1	1	-	-	-	-	-	4	5	14	64	1
LAKEWOOD HOSPITAL	76	1	-	-	-	1	-	1	3	5	9	56	-
NURSING HOME	11	-	-	-	-	-	-	-	-	-	-	11	-
OUT OF HOSPITAL	202	7	2	4	1	6	14	27	14	16	30	80	1
ST. TAMMANY	698	6	3	1	2	17	8	16	32	48	99	466	-
HIGHLAND PARK HOSPITAL	42	1	-	-	-	-	-	-	-	4	5	32	-
ST. TAMMANY PARISH HOSPITAL	158	-	-	-	-	-	1	1	1	5	20	130	-
SLIDELL MEMORIAL HOSPITAL	158	2	-	-	-	2	1	-	1	8	19	125	-
SOUTHEAST LOUISIANA STATE HOSPITAL	1	-	-	-	-	-	-	-	1	-	-	-	-
NURSING HOME	45	-	-	-	-	1	-	-	-	-	2	42	-
OUT OF HOSPITAL	294	3	3	1	2	14	6	15	29	31	53	137	-
TANGIPAHOA	704	20	4	2	2	14	16	28	27	45	93	447	6
HOOD MEMORIAL HOSPITAL	66	-	-	-	-	-	-	-	-	1	3	62	-
LALLIE KEMP CHARITY HOSPITAL	89	3	-	-	-	-	1	3	2	11	19	49	1
E. S. PIKE MEMORIAL HOSPITAL	38	-	-	-	-	-	-	-	1	1	2	34	-
SEVENTH WARD GENERAL HOSPITAL	186	10	-	-	1	1	-	1	5	4	26	137	1
NURSING HOME	61	-	-	-	-	-	-	-	-	-	2	59	-
OUT OF HOSPITAL	264	7	4	2	1	13	15	24	19	28	41	106	4
TENSAS	68	2	-	1	-	5	-	1	5	3	9	42	-
TENSAS MEMORIAL HOSPITAL	21	1	-	-	-	-	-	-	-	-	2	18	-
NURSING HOME	5	-	-	-	-	-	-	-	-	-	-	5	-
OUT OF HOSPITAL	42	1	-	1	-	5	-	1	5	3	7	19	-
TERREBONNE	643	28	12	3	5	12	26	29	29	58	114	327	-
SOUTH LOUISIANA MEDICAL CENTER	148	12	2	-	-	-	-	3	7	20	37	67	-
TERREBONNE PARISH GENERAL HOSPITAL	163	6	-	1	1	2	1	3	5	8	28	108	-
NURSING HOME	60	-	-	-	-	-	-	-	-	3	4	53	-
OUT OF HOSPITAL	272	10	10	2	4	10	25	23	17	27	45	99	-
UNION	180	-	1	-	-	1	5	4	3	6	17	143	-
TRI-WARD GENERAL HOSPITAL	38	-	-	-	-	-	-	-	1	1	-	36	-
UNION GENERAL HOSPITAL	50	-	-	-	-	-	-	-	-	1	2	47	-
NURSING HOME	28	-	-	-	-	-	-	-	1	-	1	26	-
OUT OF HOSPITAL	64	-	1	-	-	1	5	4	1	4	14	34	-
VERMILION	372	4	1	1	-	9	6	11	13	21	61	244	1
ABROM KAPLAN MEMORIAL HOSPITAL	59	-	1	-	-	-	-	-	1	5	5	47	-
ABBEVILLE GENERAL HOSPITAL	104	-	-	1	-	-	1	-	3	6	15	78	-
ERATH GENERAL HOSPITAL	45	-	-	-	-	-	-	1	-	1	5	38	-
GUEYDAN MEMORIAL HOSPITAL	9	-	-	-	-	-	-	-	1	-	3	5	-
NURSING HOME	16	-	-	-	-	-	-	-	-	-	-	16	-
OUT OF HOSPITAL	139	4	-	-	-	9	5	10	8	9	33	60	1
VERNON	203	6	1	-	-	9	9	12	11	23	28	103	1
LEESVILLE GENERAL HOSPITAL	17	-	-	-	-	-	-	-	-	2	2	13	-
BAYNE JONES ARMY COMMUNITY HOSPITAL	29	4	-	-	-	-	1	3	2	6	5	8	-
BYRD MEMORIAL HOSPITAL	63	-	-	-	-	-	-	2	2	1	8	50	-
NURSING HOME	8	-	-	-	-	-	-	-	-	-	1	7	-
OUT OF HOSPITAL	86	2	1	-	-	9	8	7	7	14	12	25	1
WASHINGTON	388	10	2	1	1	6	6	9	13	24	59	257	-
BOGALUSA COMMUNITY MEDICAL CENTER	97	2	-	1	-	-	-	1	3	3	10	77	-
RIVERSIDE MEDICAL CENTER	64	1	-	-	-	-	-	-	3	3	11	46	-
WASHINGTON-ST. TAMMANY HOSPITAL	67	4	1	-	-	-	1	2	2	6	9	42	-
NURSING HOME	33	-	-	-	-	-	-	-	-	-	1	32	-
OUT OF HOSPITAL	127	3	1	-	1	6	5	6	5	12	28	60	-
WEBSTER	430	3	4	1	2	2	4	9	16	22	42	324	1
HUMANA HOSPITAL-MINDEN	93	-	-	-	-	-	1	-	-	4	8	79	1
HUMANA HOSPITAL-SPRINGHILL	106	1	-	1	-	-	-	2	-	4	12	86	-
NURSING HOME	75	-	-	-	-	-	-	-	-	-	2	73	-
OUT OF HOSPITAL	156	2	4	-	2	2	3	7	16	14	20	86	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1982

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
WEST BATON ROUGE	43	-	-	-	1	2	2	5	3	8	8	14	-
OUT OF HOSPITAL	43	-	-	-	1	2	2	5	3	8	8	14	-
WEST CARROLL	76	-	1	-	-	-	-	1	3	2	10	59	-
WEST CARROLL PARISH HOSPITAL	26	-	-	-	-	-	-	-	-	2	4	20	-
NURSING HOME	19	-	-	-	-	-	-	-	-	-	-	19	-
OUT OF HOSPITAL	31	-	1	-	-	-	-	1	3	-	6	20	-
WEST FELICIANA	61	1	-	-	1	-	3	6	3	6	9	32	-
ANGOLA GENERAL HOSPITAL	2	-	-	-	-	-	-	-	1	1	-	-	-
WEST FELICIANA PARISH HOSPITAL	28	-	-	-	-	-	-	1	1	-	7	19	-
NURSING HOME	6	-	-	-	-	-	-	-	-	-	1	5	-
OUT OF HOSPITAL	25	1	-	-	1	-	3	5	1	5	1	8	-
WINN	175	2	1	-	1	-	2	1	6	11	19	132	-
HUMANA HOSPITAL-WINN PARISH	100	-	-	-	-	-	1	-	2	4	10	83	-
NURSING HOME	14	-	-	-	-	-	-	-	-	1	-	13	-
OUT OF HOSPITAL	61	2	1	-	1	-	1	1	4	6	9	36	-

TABLE XVII
PRINCIPAL CAUSES OF DEATH, BY PARISH OF RESIDENCE
LOUISIANA, 1982

PARISH	TOTAL		Diseases of Heart (390 - 398, 402, 404 - 429)		Malignant Neoplasms (140 - 208)		Cerebrovascular Disease (430 - 438)		Accidents and adverse Effects (800 - 949)		Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	
	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*
TOTAL	35725	819.0	13030	298.7	7353	168.6	2950	67.6	2271	52.1	816	18.7
ACADIA	504	872.3	174	301.2	105	181.7	45	77.9	28	48.5	11	19.0
ALLEN	235	1084.7	106	489.3	41	189.3	27	124.6	12	55.4	4	18.5
ASCENSION	338	640.8	121	229.4	70	132.7	21	39.8	30	56.9	11	20.9
ASSUMPTION	201	884.4	82	360.8	37	162.8	14	61.6	19	83.6	2	8.8
AVOYELLES	446	1051.8	199	469.3	81	191.0	26	61.3	28	66.0	7	16.5
BEAUREGARD	226	723.8	81	259.4	42	134.5	15	48.0	17	54.4	6	19.2
BIENVILLE	193	1177.8	75	457.7	40	244.1	9	54.9	19	115.9	5	30.5
BOSSIER	513	599.0	186	217.2	105	122.6	39	45.5	37	43.2	14	16.3
CADDO	2514	976.8	990	384.7	560	217.6	199	77.3	126	49.0	51	19.8
CALCASIEU	1229	708.7	445	256.6	270	155.7	103	59.4	73	42.1	38	21.9
CALDWELL	111	1012.9	51	465.4	12	109.5	15	136.9	8	73.0	3	27.4
CAMERON	61	624.4	21	215.0	13	133.1	6	61.4	7	71.7	2	20.5
CATAHOULA	99	807.2	37	301.7	17	138.6	9	73.4	6	48.9	4	32.6
CLAIBORNE	231	1282.8	105	583.1	44	244.3	20	111.1	11	61.1	7	38.9
CONCORDIA	203	872.4	70	300.8	33	141.8	28	120.3	17	73.1	6	25.8
DESOTO	257	968.8	93	350.6	47	177.2	38	143.2	13	49.0	4	15.1
E BATON ROUGE	2429	628.0	913	236.0	516	133.4	164	42.4	157	40.6	46	11.9
EAST CARROLL	121	1059.5	35	306.5	14	122.6	25	218.9	6	52.5	4	35.0
E FELICIANA	182	927.1	74	377.0	30	152.8	27	137.5	9	45.8	5	25.5
EVANGELINE	326	957.4	120	352.4	64	188.0	25	73.4	27	79.3	9	26.4
FRANKLIN	241	979.3	80	325.1	50	203.2	36	146.3	15	61.0	6	24.4
GRANT	192	1097.5	69	394.4	39	222.9	21	120.0	9	51.4	1	5.7
IBERIA	514	770.8	160	239.9	95	142.5	43	64.5	46	69.0	11	16.5
IBERVILLE	339	1046.7	123	379.8	54	166.7	36	111.2	29	89.5	14	43.2
JACKSON	188	1072.6	69	393.7	35	199.7	26	148.3	10	57.1	3	17.1
JEFFERSON	3158	666.0	1111	234.3	719	151.6	256	54.0	192	40.5	62	13.1
JEFF DAVIS	257	783.5	86	262.2	59	179.9	24	73.2	8	24.4	5	15.2
LAFAYETTE	952	592.9	320	199.3	221	137.6	65	40.5	67	41.7	21	13.1
LAFOURCHE	640	739.8	233	269.3	115	132.9	56	64.7	62	71.7	14	16.2
LASALLE	176	994.0	63	355.8	44	248.5	19	107.3	7	39.5	1	5.6
LINCOLN	282	676.6	101	242.3	65	156.0	20	48.0	21	50.4	5	12.0
LIVINGSTON	363	559.5	115	177.3	70	107.9	31	47.8	29	44.7	11	17.0
MADISON	187	1176.0	74	465.4	35	220.1	24	150.9	10	62.9	7	44.0
MOREHOUSE	336	951.1	131	370.8	61	172.7	23	65.1	20	56.6	12	34.0
NATCHITOCHES	393	962.6	135	330.7	80	196.0	48	117.6	33	80.8	4	9.8
ORLEANS	5994	1045.0	2148	381.7	1220	216.8	518	92.0	245	43.5	137	24.3
OUACHITA	1077	754.5	480	336.3	220	154.1	89	62.4	50	35.0	19	13.3
PLAQUEMINES	193	738.4	62	237.2	53	202.8	12	45.9	18	68.9	1	3.8
POINTE COUPEE	208	841.5	67	271.0	53	214.4	23	93.0	11	44.5	8	32.4
RAPIDES	1190	857.2	495	356.5	220	158.5	96	69.1	40	28.8	34	24.5
RED RIVER	124	1115.1	52	467.6	18	161.9	12	107.9	15	134.9	3	27.0
RICHLAND	239	1058.3	112	495.9	39	172.7	21	93.0	12	53.1	12	53.1
SABINE	245	903.6	92	339.3	58	213.9	24	88.5	11	40.6	4	14.8
ST BERNARD	552	822.5	216	321.8	112	166.9	44	65.6	36	53.6	16	23.8
ST CHARLES	238	611.8	77	197.9	43	110.5	19	48.8	36	92.5	8	20.6
ST HELENA	78	795.0	18	183.5	16	163.1	7	71.3	5	51.0	1	10.2
ST JAMES	190	873.3	74	340.1	45	206.8	11	50.6	10	46.0	2	9.2
ST JOHN	225	653.4	83	241.0	55	159.7	15	43.6	16	46.5	2	5.8
ST LANDRY	780	907.9	306	356.2	150	174.6	47	54.7	64	74.5	17	19.8
ST MARTIN	312	734.2	107	251.8	88	207.1	18	42.4	25	58.8	4	9.4
ST MARY	479	733.9	169	258.9	113	173.1	37	56.7	54	82.7	7	10.7
ST TAMMANY	817	661.3	271	219.4	182	147.3	56	45.3	61	49.4	18	14.6
TANGIPAHOA	780	922.0	189	223.4	120	141.8	53	62.6	56	66.2	15	17.7
TENSAS	116	1424.0	47	577.0	27	331.5	10	122.8	13	159.6	-	-
TERREBONNE	656	664.3	200	210.6	123	124.6	44	44.6	78	79.0	16	16.2
UNION	236	1104.5	85	397.8	62	290.2	26	121.7	14	65.5	3	14.0
VERMILION	456	907.8	162	322.5	92	183.2	30	59.7	39	77.6	13	25.9
VERNON	324	559.9	91	157.3	59	102.0	28	48.4	33	57.0	12	20.7
WASHINGTON	471	1041.7	164	362.7	88	194.6	41	90.7	32	70.8	17	37.6
WEBSTER	538	1202.3	210	469.3	106	236.9	46	102.8	35	78.2	16	35.8
W BATON ROUGE	128	658.9	34	175.0	29	149.3	13	66.9	10	51.5	4	20.6
WEST CARROLL	136	1040.9	54	413.3	25	191.4	12	91.8	7	53.6	3	23.0
W FELICIANA	61	483.1	20	158.4	14	110.9	4	31.7	2	15.8	2	15.8
WINN	205	1163.3	85	482.3	38	215.6	11	62.4	14	79.4	5	28.4
UNKNOWN ***	40		4		2		-		21		1	
OUT OF STATE**	1247		326		228		61		299		20	

(CONTINUED)
* RATE PER 100,000 POPULATION
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENT

TABLE XVII
PRINCIPAL CAUSES OF DEATH, BY PARISH OF RESIDENCE
LOUISIANA, 1982

PARISH	Diabetes Mellitus (250)	Homicide and Legal Intervention (960 - 978)	Atherosclerosis (440)	Pneumonia and Influenza (480 - 487)	Suicide (950 - 959)	Certain Conditions Originating in Perinatal Period (760 - 779)	Nephritis, Nephrotic Syndrome, and Nephrosis (580 - 589)	Chronic Liver Disease and Cirrhosis (571)	Septicemia (038)	Congenital Anomalies (740 - 759)	Hypertension with or without Renal Disease (without Mention of Heart Disease) (401, 403)	All Other Causes
	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.
TOTAL	779	733	732	690	550	528	488	367	326	311	125	3676
ACADIA	10	8	18	11	11	5	9	2	3	4	3	57
ALLEN	6	2	3	9	2	1	-	2	1	1	-	18
ASCENSION	4	9	7	6	6	7	2	2	3	3	3	33
ASSUMPTION	2	2	3	4	5	1	3	2	1	4	2	18
AVOYELLES	14	2	22	9	5	5	6	3	2	1	1	35
BEAUREGARD	6	5	11	8	3	3	4	1	1	2	2	19
BIENVILLE	1	1	3	5	1	1	1	-	1	1	1	29
BOSSIER	7	6	6	12	10	4	5	5	7	5	1	64
CADDO	27	45	6	62	37	40	38	30	18	16	3	266
CALCASIEU	22	21	21	20	23	19	17	15	10	12	6	114
CALDWELL	4	1	2	1	-	1	2	2	-	1	-	8
CAMERON	2	1	-	-	1	1	-	2	-	-	-	5
CATAHOULA	-	2	1	3	1	-	6	1	1	-	-	11
CLAIBORNE	2	3	-	7	2	2	3	3	2	-	-	20
CONCORDIA	-	5	4	5	5	3	5	1	1	1	2	17
DESOTO	4	4	10	5	2	3	3	1	2	-	-	28
E BATON ROUGE	49	61	56	51	44	53	36	21	19	22	10	211
EAST CARROLL	4	3	8	2	-	-	5	-	1	3	-	11
E FELICIANA	4	4	2	2	1	1	6	-	1	2	2	12
EVANGELINE	7	4	5	1	5	5	4	4	6	1	3	36
FRANKLIN	4	4	-	6	2	5	7	1	2	1	-	22
GRANT	7	2	-	3	3	2	1	2	6	1	-	26
IBERIA	8	10	30	5	11	10	3	4	2	6	4	66
IBERVILLE	12	3	5	3	3	3	8	2	3	1	-	40
JACKSON	3	2	1	5	4	2	-	-	1	2	-	25
JEFFERSON	73	64	36	33	83	[illegible]	40	50	28	36	8	324
JEFF DAVIS	10	3	13	7	4	[illegible]	5	3	3	3	-	22
LAFAYETTE	18	22	19	17	24	[illegible]	10	13	6	15	5	92
LAFOURCHE	18	7	15	9	[illegible]	[illegible]	9	4	2	4	1	73
LASALLE	1	2	3	7	[illegible]	1	5	1	2	1	-	17
LINCOLN	6	1	3	1	[illegible]	5	10	2	3	4	2	32
LIVINGSTON	7	6	15	8	11	7	4	3	2	1	1	42
MADISON	2	2	1	2	4	1	2	1	2	-	-	20
MOREHOUSE	6	5	8	14	1	8	8	-	-	3	2	34
NATCHITOCHES	8	6	8	13	7	3	7	1	5	4	1	30
ORLEANS	179	226	65	107	68	95	69	77	69	44	24	703
OUACHITA	7	16	8	18	13	17	12	11	12	8	2	95
PLAQUEMINES	2	3	2	5	2	5	2	3	1	3	1	18
POINTE COUPEE	5	-	1	2	1	2	4	2	1	3	2	23
RAPIDES	31	22	14	30	19	12	16	14	13	6	1	127
RED RIVER	2	-	6	2	-	1	-	-	2	1	-	10
RICHLAND	3	2	2	8	1	-	2	3	1	1	2	18
SABINE	4	-	9	8	2	6	2	-	1	2	-	22
ST BERNARD	19	7	4	4	6	7	7	7	2	7	2	56
ST CHARLES	7	3	1	4	3	5	5	-	3	4	1	19
ST HELENA	6	2	6	1	1	-	1	-	-	2	-	12
ST JAMES	6	-	3	3	3	4	5	-	3	1	-	20
ST JOHN	4	2	7	2	2	5	7	1	-	1	-	23
ST LANDRY	23	14	13	13	21	14	9	7	8	6	4	64
ST MARTIN	11	4	2	3	5	5	5	1	1	7	-	26
ST MARY	18	5	6	10	4	2	6	3	1	4	1	39
ST TAMMANY	18	14	19	27	13	12	7	7	3	8	1	100
TANGIPAHOA	13	21	155	24	9	16	14	5	10	9	2	69
TENSAS	2	-	-	-	-	3	3	2	-	-	-	9
TERREBONNE	11	15	20	10	13	15	9	10	11	8	3	62
UNION	4	1	2	1	-	3	3	3	4	1	-	24
VERMILION	13	9	11	8	5	4	5	6	10	4	3	42
VERNON	2	8	3	6	5	6	4	3	4	8	-	52
WASHINGTON	9	7	18	12	4	6	6	5	4	4	7	47
WEBSTER	7	9	4	12	11	4	3	7	10	2	2	54
W BATON ROUGE	4	8	4	2	2	1	-	-	-	2	-	15
WEST CARROLL	4	-	1	4	-	2	-	2	2	2	1	17
W FELICIANA	2	-	-	1	1	2	2	1	-	2	2	6
WINN	3	3	-	7	3	1	6	2	3	-	1	23
UNKNOWN***	2	4	1	-	-	-	-	1	-	-	-	4
OUT OF STATE**	12	39	11	20	10	28	16	23	19	20	3	112

** NOT INCLUDED IN STATE TOTALS
*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENT

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
TOTAL	35725	819.0			1094	222	253	1117	1255	1375	2624	5540	8425	8860	4905	55
			WM	13115	276	67	94	557	496	544	1080	2381	3450	2966	1181	23
			WF	11239	213	53	68	158	189	273	567	1304	2358	3514	2529	13
			NWM	6302	331	57	61	321	402	368	601	1079	1429	1137	506	10
			NWF	5069	274	45	30	81	168	190	376	776	1188	1243	689	9
SHIGELLOSIS AND AMEBIASIS-(004,006)	1	0.0			-	-	-	1	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	1	-	-	-	1	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS-(007-009)	8	0.2			4	1	-	-	-	-	-	-	1	2	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	2	1	-	-	-	-	-	-	-	1	-	-	-
			NWM	1	1	-	-	-	-	-	-	-	-	-	-	-
			NWF	5	2	1	-	-	-	-	-	-	-	2	-	-
TUBERCULOSIS-(010-018)	59	1.4			-	-	-	-	3	5	9	15	13	7	7	-
			WM	17	-	-	-	-	-	2	1	4	6	2	2	-
			WF	11	-	-	-	-	1	-	3	1	4	-	2	-
			NWM	24	-	-	-	-	1	2	5	9	1	5	1	-
			NWF	7	-	-	-	-	1	1	-	1	2	-	2	-
WHOOPING COUGH-(033)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT, SCARLATINA AND ERYSIPELAS-(034-035)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION-(036)	11	0.3			5	2	-	1	-	1	-	-	1	1	-	-
			WM	3	2	-	-	-	-	1	-	-	-	-	-	-
			WF	5	2	2	-	-	-	-	-	-	1	-	-	-
			NWM	2	1	-	-	1	-	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	-	-	-	-	1	-	-
SEPTICEMIA-(038)	326	7.5			15	1	2	4	12	1	20	40	84	92	54	1
			WM	77	3	1	-	1	4	-	8	8	21	18	12	1
			WF	90	2	-	2	1	-	1	2	6	18	38	20	-
			NWM	83	4	-	-	-	5	-	5	10	26	19	14	-
			NWF	76	6	-	-	2	3	-	5	16	19	17	8	-
ACUTE POLIOMYELITIS-(045)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES-(055)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRAL HEPATITIS-(070)	23	0.5			-	1	-	-	4	4	3	2	4	4	1	-
			WM	9	-	-	-	-	-	1	2	1	2	2	1	-
			WF	5	-	-	-	-	1	1	-	1	-	2	-	-
			NWM	1	-	-	-	-	1	-	-	-	-	-	-	-
			NWF	8	-	1	-	-	2	2	1	-	2	-	-	-
SYPHILIS-(090-097)	2	0.0			1	-	-	-	-	1	-	-	-	-	-	-
			WM	1	-	-	-	-	-	1	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	1	1	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ALL OTHER INFECTIOUS AND PARASITIC DISEASES-(REMAINDER OF 001-139)	96	2.2			5	4	1	6	4	9	10	19	17	13	8	-
			WM	33	-	2	-	1	1	1	6	7	6	5	4	-
			WF	28	1	-	-	3	2	4	2	6	5	2	3	-
			NWM	19	4	2	-	1	-	1	1	3	4	3	-	-
			NWF	16	-	-	1	1	1	3	1	3	2	3	1	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(140-208)	7353	168.6			2	10	23	49	89	252	734	1762	2305	1643	478	6
			WM	2851	-	3	10	13	28	81	263	735	963	687	146	2
			WF	2360	1	5	9	9	19	75	238	521	688	600	193	2
			NWM	1286	1	1	4	14	15	55	130	319	408	262	76	1
			NWF	856	-	1	-	13	27	41	103	187	246	174	63	1
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY AND PHARYNX-(140-149)	140	3.2			-	-	-	3	-	8	26	46	29	21	7	-
			WM	61	-	-	-	1	-	2	14	19	12	9	4	-
			WF	30	-	-	-	-	-	-	3	9	10	6	2	-
			NWM	42	-	-	-	1	-	6	9	15	6	4	1	-
			NWF	7	-	-	-	1	-	-	-	3	1	-	-	-
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-(150-159)	1747	49.1			-	-	-	6	13	45	142	362	5[illegible]	473	144	3
			WM	603	-	-	-	2	4	14	48	143	213	138	40	1
			WF	571	-	-	-	-	2	10	36	[illegible]	167	200	61	1
			NWM	340	-	-	-	2	4	14	[illegible]	77	105	72	23	-
			NWF	233	-	-	-	2	3	7	15	48	74	63	20	1
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS-(160-165)	2228	51.1			-	-	1	2	4	51	224	698	791	383	73	1
			WM	1192	-	-	-	1	3	22	119	353	446	214	34	-
			WF	477	-	-	1	-	-	9	49	152	158	86	22	-
			NWM	443	-	-	-	1	1	17	44	151	152	62	11	1
			NWF	119	-	-	-	-	-	3	12	42	35	21	6	-
MALIGNANT NEOPLASM OF BREAST-(174-175)	553	12.7			-	-	-	3	15	41	89	128	135	107	35	-
			WM	3	-	-	-	-	-	-	1	-	1	1	-	-
			WF	390	-	-	-	3	4	25	54	98	105	79	22	-
			NWM	1	-	-	-	-	-	-	-	-	-	-	1	-
			NWF	159	-	-	-	-	11	16	34	30	29	27	12	-
MALIGNANT NEOPLASMS OF GENITAL ORGANS-(179-187)	747	17.1			-	-	-	3	13	19	59	112	236	224	80	1
			WM	215	-	-	-	-	-	2	2	26	74	83	28	-
			WF	227	-	-	-	1	6	10	33	49	58	52	17	1
			NWM	181	-	-	-	1	-	3	3	18	58	71	27	-
			NWF	124	-	-	-	1	7	4	21	19	46	18	8	-
MALIGNANT NEOPLASMS OF URINARY ORGANS-(188-189)	277	6.4			-	1	-	2	-	9	24	53	78	71	39	-
			WM	132	-	1	-	-	-	2	13	32	30	37	17	-
			WF	73	-	-	-	-	-	3	7	8	21	21	13	-
			NWM	36	-	-	-	-	-	3	2	5	20	4	2	-
			NWF	36	-	-	-	2	-	1	2	8	7	9	7	-
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-(170-173,190-199)	1006	23.1			2	6	7	10	24	41	116	242	289	210	58	1
			WM	387	-	1	2	2	12	19	40	108	107	79	16	1
			WF	346	1	5	5	2	4	9	39	73	95	83	30	-
			NWM	154	1	-	-	3	5	7	24	35	48	25	6	-
			NWF	119	-	-	-	3	3	6	13	26	39	23	6	-
LEUKEMIA-(204-208)	274	6.3			-	3	14	16	11	18	16	45	66	65	20	-
			WM	117	-	1	8	6	4	7	8	21	32	25	5	-
			WF	91	-	-	3	2	2	5	6	12	23	26	12	-
			NWM	40	-	1	3	5	4	2	1	7	4	11	2	-
			NWF	26	-	1	-	3	1	4	1	5	7	3	1	-
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES-(200-203)	381	8.7			-	-	1	4	9	20	38	76	122	89	22	-
			WM	141	-	-	-	1	5	13	18	33	48	21	2	-
			WF	155	-	-	-	1	1	4	11	26	51	47	14	-
			NWM	52	-	-	1	1	1	3	4	11	15	13	3	-
			NWF	33	-	-	-	1	2	-	5	6	8	8	3	-
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE-(210-239)	121	2.8			1	2	1	5	3	9	9	30	26	26	9	-
			WM	39	-	-	-	1	1	5	3	11	8	7	3	-
			WF	41	-	-	-	2	-	-	5	8	9	11	6	-
			NWM	26	1	2	-	1	1	2	1	8	4	6	-	-
			NWF	15	-	-	1	1	1	2	-	3	5	2	-	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 19[illegible]

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
DIABETES MELLITUS-(250)	779	17.9			-	-	3	3	18	25	55	132	236	221	85	1
			WM	176	-	-	1	-	4	5	20	31	55	45	15	-
			WF	274	-	-	-	2	2	7	18	37	69	91	47	1
			NWM	116	-	-	1	1	9	7	7	23	38	26	4	-
			NWF	213	-	-	1	-	3	6	10	41	74	59	19	-
NUTRITIONAL DEFICIENCIES-(260-269)	42	1.0			3	1	-	1	-	2	-	4	6	15	9	1
			WM	6	-	-	-	1	-	1	-	2	-	1	1	-
			WF	15	-	-	-	-	-	-	-	-	2	9	4	-
			NWM	7	2	-	-	-	-	-	-	-	1	3	-	1
			NWF	14	1	1	-	-	-	1	-	2	3	2	4	-
ANEMIAS-(280-285)	77	1.8			-	4	3	5	5	2	5	6	17	18	12	-
			WM	22	-	-	-	1	2	-	-	3	5	7	4	-
			WF	20	-	-	-	-	1	1	1	1	6	4	6	-
			NWM	15	-	3	-	2	2	1	2	2	1	1	1	-
			NWF	20	-	1	3	2	-	-	2	-	5	6	1	-
MENINGITIS-(320-322)	42	1.0			12	9	3	-	2	3	2	4	2	5	-	-
			WM	10	3	3	-	-	-	1	1	1	-	1	-	-
			WF	6	1	2	-	-	-	-	-	1	1	1	-	-
			NWM	13	3	1	3	-	1	1	1	1	1	1	-	-
			NWF	13	5	3	-	-	1	1	-	1	-	2	-	-
MAJOR CARDIOVASCULAR DISEASES (390-448)	17133	392.8			28	8	13	43	116	365	1067	2432	4336	5362	3335	28
			WM	6875	12	2	3	20	36	170	467	1110	1776	1746	721	12
			WF	5959	3	1	2	9	15	44	151	470	1203	2216	1839	6
			NWM	2530	7	3	4	7	41	91	265	480	702	613	311	6
			NWF	2569	6	2	4	7	24	60	184	372	655	787	464	4
DISEASES OF HEART (390-398,402,404-429)	13030	298.7			22	6	9	30	86	297	861	2011	3383	3953	2352	20
			WM	4916	10	1	-	12	31	153	422	954	1445	1340	538	10
			WF	4346	3	-	2	8	11	28	107	394	918	1603	1270	2
			NWM	1907	7	3	3	7	31	75	197	388	543	434	214	5
			NWF	1861	2	2	4	3	13	41	135	275	477	576	330	3
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE-(390-398)	54	1.2			-	-	-	2	4	4	8	16	15	3	2	-
			WM	16	-	-	-	-	2	1	2	3	8	-	-	-
			WF	22	-	-	-	-	1	-	3	9	5	3	1	-
			NWM	8	-	-	-	2	1	1	2	1	1	-	-	-
			NWF	8	-	-	-	-	-	2	1	3	1	-	1	-
HYPERTENSIVE HEART DISEASE-(402)	592	13.6			-	-	-	-	6	19	43	102	166	184	68	4
			WM	185	-	-	-	-	-	6	7	21	31	29	10	1
			WF	138	-	-	-	-	2	1	3	12	35	56	29	-
			NWM	151	-	-	-	-	3	6	15	37	44	36	7	3
			NWF	198	-	-	-	-	1	6	18	32	56	63	22	-
HYPERTENSIVE HEART AND RENAL DISEASE-(404)	72	1.7			-	-	-	1	4	-	2	7	19	27	12	-
			WM	18	-	-	-	-	2	-	-	-	6	6	4	-
			WF	18	-	-	-	-	-	-	1	2	4	7	4	-
			NWM	14	-	-	-	1	1	-	1	1	3	6	1	-
			NWF	22	-	-	-	-	1	-	-	4	6	8	3	-
ISCHEMIC HEART DISEASE-(410-414)	8749	200.6			-	-	-	6	37	193	612	1395	2361	2604	1527	14
			WM	3643	-	-	-	3	22	115	342	740	1098	956	360	7
			WF	2927	-	-	-	2	2	12	76	254	661	1065	853	2
			NWM	1130	-	-	-	1	12	47	117	242	321	255	133	2
			NWF	1049	-	-	-	-	1	19	77	159	281	328	181	3
ACUTE MYOCARDIAL INFARCTION-(410)	4838	110.9			-	-	-	4	33	141	400	931	1476	1305	538	10
			WM	2298	-	-	-	3	20	90	239	520	732	530	158	6
			WF	1429	-	-	-	-	2	8	45	172	402	521	278	1
			NWM	612	-	-	-	1	10	29	72	147	186	115	51	1
			NWF	499	-	-	-	-	1	14	44	92	156	139	51	2
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-(411)	20	0.5			-	-	-	-	1	1	2	7	3	3	3	-
			WM	4	-	-	-	-	-	-	1	2	-	1	-	-
			WF	5	-	-	-	-	-	-	1	-	1	2	1	-
			NWM	7	-	-	-	-	1	1	-	3	-	-	2	-
			NWF	4	-	-	-	-	-	-	-	2	2	-	-	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	65+	UNK
ANGINA PECTORIS-(413)	8	0.2			-	-	-	-	-	-	2	1	2	2	1	-
			WM	2	-	-	-	-	-	-	1	-	-	1	-	-
			WF	2	-	-	-	-	-	-	-	1	-	-	1	-
			NWM	1	-	-	-	-	-	-	-	-	1	-	-	-
			NWF	3	-	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE-(412,414)	3883	89.0			-	-	-	2	3	51	208	456	880	1294	985	4
			WM	1339	-	-	-	-	2	25	101	218	366	424	202	1
			WF	1491	-	-	-	2	-	4	30	81	258	542	573	1
			NWM	510	-	-	-	-	1	17	45	92	134	140	80	1
			NWF	543	-	-	-	-	-	5	32	65	122	188	130	1
OTHER DISEASES OF ENDOCARDIUM-(424)	115	2.6			1	-	-	1	1	4	12	17	24	43	12	-
			WM	33	1	-	-	-	1	1	4	3	5	15	3	-
			WF	45	-	-	-	1	-	-	1	10	9	17	7	-
			NWM	16	-	-	-	-	-	-	4	2	7	3	-	-
			NWF	21	-	-	-	-	-	3	3	2	3	8	2	-
ALL OTHER FORMS OF HEART DISEASE-(415-423,425-429)	3448	79.0			21	6	9	20	34	77	184	474	798	1092	731	2
			WM	1101	9	1	-	9	4	30	67	187	297	334	161	2
			WF	1196	3	-	2	5	6	15	23	107	204	455	376	-
			NWM	588	7	3	3	3	14	21	58	105	167	134	73	-
			NWF	563	2	2	4	3	10	11	36	75	130	169	121	-
HYPERTENSION WITH OR WITHOUT RENAL DISEASE-(401,403)	125	2.9			-	-	-	-	3	3	9	18	33	30	29	-
			WM	29	-	-	-	-	-	-	1	5	7	8	8	-
			WF	46	-	-	-	-	-	1	1	5	9	16	14	-
			NWM	20	-	-	-	-	1	1	4	2	9	2	1	-
			NWF	30	-	-	-	-	2	1	3	6	8	4	6	-
CEREBROVASCULAR DISEASE-(430-438)	2950	67.6			6	2	4	10	24	59	151	298	671	1048	675	2
			WM	761	2	1	3	5	4	16	32	95	202	280	120	1
			WF	1163	-	1	-	1	3	14	30	55	205	460	394	-
			NWM	479	-	-	1	-	8	12	51	70	118	148	70	1
			NWF	547	4	-	-	4	9	17	38	78	146	160	91	-
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE-(431-432)	323	7.4			4	1	2	2	7	18	56	54	74	75	29	1
			WM	91	2	-	1	1	1	4	8	24	21	26	3	-
			WF	104	-	1	-	-	1	2	11	10	34	29	16	-
			NWM	59	-	-	1	-	3	5	20	7	10	9	3	1
			NWF	69	2	-	-	1	2	7	17	13	9	11	7	-
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES-(434.0,434.9)	493	11.3			1	-	-	2	2	4	13	32	102	204	133	-
			WM	114	-	-	-	2	-	-	5	6	36	43	22	-
			WF	227	-	-	-	-	-	2	2	3	31	101	88	-
			NWM	76	-	-	-	-	2	2	4	13	12	30	13	-
			NWF	76	1	-	-	-	-	-	2	10	23	30	10	-
CEREBRAL EMBOLISM-(434.1)	4	0.1			-	-	-	-	-	-	-	-	2	1	1	-
			WM	3	-	-	-	-	-	-	-	-	1	1	1	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	-	-	-	1	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER AND LATE EFFECTS OF CEREBROVASULAR DISEASE-(430,433,435-438)	2130	48.8			1	1	2	6	15	37	82	212	493	768	512	1
			WM	553	-	1	2	2	3	12	19	65	144	210	94	1
			WF	832	-	-	-	1	2	10	17	42	140	330	290	-
			NWM	343	-	-	-	-	3	5	27	50	95	109	54	-
			NWF	402	1	-	-	3	7	10	19	55	114	119	74	-
ATHEROSCLEROSIS-(440)	732	16.8			-	-	-	-	-	3	31	56	146	247	244	5
			WM	230	-	-	-	-	-	-	9	32	63	77	48	1
			WF	311	-	-	-	-	-	-	6	9	44	109	140	3
			NWM	89	-	-	-	-	-	2	10	9	21	24	23	-
			NWF	102	-	-	-	-	-	1	6	6	18	37	33	1
OTHER DISEASES OF ARTERIES ARTERIOLES, AND CAPILLARIES-(441-448)	296	6.8			-	-	-	3	3	3	15	49	103	84	35	1
			WM	139	-	-	-	3	1	1	3	24	59	41	7	-
			WF	93	-	-	-	-	1	1	7	7	27	28	21	1
			NWM	35	-	-	-	-	1	1	3	11	11	5	3	-
			NWF	29	-	-	-	-	-	-	2	7	6	10	4	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ACUTE BRONCHITIS, AND BRONCHIOLITIS-(466)	11	0.3			-	-	-	1	-	-	1	3	1	3	2	-
			WM	4	-	-	-	-	-	-	1	-	1	2	-	-
			WF	6	-	-	-	-	-	-	-	3	-	1	2	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	1	-	-	-	1	-	-	-	-	-	-	-	-
PNEUMONIA AND INFLUENZA-(480-487)	690	15.8			28	8	2	8	13	19	24	76	129	205	177	1
			WM	241	6	3	-	3	4	6	3	33	44	76	63	-
			WF	222	6	1	1	-	3	6	7	14	34	69	80	1
			NWM	123	10	1	1	2	4	6	8	17	28	33	13	-
			NWF	104	6	3	-	3	2	1	6	12	23	27	21	-
PNEUMONIA-(480-486)	678	15.5			28	8	2	8	13	19	23	76	125	200	175	1
			WM	238	6	3	-	3	4	6	3	33	42	75	63	-
			WF	217	6	1	1	-	3	6	7	14	32	67	79	1
			NWM	121	10	1	1	2	4	6	7	17	28	32	13	-
			NWF	102	6	3	-	3	2	1	6	12	23	26	20	-
INFLUENZA (487)	12	0.3			-	-	-	-	-	-	1	-	4	5	2	-
			WM	3	-	-	-	-	-	-	-	-	2	1	-	-
			WF	5	-	-	-	-	-	-	-	-	2	2	1	-
			NWM	2	-	-	-	-	-	-	1	-	-	1	-	-
			NWF	2	-	-	-	-	-	-	-	-	-	1	1	-
CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS-(490-496)	816	18.7			5	1	2	5	3	12	36	159	286	229	78	-
			WM	449	-	-	1	2	1	3	21	77	170	129	45	-
			WF	205	-	-	-	-	1	4	8	39	65	68	20	-
			NWM	117	4	1	-	3	1	3	3	28	37	26	11	-
			NWF	45	1	-	1	-	-	2	4	15	14	6	2	-
BRONCHITIS, CHRONIC AND UNSPECIFIED-(490-491)	45	1.0			3	-	1	1	-	2	2	4	15	9	8	-
			WM	24	-	-	1	1	-	-	2	4	7	5	4	-
			WF	15	-	-	-	-	-	1	-	-	6	4	4	-
			NWM	6	3	-	-	-	-	1	-	-	2	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
EMPHYSEMA-(492)	191	4.4			1	-	-	1	-	1	5	42	64	62	15	-
			WM	113	-	-	-	-	-	1	4	21	44	34	9	-
			WF	44	-	-	-	-	-	-	1	10	11	17	5	-
			NWM	28	-	-	-	1	-	-	-	9	6	11	1	-
			NWF	6	1	-	-	-	-	-	-	2	3	-	-	-
ASTHMA-(493)	47	1.1			1	-	1	2	3	2	7	9	11	11	-	-
			WM	6	-	-	-	-	1	-	1	2	1	1	-	-
			WF	19	-	-	-	-	1	1	2	1	5	9	-	-
			NWM	12	1	-	-	2	1	1	1	4	2	-	-	-
			NWF	10	-	-	1	-	-	-	3	2	3	1	-	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS-(494-496)	533	12.2			-	1	-	1	-	7	22	104	196	147	55	-
			WM	306	-	-	-	1	-	2	14	50	118	89	32	-
			WF	127	-	-	-	-	-	2	5	28	43	38	11	-
			NWM	71	-	1	-	-	-	1	2	15	27	15	10	-
			NWF	29	-	-	-	-	-	2	1	11	8	5	2	-
ULCER OF STOMACH AND DUODENUM-(531-533)	96	2.2			-	-	-	1	2	5	7	15	20	29	17	-
			WM	22	-	-	-	-	1	-	2	5	1	9	4	-
			WF	45	-	-	-	1	1	3	3	2	8	15	12	-
			NWM	18	-	-	-	-	-	2	2	6	7	1	-	-
			NWF	11	-	-	-	-	-	-	-	2	4	4	1	-
APPENDICITIS-(540-543)	11	0.3			2	-	1	-	-	-	3	2	2	-	1	-
			WM	3	-	-	1	-	-	-	2	-	-	-	-	-
			WF	3	1	-	-	-	-	-	-	-	1	-	1	-
			NWM	3	1	-	-	-	-	-	-	2	-	-	-	-
			NWF	2	-	-	-	-	-	-	1	-	1	-	-	-
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	81	1.9			6	1	-	-	2	1	2	11	18	21	19	-
			WM	23	1	1	-	-	1	-	-	1	8	6	5	-
			WF	22	-	-	-	-	-	-	1	4	1	9	7	-
			NWM	20	3	-	-	-	-	1	1	3	6	4	2	-
			NWF	16	2	-	-	-	1	-	-	3	3	2	5	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
CHRONIC LIVER DISEASE AND CIRRHOSIS-(571)	367	8.4			-	-	-	4	20	37	88	99	85	26	8	-
			WM	177	-	-	-	1	3	15	45	50	46	14	3	-
			WF	104	-	-	-	-	4	11	22	26	26	10	5	-
			NWM	54	-	-	-	2	7	7	14	13	10	1	-	-
			NWF	32	-	-	-	1	6	4	7	10	3	1	-	-
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER-(574-575)	48	1.1			1	-	-	-	-	1	2	6	13	15	10	-
			WM	11	-	-	-	-	-	-	-	2	5	4	-	-
			WF	26	-	-	-	-	-	1	1	2	5	8	9	-
			NWM	2	-	-	-	-	-	-	-	1	-	1	-	-
			NWF	9	1	-	-	-	-	-	1	1	3	2	1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS-(580-589)	488	11.2			13	1	-	-	9	20	21	60	105	165	93	1
			WM	142	1	-	-	-	2	4	2	15	31	60	26	1
			WF	131	3	1	-	-	2	6	6	15	17	42	39	-
			NWM	111	6	-	-	-	3	3	9	14	32	34	10	-
			NWF	104	3	-	-	-	2	7	4	16	25	29	18	-
RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE-(584-586, 588-589)	432	9.9			13	1	-	-	7	16	17	56	95	146	80	1
			WM	126	1	-	-	-	1	3	2	15	29	54	20	1
			WF	114	3	1	-	-	1	5	4	13	14	37	36	-
			NWM	100	6	-	-	-	3	2	7	14	27	31	10	-
			NWF	92	3	-	-	-	2	6	4	14	25	24	14	-
OTHER NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS-(580-583,587)	56	1.3			-	-	-	-	2	4	4	4	10	19	13	-
			WM	16	-	-	-	-	1	1	-	-	2	6	6	-
			WF	17	-	-	-	-	1	1	2	2	3	5	3	-
			NWM	11	-	-	-	-	-	1	2	-	5	3	-	-
			NWF	12	-	-	-	-	-	1	-	2	-	5	4	-
INFECTIONS OF KIDNEY-(590)	54	1.2			-	-	-	-	-	-	2	4	19	10	14	-
			WM	13	-	-	-	-	-	-	-	1	6	3	3	-
			WF	28	-	-	-	-	-	-	1	2	8	8	9	-
			NWM	3	-	-	-	-	-	-	1	-	1	-	1	-
			NWF	10	-	-	-	-	-	-	-	1	4	4	1	-
HYPERPLASIA OF PROSTATE-(600)	7	0.2			-	-	-	-	-	-	-	-	1	4	2	-
			WM	4	-	-	-	-	-	-	-	-	-	2	2	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	3	-	-	-	-	-	-	-	-	1	2	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM-(630-676)	7	0.2			-	-	-	3	3	1	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	2	-	-	-	1	1	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	5	-	-	-	2	2	1	-	-	-	-	-	-
CONGENITAL ANOMALIES-(740-759)	311	7.1			215	23	18	8	10	14	7	5	4	6	1	-
			WM	101	69	9	3	4	2	5	3	-	4	2	-	-
			WF	95	62	4	13	2	2	4	3	2	-	2	1	-
			NWM	54	38	5	-	2	3	1	1	2	-	2	-	-
			NWF	61	46	5	2	-	3	4	-	1	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD-(760-779)	528	12.1			528	-	-	-	-	-	-	-	-	-	-	-
			WM	123	123	-	-	-	-	-	-	-	-	-	-	-
			WF	93	93	-	-	-	-	-	-	-	-	-	-	-
			NWM	175	175	-	-	-	-	-	-	-	-	-	-	-
			NWF	137	137	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS,SIGNS AND ILL-DEFINED CONDITIONS-(780-799)	359	8.2			100	3	1	5	8	12	22	42	45	60	61	-
			WM	104	24	1	-	2	2	3	7	15	23	11	16	-
			WF	91	19	-	-	2	1	2	5	8	7	26	21	-
			NWM	93	30	2	1	1	2	5	8	13	9	10	12	-
			NWF	71	27	-	-	-	3	2	2	6	6	13	12	-
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)	2271	52.1			35	93	140	574	443	227	195	181	147	133	91	12
			WM	1175	12	29	62	361	249	122	105	96	70	41	22	6
			WF	425	3	24	31	71	63	32	28	37	35	57	42	2
			NWM	499	13	23	35	124	108	62	51	34	24	15	10	-
			NWF	172	7	17	12	18	23	11	11	14	18	20	17	4

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
RAILWAY ACCIDENTS- (E800-E807)	8	0.2			-	-	1	-	2	3	1	1	-	-	-	-
			WM	4	-	-	1	-	-	1	1	1	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	4	-	-	-	-	2	2	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MOTOR VEHICLE ACCIDENTS- (E810-E825)	1094	25.1			4	38	81	379	227	121	83	62	55	36	5	3
			WM	616	3	10	36	256	129	61	43	31	29	15	2	1
			WF	204	1	13	23	53	36	22	13	17	13	10	2	1
			NWM	226	-	8	18	61	53	33	24	10	11	8	-	-
			NWF	48	-	7	4	9	9	5	3	4	2	3	1	1
WATER TRANSPORT ACCIDENTS- (E830-E838)	74	1.7			-	-	1	25	23	8	7	7	3	-	-	-
			WM	52	-	-	-	19	16	6	6	5	-	-	-	-
			WF	5	-	-	-	1	1	1	-	-	2	-	-	-
			NWM	17	-	-	1	5	6	1	1	2	1	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION IN WATER TRANSPORT ACCIDENT- (E830-E832)	63	1.4			-	-	1	19	20	7	6	7	3	-	-	-
			WM	43	-	-	-	13	14	6	5	5	-	-	-	-
			WF	4	-	-	-	1	1	-	-	-	2	-	-	-
			NWM	16	-	-	1	5	5	1	1	2	1	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER WATER TRANSPORT ACCIDENT- (E831, E833-E838)	11	0.3			-	-	-	6	3	1	1	-	-	-	-	-
			WM	9	-	-	-	6	2	-	1	-	-	-	-	-
			WF	1	-	-	-	-	-	1	-	-	-	-	-	-
			NWM	1	-	-	-	-	1	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
AIR AND SPACE TRANSPORT ACCIDENTS-(E840-E845)	76	1.7			1	2	4	1	21	15	11	11	1	2	-	7
			WM	46	1	1	1	-	14	11	7	6	1	-	-	4
			WF	26	-	1	3	1	7	3	3	5	-	2	-	1
			NWM	1	-	-	-	-	-	1	-	-	-	-	-	-
			NWF	3	-	-	-	-	-	-	1	-	-	-	-	2
ACCIDENTAL POISONING- (E850-E869)	62	1.4			-	1	-	14	16	4	7	9	7	3	1	-
			WM	31	-	1	-	10	8	3	3	5	1	-	-	-
			WF	17	-	-	-	3	3	-	3	3	3	2	-	-
			NWM	9	-	-	-	1	3	-	1	1	3	-	-	-
			NWF	5	-	-	-	-	2	1	-	-	-	1	1	-
ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES-(E850-E866)	50	1.1			-	1	-	11	14	4	4	6	7	2	1	-
			WM	22	-	1	-	7	7	3	-	3	1	-	-	-
			WF	14	-	-	-	3	2	-	3	2	3	1	-	-
			NWM	9	-	-	-	1	3	-	1	1	3	-	-	-
			NWF	5	-	-	-	-	2	1	-	-	-	1	1	-
ACCIDENTAL POISONING BY GASES AND VAPOURS- (E867-E869)	12	0.3			-	-	-	3	2	-	3	3	-	1	-	-
			WM	9	-	-	-	3	1	-	3	2	-	-	-	-
			WF	3	-	-	-	-	1	-	-	1	-	1	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MISADVENTURE DURING MEDICAL CARE, ABNORMAL REACTION, AND LATE COMPLICATIONS- (E870-E879)	39	0.9			2	1	-	-	3	3	-	8	6	10	6	-
			WM	10	-	-	-	-	-	1	-	3	1	3	2	-
			WF	17	-	1	-	-	1	1	-	3	4	4	3	-
			NWM	5	1	-	-	-	1	-	-	1	-	2	-	-
			NWF	7	1	-	-	-	1	1	-	1	1	1	1	-
ACCIDENTAL FALLS- (E880-E888)	171	3.9			4	1	2	6	14	6	15	11	22	40	50	-
			WM	63	1	-	1	2	7	5	8	7	10	12	10	-
			WF	64	-	-	1	1	2	-	1	-	7	21	31	-
			NWM	23	2	1	-	3	3	1	3	3	2	1	4	-
			NWF	21	1	-	-	-	2	-	3	1	3	6	5	-
ACCIDENTS CAUSED BY FIRES AND FLAMES-(E890-E899)	146	3.3			5	24	7	17	15	10	13	19	11	13	12	-
			WM	44	2	5	4	5	5	4	6	6	3	2	2	-
			WF	27	-	4	-	4	5	1	2	5	3	2	1	-
			NWM	40	2	8	1	7	4	4	5	4	1	1	3	-
			NWF	35	1	7	2	1	1	1	-	4	4	8	6	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ACCIDENTAL DROWNING AND SUBMERSION (EXCLUDING IN TRANSPORT)-(E910)	186	4.3			2	18	24	61	35	19	10	8	5	2	-	2
			WM	83	-	9	9	25	18	8	5	4	3	1	-	1
			WF	15	-	4	1	2	3	2	-	1	1	1	-	-
			NWM	75	2	2	11	32	12	8	4	3	1	-	-	-
			NWF	13	-	3	3	2	2	1	1	-	-	-	-	1
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)	92	2.1			14	2	1	8	8	8	13	14	10	8	6	-
			WM	35	5	-	-	-	4	2	5	5	8	4	2	-
			WF	18	1	-	-	3	-	2	3	3	1	4	1	-
			NWM	26	5	2	1	3	2	3	4	4	-	-	2	-
			NWF	13	3	-	-	2	2	1	1	2	1	-	1	-
ACCIDENT CAUSED BY FIREARM MISSILE-(E922)	68	1.6			1	2	13	12	23	4	3	1	7	2	-	-
			WM	36	-	2	6	5	13	2	2	1	4	1	-	-
			WF	8	1	-	2	2	2	-	-	-	-	1	-	-
			NWM	19	-	-	3	3	7	2	1	-	3	-	-	-
			NWF	5	-	-	2	2	1	-	-	-	-	-	-	-
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL-(E923)	12	0.3			-	-	-	2	5	1	2	1	1	-	-	-
			WM	10	-	-	-	2	5	1	1	-	1	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	2	-	-	-	-	-	-	1	1	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT-(E925)	42	1.0			-	-	1	19	8	6	3	3	2	-	-	-
			WM	35	-	-	1	18	5	4	3	2	2	-	-	-
			WF	1	-	-	-	-	1	-	-	-	-	-	-	-
			NWM	6	-	-	-	1	2	2	-	1	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E826-E829, E846-E848,E900-E909,E913-E921,E924, E926-E929)	200	4.6			2	4	5	29	43	19	27	26	17	17	11	-
			WM	109	-	1	3	18	25	13	15	20	7	3	4	-
			WF	23	-	1	1	1	2	-	3	-	1	10	4	-
			NWM	46	1	2	-	8	13	5	7	4	2	3	1	-
			NWF	22	1	-	1	2	3	1	2	2	7	1	2	-
DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE-(E930-E949)	1	0.0			-	-	-	1	-	-	-	-	-	-	-	-
			WM	1	-	-	-	1	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE-(E950-E959)	550	12.6			-	-	7	127	133	91	60	59	44	27	2	-
			WM	340	-	-	2	80	78	49	37	39	32	22	1	-
			WF	127	-	-	2	25	25	29	19	15	9	3	-	-
			NWM	69	-	-	2	21	24	9	3	5	2	2	1	-
			NWF	14	-	-	1	1	6	4	1	-	1	-	-	-
SUICIDE BY POISONING BY SOLID AND LIQUID SUBSTANCES-(E950)	37	0.8			-	-	-	10	9	7	4	5	2	-	-	-
			WM	16	-	-	-	7	3	2	2	2	-	-	-	-
			WF	19	-	-	-	3	5	5	2	2	2	-	-	-
			NWM	1	-	-	-	-	-	-	-	1	-	-	-	-
			NWF	1	-	-	-	-	1	-	-	-	-	-	-	-
SUICIDE BY POISONING BY GASES AND VAPORS-(E951-E952)	17	0.4			-	-	-	2	4	5	4	-	2	-	-	-
			WM	10	-	-	-	2	3	3	1	-	1	-	-	-
			WF	5	-	-	-	-	-	1	3	-	1	-	-	-
			NWM	2	-	-	-	-	1	1	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION-(E953)	40	0.9			-	-	1	13	13	2	4	2	3	2	-	-
			WM	27	-	-	1	10	10	1	1	-	3	1	-	-
			WF	6	-	-	-	1	1	-	1	2	-	1	-	-
			NWM	6	-	-	-	2	2	1	1	-	-	-	-	-
			NWF	1	-	-	-	-	-	-	1	-	-	-	-	-
SUICIDE BY FIREARMS AND EXPLOSIVES-(E955)	431	9.9			-	-	6	96	100	75	43	50	36	23	2	-
			WM	275	-	-	1	58	58	43	32	35	28	19	1	-
			WF	91	-	-	2	21	18	21	11	11	5	2	-	-
			NWM	54	-	-	2	16	20	7	-	4	2	2	1	-
			NWF	11	-	-	1	1	4	4	-	-	1	-	-	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELFINFLICTED INJURY-(E954, E956-E959)	25	0.6			-	-	-	6	7	2	5	2	1	2	-	-
			WM	12	-	-	-	3	4	-	1	2	-	2	-	-
			WF	6	-	-	-		1	2	2	-	1	-	-	-
			NWM	6	-	-	-	3	1	-	2	-	-	-	-	-
			NWF	1	-	-	-	-	1	-	-	-	-	-	-	-
HOMICIDE AND LEGAL INTERVENTION (E960-E978)	733	16.8			8	9	8	207	252	122	67	41	13	4	1	1
			WM	173	3	-	2	44	50	34	18	16	3	2	-	1
			WF	73	2	1	3	16	18	15	9	5	3	1	-	-
			NWM	405	3	4	3	126	145	65	34	18	7	-	-	-
			NWF	82	-	4	-	21	39	8	6	2	-	1	1	-
ASSAULT BY FIREARMS AND EXPLOSIVES-(E965)	536	12.3			1	1	5	153	186	101	55	23	9	2	-	-
			WM	136	1	-	2	35	40	30	16	8	2	2	-	-
			WF	47	-	-	1	10	14	12	7	1	2	-	-	-
			NWM	298	-	-	2	92	109	51	27	12	5	-	-	-
			NWF	55	-	1	-	16	23	8	5	2	-	-	-	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENT-(E966)	125	2.9			-	-	-	46	44	13	3	15	3	1	-	-
			WM	24	-	-	-	8	7	2	1	6	-	-	-	-
			WF	14	-	-	-	4	2	1	2	3	1	1	-	-
			NWM	76	-	-	-	32	26	10	-	6	2	-	-	-
			NWF	11	-	-	-	2	9	-	-	-	-	-	-	-
ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY ANOTHER PERSON-(E960-E964, E967-E969)	65	1.5			7	8	3	8	18	7	8	3	1	1	1	-
			WM	11	2	-	-	1	2	2	1	2	1	-	-	-
			WF	12	2	1	2	2	2	2	-	1	-	-	-	-
			NWM	26	3	4	1	2	7	3	6	-	-	-	-	-
			NWF	16	-	3	-	3	7	-	1	-	-	1	1	-
LEGAL INTERVENTION-(E970-E978)	7	0.2			-	-	-	-	4	1	1	-	-	-	-	1
			WM	2	-	-	-	-	1	-	-	-	-	-	-	1
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	5	-	-	-	-	3	1	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER EXTERNAL CAUSES-(E980-E999)	22	0.5			2	-	-	7	7	3	2	1	-	-	-	-
			WM	11	1	-	-	4	2	2	1	1	-	-	-	-
			WF	7	-	-	-	2	3	1	1	-	-	-	-	-
			NWM	3	-	-	-	1	2	-	-	-	-	-	-	-
			NWF	1	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER DISEASES-(RESIDUAL)	2202	50.5			75	40	25	49	94	131	171	330	445	509	330	3
			WM	680	16	13	9	18	25	32	62	117	164	142	82	-
			WF	717	13	12	5	11	24	26	33	78	132	221	161	1
			NWM	427	24	9	7	12	27	44	49	68	79	67	39	2
			NWF	378	22	6	4	8	18	29	27	67	70	79	48	-

* RATE PER 100,000 POPULATION

TABLE XIX
ACCIDENTAL DEATHS OCCURRING IN LOUISIANA BY TYPE OF ACCIDENT
SHOWN BY GEOGRAPHIC LOCATION WHERE ACCIDENT OCCURRED
LOUISIANA, 1982

PARISH AND CITIES OVER 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
TOTAL	2403	1088	22	333	180	496	284
ACADIA	26	18	-	3	2	3	-
CROWLEY*	3	2	-	1	-	-	-
ALLEN	11	2	1	2	-	4	2
ASCENSION	34	22	-	5	2	3	2
ASSUMPTION	24	14	1	2	2	5	-
AVOYELLES	20	7	1	3	2	3	4
BEAUREGARD	16	9	-	3	2	1	1
BIENVILLE	18	11	-	1	1	4	1
BOSSIER	46	29	1	7	2	5	2
BOSSIER CITY*	16	10	-	3	1	1	1
CADDO	125	51	4	26	5	16	23
SHREVEPORT*	101	38	4	25	2	12	20
CALCASIEU	79	22	-	21	13	14	9
LAKE CHARLES*	37	10	-	12	2	7	6
SULPHUR*	4	1	-	1	-	-	2
CALDWELL	6	4	-	1	-	1	-
CAMERON	12	7	-	-	4	1	-
CATAHOULA	4	2	-	1	-	1	-
CLAIBORNE	9	3	-	4	1	1	-
CONCORDIA	17	6	-	3	2	4	2
DESOTO	10	5	1	1	-	2	1
E BATON ROUGE	124	55	-	31	9	9	20
BATON ROUGE*	83	36	-	26	5	6	10
EAST CARROLL	9	4	-	1	-	4	-
E FELICIANA	5	-	-	2	-	1	2
EVANGELINE	23	13	1	2	-	3	4
FRANKLIN	12	7	1	2	-	1	1
GRANT	7	2	-	2	-	3	-
IBERIA	44	24	1	3	3	8	5
NEW IBERIA*	12	5	-	-	1	2	4
IBERVILLE	31	12	-	5	4	3	7
JACKSON	11	4	-	3	1	-	3
JEFFERSON	302	64	1	30	26	165	16
KENNER*	173	7	-	9	9	146	2
GRETNA*	16	9	-	3	1	-	3
HARAHAN*	-	-	-	-	-	-	-
WESTWEGO*	2	1	-	-	1	-	-
JEFF DAVIS	18	12	-	2	1	2	1
JENNINGS*	3	-	-	2	-	-	1
LAFAYETTE	59	39	-	7	5	4	4
LAFAYETTE*	31	17	-	6	4	1	3
LAFOURCHE	71	47	-	3	7	11	3
THIBODAUX*	5	1	-	1	1	-	2
LASALLE	7	4	-	-	-	2	1
LINCOLN	20	13	-	3	-	2	2
RUSTON*	8	4	-	2	-	1	1
LIVINGSTON	27	15	-	2	3	6	1
MADISON	9	4	-	1	-	3	1
MOREHOUSE	20	6	-	5	2	4	3
BASTROP*	9	3	-	4	-	1	1
NATCHITOCHES	43	32	-	4	1	2	4
NATCHITOCHES*	8	4	-	2	-	1	1
ORLEANS	253	77	-	40	5	51	80
OUACHITA	47	15	-	6	1	14	11
MONROE*	17	4	-	2	-	5	6
WEST MONROE*	7	3	-	-	-	3	1
PLAQUEMINES	29	11	-	-	13	5	-
POINTE COUPEE	18	12	-	-	1	5	-
RAPIDES	54	29	-	11	3	4	7
ALEXANDRIA*	19	8	-	4	-	3	4
RED RIVER	11	7	-	-	-	2	2
RICHLAND	16	6	1	3	1	3	2
SABINE	9	4	-	1	1	2	1
ST BERNARD	36	18	-	4	-	7	7
ST CHARLES	31	11	-	5	5	8	2

(CONTINUED)

TABLE XIX
ACCIDENTAL DEATHS OCCURRING IN LOUISIANA BY TYPE OF ACCIDENT
SHOWN BY GEOGRAPHIC LOCATION WHERE ACCIDENT OCCURRED
LOUISIANA, 1982

PARISH AND CITIES OVER 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
ST HELENA	10	6	-	2	-	2	-
ST JAMES	21	12	-	1	3	4	1
ST JOHN	23	13	1	2	2	3	2
ST LANDRY	53	31	1	7	2	6	6
OPELOUSAS*	8	3	-	1	1	1	2
EUNICE*	2	-	-	-	-	-	2
ST MARTIN	32	15	1	3	2	9	2
ST MARY	62	28	-	2	13	15	4
MORGAN CITY*	16	7	-	-	1	6	2
ST TAMMANY	70	40	-	12	-	10	8
SLIDELL*	12	4	-	3	-	3	2
TANGIPAHOA	64	42	-	5	3	9	5
HAMMOND*	9	8	-	-	-	1	-
TENSAS	11	3	-	3	1	4	-
TERREBONNE	75	50	2	6	5	9	3
HOUMA*	16	9	-	3	1	2	1
UNION	13	5	-	1	-	4	3
VERMILION	44	19	2	3	14	2	4
ABBEVILLE*	5	4	-	-	-	-	1
VERNON	25	17	-	4	1	3	-
WASHINGTON	25	9	1	6	-	6	3
BOGALUSA*	7	3	-	2	-	2	-
WEBSTER	33	19	-	8	1	2	3
MINDEN*	9	3	-	3	-	-	3
W BATON ROUGE	17	11	-	-	2	4	-
WEST CARROLL	6	3	-	3	-	-	-
W FELICIANA	6	3	-	-	1	2	-
WINN	10	3	-	4	-	-	3
UNKNOWN ***	-	-	-	-	-	-	-
OUT OF STATE**	25	7	-	3	8	5	2

* NOT INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF ACCIDENT UNKNOWN, ASSUMED LOUISIANA

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	1130	1094	12.9			369	227	54	34	26	384
				MW	276	97	56	13	5	8	97
				FW	213	73	59	11	7	2	61
				MNW	331	111	60	15	14	9	122
				FNW	274	88	52	15	8	7	104
ACADIA	5	12	9.4			3	2	-	1	1	5
				MW	4	-	-	-	-	1	3
				FW	5	2	1	-	1	-	1
				MNW	3	1	1	-	-	-	1
				FNW	-	-	-	-	-	-	-
CROWLEY*	3	2	5.5			1	1	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	1	1	-	-	-	-
				FNW	-	-	-	-	-	-	-
ALLEN	1	3	8.1			2	-	-	-	-	1
				MW	1	1	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	1
ASCENSION	2	11	9.8			4	2	1	-	-	4
				MW	2	2	-	-	-	-	-
				FW	5	1	1	-	-	-	3
				MNW	2	-	1	-	-	-	1
				FNW	2	1	-	1	-	-	-
ASSUMPTION	1	3	5.5			-	1	1	-	-	1
				MW	1	-	-	1	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	-	1	-	-	-	-
AVOYELLES	1	7	9.2			1	3	-	1	-	2
				MW	2	-	2	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	2	-	-	-	1	-	1
				FNW	2	-	1	-	-	-	1
BEAUREGARD	2	5	10.0			2	-	-	1	-	2
				MW	3	1	-	-	-	-	2
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	2	1	-	-	1	-	-
BIENVILLE	1	3	10.8			2	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	2	1	-	-	-	-	1
BOSSIER	7	14	8.2			4	4	-	-	-	6
				MW	2	1	-	-	-	-	1
				FW	6	2	3	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	5	1	1	-	-	-	3
BOSSIER CITY*	5	8	7.1			2	3	-	-	-	3
				MW	2	1	-	-	-	-	1
				FW	5	1	3	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	1
CADDO	161	76	15.3			25	17	5	-	2	27
				MW	18	6	7	-	-	-	5
				FW	11	3	2	2	-	-	4
				MNW	28	12	2	3	-	-	11
				FNW	19	4	6	-	-	2	7

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
SHREVEPORT*	158	64	15.4			22	14	3	-	2	23
				MW	12	3	6	-	-	-	3
				FW	9	3	2	1	-	-	3
				NNW	26	12	2	2	-	-	10
				FNW	17	4	4	-	-	2	7
CALCASIEU	37	37	10.1			19	4	1	1	2	10
				MW	10	6	1	-	-	1	2
				FW	13	6	3	1	-	-	3
				NNW	6	4	-	-	-	1	1
				FNW	8	3	-	-	1	-	4
LAKE CHARLES*	29	14	8.8			7	1	-	1	1	4
				MW	1	1	-	-	-	-	-
				FW	2	1	1	-	-	-	-
				NNW	4	3	-	-	-	1	-
				FNW	7	2	-	-	1	-	4
SULPHUR*	6	4	10.1			-	-	-	-	1	3
				MW	3	-	-	-	-	1	2
				FW	1	-	-	-	-	-	1
				NNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
CALDWELL	4	5	33.8			1	1	-	1	-	2
				MW	1	1	-	-	-	-	-
				FW	2	-	-	-	1	-	1
				NNW	2	-	1	-	-	-	1
				FNW	-	-	-	-	-	-	-
CAMERON	1	2	10.3			-	1	-	-	-	1
				MW	1	-	-	-	-	-	1
				FW	1	-	1	-	-	-	-
				NNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
CATAHOULA	3	4	16.6			-	-	1	-	-	3
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				NNW	4	-	-	1	-	-	3
				FNW	-	-	-	-	-	-	-
CLAIBORNE	3	4	14.2			2	1	-	-	-	1
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				NNW	2	1	1	-	-	-	-
				FNW	1	1	-	-	-	-	-
CONCORDIA	1	4	9.4			-	4	-	-	-	-
				MW	1	-	1	-	-	-	-
				FW	2	-	2	-	-	-	-
				NNW	-	-	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
DESOTO	-	5	10.3			2	1	-	-	-	2
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				NNW	2	1	1	-	-	-	-
				FNW	2	1	-	-	-	-	1
E BATON ROUGE	112	98	13.5			37	17	5	5	2	32
				MW	22	10	7	-	1	-	4
				FW	16	8	3	1	-	-	4
				NNW	37	12	5	1	3	2	14
				FNW	23	7	2	3	1	-	10
BATON ROUGE*	106	81	15.5			30	11	4	5	2	29
				MW	16	8	4	-	1	-	3
				FW	10	5	1	-	-	-	4
				NNW	34	12	4	1	3	2	12
				FNW	21	5	2	3	1	-	10

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
EAST CARROLL	2	4	15.4			-	1	-	1	-	2
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	-	-	-	1	-	1
				FNW	2	-	1	-		-	1
E FELICIANA	-	3	7.4			1	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	2	-	1	-	-	-	1
EVANGELINE	5	10	15.5			3	1	-	-	-	6
				MW	4	1	1	-	-	-	2
				FW	-	-	-	-	-	-	-
				MNW	2	1	-	-	-	-	1
				FNW	4	1	-	-	-	-	3
FRANKLIN	2	7	16.9			5	-	-	-	-	2
				MW	2	2	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	1	-	-	-	-	2
				FNW	2	2	-	-	-	-	-
GRANT	-	4	16.3			1	1	-	-	-	2
				MW	3	1	1	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
IBERIA	11	18	11.5			8	3	-	2	-	5
				MW	7	2	3	-	1	-	1
				FW	4	2	-	-	-	-	2
				MNW	2	2	-	-	-	-	-
				FNW	5	2	-	-	1	-	2
NEW IBERIA*	11	13	16.7			6	2	-	2	-	3
				MW	4	1	2	-	1	-	-
				FW	3	2	-	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	5	2	-	-	1	-	2
IBERVILLE	1	6	8.5			3	-	1	-	1	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	2	-	-	-	-	-
				FNW	4	1	-	1	-	1	1
JACKSON	4	7	26.7			3	-	-	-	-	4
				MW	3	1	-	-	-	-	2
				FW	1	-	-	-	-	-	1
				MNW	2	1	-	-	-	-	1
				FNW	1	1	-	-	-	-	-
JEFFERSON	142	106	12.7			38	18	4	3	2	41
				MW	36	13	7	1	2	1	12
				FW	21	9	5	1	-	-	6
				MNW	26	9	3	-	1	-	13
				FNW	23	7	3	2	-	1	10
KENNER*	1	22	17.2			8	5	2	1	-	6
				MW	7	2	1	1	1	-	2
				FW	6	4	1	-	-	-	1
				MNW	3	1	1	-	-	-	1
				FNW	6	1	2	1	-	-	2
GRETNA*	2	10	12.0			3	1	-	-	-	6
				MW	2	1	-	-	-	-	1
				FW	3	1	1	-	-	-	1
				MNW	3	1	-	-	-	-	2
				FNW	2	-	-	-	-	-	2

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
HARAHAN*	-	2	31.3			1	-	-	-	-	1
				MW	1	-	-	-	-	-	1
				FW	1	1	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
WESTWEGO*	-	5	15.0			1	1	-	-	-	3
				MW	1	-	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	3	1	-	-	-	-	2
JEFF DAVIS	1	6	9.1			2	3	-	-	-	1
				MW	1	1	-	-	-	-	-
				FW	5	1	3	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
JENNINGS*	-	-	-			-	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
LAFAYETTE	63	34	9.8			9	8	5	-	2	10
				MW	6	2	-	2	-	-	2
				FW	8	1	4	1	-	-	2
				MNW	13	4	3	1	-	2	3
				FNW	7	2	1	1	-	-	3
LAFAYETTE*	62	28	11.3			8	3	2	-	2	5
				MW	4	2	-	1	-	-	1
				FW	2	1	1	-	-	-	-
				MNW	10	4	1	1	-	2	2
				FNW	4	1	1	-	-	-	2
LAFOURCHE	8	21	11.9			7	3	1	-	2	8
				MW	9	2	-	-	-	1	6
				FW	9	4	2	-	-	1	2
				MNW	1	-	1	-	-	-	-
				FNW	2	1	-	1	-	-	-
THIBODAUX*	3	9	28.1			5	1	1	-	1	1
				MW	2	-	-	-	-	1	1
				FW	4	4	-	-	-	-	-
				MNW	1	-	1	-	-	-	-
				FNW	2	1	-	1	-	-	-
LASALLE	-	3	11.4			1	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	2	-	1	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
LINCOLN	2	9	15.9			1	3	2	1	-	2
				MW	3	-	1	1	1	-	-
				FW	1	-	1	-	-	-	-
				MNW	2	1	-	1	-	-	-
				FNW	3	-	1	-	-	-	2
RUSTON*	2	6	23.1			1	2	1	1	-	1
				MW	3	-	1	1	1	-	-
				FW	1	-	1	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	1	-	-	-	-	-	1
LIVINGSTON	1	8	6.3			2	3	2	-	-	1
				MW	3	-	1	1	-	-	1
				FW	5	2	2	1	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-

(CONTINUED)

TABLE XX-4
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
MADISON	-	1	3.4			-	-	1	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	-	1	-	-	-
MOREHOUSE	4	12	18.3			6	1	1	1	-	3
				MW	3	2	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	8	4	-	1	1	-	2
				FNW	1	-	1	-	-	-	-
BASTROP*	4	6	18.3			3	-	-	-	-	3
				MW	3	2	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	3	1	-	-	-	-	2
				FNW	-	-	-	-	-	-	-
NATCHITOCHES	3	6	8.4			1	2	-	1	-	2
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	3	1	1	-	1	-	-
				FNW	2	-	1	-	-	-	1
NATCHITOCHES*	2	5	14.0			1	2	-	1	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	1	1	-	1	-	-
				FNW	2	-	1	-	-	-	1
ORLEANS	323	172	16.5			58	41	4	7	3	59
				MW	13	5	2	-	-	1	5
				FW	10	3	1	-	1	-	5
				MNW	81	27	21	2	4	1	26
				FNW	68	23	17	2	2	1	23
OUACHITA	47	29	11.4			4	12	4	2	-	7
				MW	4	-	2	2	-	-	-
				FW	6	2	-	-	1	-	3
				MNW	11	2	6	1	1	-	1
				FNW	8	-	4	1	-	-	3
MONROE*	44	28	16.5			2	8	3	2	-	5
				MW	2	-	1	1	-	-	-
				FW	3	1	-	-	1	-	1
				MNW	8	1	4	1	1	-	1
				FNW	7	-	3	1	-	-	3
WEST MONROE*	3	2	6.6			-	1	1	-	-	-
				MW	1	-	-	1	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	1	-	-	-	-
				FNW	-	-	-	-	-	-	-
PLAQUEMINES	3	10	17.3			3	3	-	1	-	3
				MW	-	-	-	-	-	-	-
				FW	6	1	2	-	1	-	2
				MNW	3	2	-	-	-	-	1
				FNW	1	-	1	-	-	-	-
POINTE COUPEE	-	5	9.6			4	-	-	-	-	1
				MW	2	1	-	-	-	-	1
				FW	1	1	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
RAPIDES	39	29	11.8			12	3	1	-	-	13
				MW	9	6	-	-	-	-	3
				FW	7	3	2	-	-	-	2
				MNW	11	3	1	1	-	-	6
				FNW	2	-	-	-	-	-	2

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
ALEXANDRIA*	28	14	12.3			5	3	-	-	-	6
				MW	3	2	-	-	-	-	1
				FW	3	-	2	-	-	-	1
				MNW	7	3	1	-	-	-	3
				FNW	1	-	-	-	-	-	1
RED RIVER	-	3	15.5			1	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	2	1	1	-	-	-	-
RICHLAND	2	2	4.8			1	-	-	-	-	1
				MW	1	1	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
SABINE	3	12	28.8			3	3	-	1	-	5
				MW	3	-	1	-	-	-	2
				FW	5	1	2	-	1	-	1
				MNW	1	-	-	-	-	-	1
				FNW	3	2	-	-	-	-	1
ST BERNARD	2	15	13.0			3	7	1	1	-	3
				MW	5	-	3	-	-	-	2
				FW	6	1	3	1	1	-	-
				MNW	2	1	1	-	-	-	-
				FNW	2	1	-	-	-	-	1
ST CHARLES	5	16	17.9			4	3	1	-	-	8
				MW	9	2	-	1	-	-	6
				FW	3	-	3	-	-	-	-
				MNW	3	2	-	-	-	-	1
				FNW	1	-	-	-	-	-	1
ST HELENA	1	3	19.7			-	1	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	-	-	-	-	-	1
ST JAMES	1	6	12.2			2	1	1	-	1	1
				MW	1	-	-	1	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	3	2	1	-	-	-	-
				FNW	1	-	-	-	-	1	-
ST JOHN	3	14	15.5			2	4	-	-	1	7
				MW	2	-	1	-	-	-	1
				FW	2	1	1	-	-	-	-
				MNW	7	1	1	-	-	-	5
				FNW	3	-	1	-	-	1	1
ST LANDRY	16	28	15.2			9	6	2	-	1	10
				MW	7	4	2	-	-	-	1
				FW	1	1	-	-	-	-	-
				MNW	13	2	3	1	-	1	6
				FNW	7	2	1	1	-	-	3
OPELOUSAS*	6	8	17.0			2	3	-	-	-	3
				MW	1	-	1	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	3	1	1	-	-	-	1
				FNW	3	-	1	-	-	-	2
EUNICE*	6	1	3.9			1	-	-	-	-	-
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
ST MARTIN	3	12	13.3			1	-	-	-	-	2
				MW	1	1	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	3	2	-	-	-	-	1
				FNW	7	6	-	-	-	-	1
ST MARY	9	10	7.0			2	-	-	1	1	6
				MW	4	1	-	-	-	1	2
				FW	2	1	-	-	-	-	1
				MNW	3	-	-	-	-	-	3
				FNW	1	-	-	-	1	-	-
MORGAN CITY*	6	2	5.6			-	-	-	-	-	2
				MW	1	-	-	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST TAMMANY	6	24	10.6			8	8	-	-	-	8
				MW	10	4	3	-	-	-	3
				FW	9	4	3	-	-	-	2
				MNW	2	-	-	-	-	-	2
				FNW	3	-	2	-	-	-	1
SLIDELL*	3	5	10.1			2	3	-	-	-	-
				MW	3	1	2	-	-	-	-
				FW	2	1	1	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
TANGIPAHOA	20	39	20.9			13	7	1	-	-	18
				MW	14	5	2	1	-	-	6
				FW	4	-	3	-	-	-	1
				MNW	11	3	2	-	-	-	6
				FNW	10	5	-	-	-	-	5
HAMMOND*	-	4	12.3			-	1	1	-	-	2
				MW	1	-	-	1	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	-	-	-	-	-	1
TENSAS	2	7	47.3			1	2	1	-	-	3
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	3	1	1	1	-	-	-
				FNW	3	-	1	-	-	-	2
TERREBONNE	28	33	13.3			9	7	3	-	1	13
				MW	14	2	3	1	-	-	8
				FW	7	2	2	1	-	-	2
				MNW	4	1	1	-	-	1	1
				FNW	8	4	1	1	-	-	2
HOUMA*	12	16	17.6			6	3	3	-	1	3
				MW	4	-	2	1	-	-	1
				FW	4	1	1	1	-	-	1
				MNW	3	1	-	-	-	1	1
				FNW	5	4	-	1	-	-	-
UNION	-	3	8.8			1	1	-	1	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	1	-	-
				FNW	2	1	1	-	-	-	-
VERMILION	4	11	10.2			3	1	-	-	1	6
				MW	6	2	-	-	-	1	3
				FW	2	1	-	-	-	-	1
				MNW	2	-	1	-	-	-	1
				FNW	1	-	-	-	-	-	1

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
ABBEVILLE*	2	5	14.7			2	1	-	-	-	2
				MW	2	1	-	-	-	-	1
				FW	1	1	-	-	-	-	-
				MNW	2	-	1	-	-	-	1
				FNW	-	-	-	-	-	-	-
VERNON	6	22	14.2			7	4	2	1	1	7
				MW	6	2	1	-	-	-	3
				FW	16	3	2	2	-	1	2
				MNW	3	1	1	-	-	-	1
				FNW	3	1	-	-	1	-	1
WASHINGTON	10	12	14.4			7	1	-	-	1	3
				MW	3	2	1	-	-	-	-
				FW	2	2	-	-	-	-	-
				MNW	2	1	-	-	-	1	-
				FNW	5	2	-	-	-	-	3
BOGALUSA*	7	4	14.5			3	-	-	-	1	-
				MW	2	2	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	1	-	-	-	1	-
				FNW	-	-	-	-	-	-	-
WEBSTER	3	7	9.6			3	1	1	-	-	2
				MW	1	1	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	2	-	-	1	-	-	1
				FNW	3	2	1	-	-	-	-
MINDEN*	1	3	11.1			1	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	2	1	1	-	-	-	-
W BATON ROUGE	-	3	6.5			2	-	-	-	-	1
				MW	2	2	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
WEST CARROLL	-	3	12.0			-	3	-	-	-	-
				MW	3	-	3	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
W FELICIANA	1	3	17.3			1	-	1	-	-	1
				MW	1	-	-	1	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
WINN	2	3	10.2			1	-	-	-	1	1
				MW	3	1	-	-	-	1	1
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
OUT OF STATE**	16	52				8	24	4	2	2	12
				MW	25	4	10	2	1	2	6
				FW	16	3	9	-	-	-	4
				MNW	8	1	3	2	1	-	1
				FNW	3	-	2	-	-	-	1

*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

TABLE XX-B
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1982

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	1130	1094	12.9			369	227	54	34	26	384
				MW	276	97	56	13	5	8	97
				FW	213	73	59	11	7	2	61
				MNW	331	111	60	15	14	9	122
				FNW	274	88	52	15	8	7	104
SPD 1	476	327	14.4			110	77	9	12	5	114
				MW	64	22	15	1	2	2	22
				FW	52	18	14	2	3	-	15
				MNW	114	39	25	2	5	1	42
				FNW	97	31	23	4	2	2	35
SPD 2	148	191	13.0			74	32	11	5	4	65
				MW	49	22	11	3	1	-	12
				FW	37	15	10	2	-	-	10
				MNW	57	20	8	1	3	3	22
				FNW	48	17	3	5	1	1	21
SPD 3	46	93	13.1			24	19	7	-	5	38
				MW	36	6	4	4	-	1	21
				FW	22	7	8	1	-	1	5
				MNW	19	6	4	-	-	1	8
				FNW	16	5	3	2	-	2	4
SPD 4	116	135	11.0			47	21	7	4	6	50
				MW	39	13	6	2	1	3	14
				FW	23	9	5	1	1	-	7
				MNW	41	12	8	2	-	3	16
				FNW	32	13	2	2	2	-	13
SPD 5	42	53	9.9			25	8	1	2	2	15
				MW	16	9	1	-	-	1	5
				FW	20	8	7	1	-	-	4
				MNW	6	4	-	-	-	1	1
				FNW	11	4	-	-	2	-	5
SPD 6	52	76	12.2			23	16	4	2	2	29
				MW	24	10	5	-	-	1	8
				FW	23	7	7	2	-	1	6
				MNW	21	5	2	2	1	-	11
				FNW	8	1	2	-	1	-	4
SPD 7	183	139	13.4			44	33	8	3	2	49
				MW	30	8	9	1	1	-	11
				FW	26	7	8	2	1	-	8
				MNW	41	16	5	5	1	-	14
				FNW	42	13	11	-	-	2	16
SPD 8	67	80	13.9			22	21	7	6	-	24
				MW	18	7	5	2	-	-	4
				FW	10	2	-	-	2	-	6
				MNW	32	9	8	3	4	-	8
				FNW	20	4	8	2	-	-	6
HSA 1	522	420	14.1			134	96	16	12	10	152
				MW	100	28	19	5	2	3	43
				FW	74	25	22	3	3	1	20
				MNW	133	45	29	2	5	2	50
				FNW	113	36	26	6	2	4	39
HSA 2	306	379	11.7			146	61	19	11	12	130
				MW	104	44	18	5	2	4	31
				FW	80	32	22	4	1	-	21
				MNW	104	36	16	3	3	7	39
				FNW	91	34	5	7	5	1	39
HSA 3	302	295	13.2			89	70	19	11	4	102
				MW	72	25	19	3	1	1	23
				FW	59	16	15	4	3	1	20
				MNW	94	30	15	10	6	-	33
				FNW	70	18	21	2	1	2	26

TABLE XXI
INFANT MORTALITY RATES BY PLACE OF RESIDENCE
SHOWN BY AGE OF DEATH AND RACE
LOUISIANA,BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA ,1982

REGION	RACE	AGE AT DEATH IN DAYS						COMBINED RATES*			
		UNDER 1	1-6	7-13	14-20	21-27	28-364	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
TOTAL		4.4	2.7	0.6	0.4	0.3	4.5	7.1	8.4	17.0	12.9
	W	3.3	2.2	0.5	0.2	0.2	3.0	5.5	6.3	11.9	9.4
	NW	6.1	3.5	0.9	0.7	0.5	7.0	9.6	11.7	25.2	18.7
SPD 1		4.8	3.4	0.4	0.5	0.2	5.0	8.2	9.4	18.5	14.4
	W	3.2	2.3	0.2	0.4	0.2	2.9	5.5	6.3	11.8	9.2
	NW	6.9	4.7	0.6	0.7	0.3	7.6	11.6	13.1	26.7	20.7
SPD 2		5.0	2.2	0.7	0.3	0.3	4.4	7.2	8.5	16.5	13.0
	W	4.1	2.3	0.6	0.1	-	2.4	6.4	7.1	13.2	9.5
	NW	6.5	1.9	1.0	0.7	0.7	7.5	8.4	10.8	21.5	18.3
SPD 3		3.4	2.7	1.0	-	0.7	5.4	6.1	7.8	17.2	13.1
	W	2.6	2.4	1.0	-	0.4	5.2	5.0	6.4	13.4	11.7
	NW	5.2	3.3	0.9	-	1.4	5.7	8.5	10.9	26.1	16.6
SPD 4		3.8	1.7	0.6	0.3	0.5	4.1	5.6	6.9	15.7	11.0
	W	2.6	1.3	0.4	0.2	0.4	2.5	3.9	4.9	9.1	7.4
	NW	6.5	2.6	1.0	0.5	0.8	7.6	9.1	11.5	29.9	19.0
SPD 5		4.7	1.5	0.2	0.4	0.4	2.8	6.1	7.1	13.3	9.9
	W	4.2	2.0	0.2	-	0.2	2.2	6.1	6.6	13.1	8.8
	NW	6.2	-	-	1.5	0.8	4.6	6.2	8.5	13.8	13.1
SPD 6		3.7	2.6	0.6	0.3	0.3	4.7	6.3	7.5	15.3	12.2
	W	4.1	2.9	0.5	-	0.5	3.4	7.1	8.0	12.6	11.4
	NW	2.8	1.9	0.9	0.9	-	7.1	4.7	6.6	20.4	13.7
SPD 7		4.2	3.2	0.8	0.3	0.2	4.7	7.4	8.7	20.5	13.4
	W	2.5	2.9	0.5	0.3	-	3.2	5.4	6.2	12.4	9.4
	NW	6.6	3.6	1.1	0.2	0.5	6.8	10.2	2.0	31.2	18.8
SPD 8		3.8	3.7	1.2	1.0	-	4.2	7.5	9.7	14.7	13.9
	W	2.9	1.6	0.6	0.6	-	3.2	4.5	5.8	10.9	9.1
	NW	4.9	6.0	1.9	1.5	-	5.3	10.9	14.3	19.0	19.5
HSA 1		4.5	3.2	0.5	0.4	0.3	5.1	7.7	9.0	18.2	14.1
	W	3.0	2.3	0.5	0.3	0.2	3.6	5.4	6.3	12.2	9.9
	NW	6.6	4.5	0.7	0.6	0.5	7.2	11.1	12.8	26.6	20.0
HSA 2		4.5	1.9	0.6	0.3	0.4	4.0	6.4	7.7	15.6	11.7
	W	3.5	1.9	0.4	0.1	0.2	2.4	5.4	6.1	11.6	8.6
	NW	6.4	1.9	0.9	0.7	0.7	7.2	8.4	10.8	23.6	18.0
HSA 3		4.0	3.1	0.9	0.5	0.2	4.6	7.1	8.6	17.5	13.2
	W	3.1	2.6	0.5	0.3	0.2	3.3	5.7	6.7	12.1	10.0
	NW	5.2	3.9	1.3	0.8	0.2	6.4	9.1	11.4	25.2	17.8

*PERINATAL RATE PER 1000 DELIVERIES,ALL OTHER RATES PER 1000 LIVE BIRTHS
RATES MAY NOT BE ADDITIVE DUE TO ROUNDING

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	1094	1294.2			369	227	54	34	26	384
			WM	276	97	56	13	5	8	97
			WF	213	73	59	11	7	2	61
			NWM	331	111	60	15	14	9	122
			NWF	274	88	52	15	8	7	104
CERTAIN INTESTINAL INFECTIONS-(008-009)	4	4.7			-	-	-	-	-	4
			WM	-	-	-	-	-	-	-
			WF	1	-	-	-	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	2	-	-	-	-	-	2
WHOOPING COUGH-(033)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION-(036)	5	5.9			-	1	-	-	-	4
			WM	2	-	-	-	-	-	2
			WF	2	-	1	-	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
SEPTICEMIA-(038)	15	17.7			-	-	-	-	-	15
			WM	3	-	-	-	-	-	3
			WF	2	-	-	-	-	-	2
			NWM	4	-	-	-	-	-	4
			NWF	6	-	-	-	-	-	6
VIRAL DISEASES-(045-079)	1	1.2			-	-	1	-	-	-
			WM	-	-	-	-	-	-	-
			WF	1	-	-	1	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
CONGENITAL SYPHILIS-(090)	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	1
REMAINDER OF INFECTIOUS AND PARASITIC DISEASES-(001-007,010-032,034-035,037,039-041,080-088,091-139)	4	4.7			-	-	-	-	1	3
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	4	-	-	-	-	1	3
			NWF	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(140-208)	2	2.4			-	-	-	-	-	2
			WM	-	-	-	-	-	-	-
			WF	1	-	-	-	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE-(210-239)	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
DISEASES OF THYMUS GLAND-(254)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
CYSTIC FIBROSIS-(277.0)	3	3.5			-	1	-	-	-	2
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	1	-	-	-	-
			NWF	2	-	-	-	-	-	2
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS-(280-289)	4	4.7			-	-	-	-	-	4
			WM	-	-	-	-	-	-	-
			WF	1	-	-	-	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	2	-	-	-	-	-	2

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
MENINGITIS-(320-322)	12	14.2			-	1	-	1	-	10
			WM	3	-	-	-	-	-	3
			WF	1	-	-	-	-	-	1
			NWM	3	-	-	-	-	-	3
			NWF	5	-	1	-	1	-	3
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-(323-389)	13	15.4			-	-	1	-	-	12
			WM	6	-	-	-	-	-	6
			WF	4	-	-	1	-	-	3
			NWM	3	-	-	-	-	-	3
			NWF	-	-	-	-	-	-	-
ACUTE UPPER RESPIRATORY INFECTIONS-(460-465)	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	1
BRONCHITIS AND BRONCHIOLITIS-(466,490-491)	3	3.5			-	-	-	-	-	3
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	3	-	-	-	-	-	3
			NWF	-	-	-	-	-	-	-
PNEUMONIA AND INFLUENZA-(480-487)	28	33.1			-	-	-	1	-	27
			WM	6	-	-	-	-	-	6
			WF	6	-	-	-	-	-	6
			NWM	10	-	-	-	1	-	9
			NWF	6	-	-	-	-	-	6
PNEUMONIA-(480-486)	28	33.1			-	-	-	1	-	27
			WM	6	-	-	-	-	-	6
			WF	6	-	-	-	-	-	6
			NWM	10	-	-	-	1	-	9
			NWF	6	-	-	-	-	-	6
INFLUENZA-(487)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM-(470-478,492-519)	30	35.5			-	2	-	1	-	27
			WM	5	-	-	-	-	-	5
			WF	3	-	-	-	1	-	2
			NWM	11	-	1	-	-	-	10
			NWF	11	-	1	-	-	-	10
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	6	7.1			-	1	-	-	-	5
			WM	1	-	-	-	-	-	1
			WF	-	-	-	-	-	-	-
			NWM	3	-	1	-	-	-	2
			NWF	2	-	-	-	-	-	2
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS-(535,555-558)	5	5.9			-	1	-	1	-	3
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	2	-	-	-	1	-	1
			NWF	3	-	1	-	-	-	2
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM-(520-534, 536-543,562-579)	6	7.1			-	-	1	1	-	4
			WM	-	-	-	-	-	-	-
			WF	3	-	-	-	1	-	2
			NWM	2	-	-	1	-	-	1
			NWF	1	-	-	-	-	-	1
CONGENITAL ANOMALIES-(740-759)	215	254.3			75	63	12	12	5	48
			WM	69	30	17	4	3	2	13
			WF	62	19	26	4	3	1	9
			NWM	38	8	10	3	3	2	12
			NWF	46	18	10	1	3	-	14
ANENCEPHALUS AND SIMILAR ANOMALIES-(749)	13	15.4			10	2	-	1	-	-
			WM	4	2	1	-	1	-	-
			WF	4	4	-	-	-	-	-
			NWM	3	3	-	-	-	-	-
			NWF	2	1	1	-	-	-	-

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
SPINA BIFIDA-(741)	7	8.3			4	-	1	-	-	2
			WM	2	2	-	-	-	-	-
			WF	2	-	-	1	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	2	2	-	-	-	-	-
CONGENITAL HYDROCEPHALUS-(742.3)	11	13.0			6	-	1	2	2	-
			WM	3	2	-	1	-	-	-
			WF	2	1	-	-	-	1	-
			NWM	4	1	-	-	2	1	-
			NWF	2	2	-	-	-	-	-
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-(742.0-742.2,742.4-742.9,743)	7	8.3			3	-	1	1	-	2
			WM	4	2	-	1	-	-	1
			WF	1	1	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	1	-	-	-	1	-	-
CONGENITAL ANOMALIES OF HEART-(745-746)	52	61.5			-	20	4	4	2	22
			WM	14	-	5	1	1	1	6
			WF	16	-	9	1	2	-	4
			NWM	14	-	6	2	-	1	5
			NWF	8	-	-	-	1	-	7
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-(747)	24	28.4			1	15	5	-	-	3
			WM	4	1	1	1	-	-	1
			WF	6	-	4	2	-	-	-
			NWM	4	-	2	1	-	-	1
			NWF	10	-	8	1	-	-	1
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-(748)	15	17.7			10	3	-	-	1	1
			WM	11	8	2	-	-	1	-
			WF	3	2	1	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	1
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-(749-751)	6	7.1			1	1	-	1	-	3
			WM	-	-	-	-	-	-	-
			WF	3	-	1	-	-	-	2
			NWM	2	1	-	-	-	-	1
			NWF	1	-	-	-	1	-	-
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-(752-753)	12	14.2			7	4	-	1	-	-
			WM	7	5	2	-	-	-	-
			WF	2	1	-	-	1	-	-
			NWM	2	-	2	-	-	-	-
			NWF	1	1	-	-	-	-	-
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-(754-756)	11	13.0			5	5	-	-	-	1
			WM	6	3	2	-	-	-	1
			WF	4	1	3	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	1	-	-	-	-	-
DOWN'S SYNDROME-(758.0)	5	5.9			-	-	-	-	-	5
			WM	2	-	-	-	-	-	2
			WF	1	-	-	-	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	1	-	-	-	-	-	1
OTHER CHROMOSOMAL ANOMALIES-(758.1-758.9)	14	16.6			4	5	-	1	-	4
			WM	5	2	2	-	-	-	1
			WF	5	2	2	-	-	-	1
			NWM	1	-	-	-	1	-	-
			NWF	3	-	1	-	-	-	2
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-(744,757,759)	38	45.0			24	8	-	1	-	5
			WM	7	3	2	-	1	-	1
			WF	13	7	6	-	-	-	-
			NWM	5	3	-	-	-	-	2
			NWF	13	11	-	-	-	-	2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	526	622.3			291	150	37	14	12	22
			WM	122	65	39	9	1	3	5
			WF	93	53	30	5	2	-	3
			NWM	175	103	44	11	7	3	7
			NWF	136	70	37	12	4	6	7

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY-(760)	4	4.7			3	1	-	-	-	-
			WM	1	1	-	-	-	-	-
			WF	1	1	-	-	-	-	-
			NWM	1	1	-	-	-	-	-
			NWF	1	-	1	-	-	-	-
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY-(761)	34	40.2			30	4	-	-	-	-
			WM	13	12	1	-	-	-	-
			WF	9	9	-	-	-	-	-
			NWM	2	2	-	-	-	-	-
			NWF	10	7	3	-	-	-	-
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES-(762)	22	26.0			18	4	-	-	-	-
			WM	6	6	-	-	-	-	-
			WF	6	4	2	-	-	-	-
			NWM	6	5	1	-	-	-	-
			NWF	4	3	1	-	-	-	-
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY-(763)	3	3.5			2	1	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	3	2	1	-	-	-	-
			NWF	-	-	-	-	-	-	-
SLOW FETAL GROWTH AND FETAL MALNUTRITION-(764)	2	2.4			2	-	-	-	-	-
			WM	1	1	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT-(765)	80	94.6			65	13	-	-	-	2
			WM	11	8	3	-	-	-	-
			WF	13	10	2	-	-	-	1
			NWM	34	30	4	-	-	-	-
			NWF	22	17	4	-	-	-	1
DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT-(766)	1	1.2			-	1	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	1	-	-	-	-
			NWF	-	-	-	-	-	-	-
BIRTH TRAUMA-(767)	23	27.2			2	13	3	2	3	-
			WM	5	-	3	1	-	1	-
			WF	2	-	2	-	-	-	-
			NWM	12	2	5	1	2	2	-
			NWF	4	-	3	1	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA-(768)	32	37.9			12	8	4	1	2	5
			WM	11	5	2	2	-	-	2
			WF	6	2	2	1	-	-	1
			NWM	10	4	2	-	1	1	2
			NWF	5	1	2	1	-	1	-
FETAL DISTRESS IN LIVEBORN INFANT-(768.2-768.4)	6	7.1			-	2	1	-	1	2
			WM	2	-	-	1	-	-	1
			WF	2	-	2	-	-	-	-
			NWM	2	-	-	-	-	1	1
			NWF	-	-	-	-	-	-	-
BIRTH ASPHYXIA-(768.5-768.9)	26	30.8			12	6	3	1	1	3
			WM	9	5	2	1	-	-	1
			WF	4	2	-	1	-	-	1
			NWM	8	4	2	-	1	-	1
			NWF	5	1	2	1	-	1	-
RESPIRATORY DISTRESS SYNDROME-(769)	83	98.2			34	37	4	2	1	5
			WM	30	11	14	2	1	-	2
			WF	14	6	7	1	-	-	-
			NWM	20	9	8	1	1	-	1
			NWF	19	8	8	-	-	1	2
OTHER RESPIRATORY CONDITIONS OF NEWBORN-(770)	81	95.8			44	19	8	2	-	8
			WM	12	8	3	1	-	-	-
			WF	15	10	3	2	-	-	-
			NWM	29	13	7	4	1	-	4
			NWF	25	13	6	1	1	-	4

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD-(771)	37	43.8			12	10	8	1	4	2
			WM	10	2	4	2	-	1	1
			WF	7	3	2	-	1	-	1
			NWM	10	4	4	2	-	-	-
			NWF	10	3	-	4	-	3	-
NEONATAL HEMORRHAGE-(772)	24	28.4			5	15	3	1	-	-
			WM	5	2	3	-	-	-	-
			WF	6	-	5	1	-	-	-
			NWM	8	2	4	1	1	-	-
			NWF	5	1	3	1	-	-	-
HEMOLYTIC DISEASE OF NEWBORN,DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE-(773-774)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
SYNDROME OF 'INFANT OF A DIABETIC MOTHER' AND NEONATAL DIABETES MELLITUS-(775.0-775.1)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
HEMORRHAGIC DISEASE OF NEWBORN-(776.0)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD-(775.2-775.9,776.1-779)	100	118.3			62	24	7	5	2	-
			WM	17	9	6	1	-	1	-
			WF	14	8	5	-	1	-	-
			NWM	38	28	7	2	1	-	-
			NWF	31	17	6	4	3	1	-
SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS-(780-799)	100	118.3			-	2	-	1	4	93
			WM	24	-	-	-	1	1	22
			WF	19	-	-	-	-	1	18
			NWM	30	-	1	-	-	1	28
			NWF	27	-	1	-	-	1	25
SUDDEN INFANT DEATH SYNDROME-(798.0)	92	108.8			-	2	-	1	4	85
			WM	22	-	-	-	1	1	20
			WF	16	-	-	-	-	1	15
			NWM	28	-	1	-	-	1	26
			NWF	26	-	1	-	-	1	24
SYMPTOMS, SIGNS AND ALL OTHER ILL-DEFINED CONDITIONS-(780-797,798.1-799)	8	9.5			-	-	-	-	-	8
			WM	2	-	-	-	-	-	2
			WF	3	-	-	-	-	-	3
			NWM	2	-	-	-	-	-	2
			NWF	1	-	-	-	-	-	1
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)	35	41.4			-	-	-	1	1	33
			WM	12	-	-	-	-	1	11
			WF	3	-	-	-	-	-	3
			NWM	13	-	-	-	1	-	12
			NWF	7	-	-	-	-	-	7
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)	14	16.6			-	-	-	-	-	14
			WM	5	-	-	-	-	-	5
			WF	1	-	-	-	-	-	1
			NWM	5	-	-	-	-	-	5
			NWF	3	-	-	-	-	-	3
ACCIDENTAL MECHANICAL SUFFOCATION-(E913)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS-(E800-E910, E914-E949)	21	24.8			-	-	-	1	1	19
			WM	7	-	-	-	-	1	6
			WF	2	-	-	-	-	-	2
			NWM	8	-	-	-	1	-	7
			NWF	4	-	-	-	-	-	4

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
HOMICIDE-(E960-E969).....	8	9.5			1	-	-	1	-	6
			WM	3	-	-	-	-	-	3
			WF	2	1	-	-	-	-	1
			NWM	3	-	-	-	1	-	2
			NWF	-	-	-	-	-	-	-
CHILD BATTERING AND OTHER MALTREATMENT-(E967).....	4	4.7			-	-	-	1	-	3
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	2	-	-	-	1	-	1
			NWF	-	-	-	-	-	-	-
OTHER HOMICIDE-(E960-E966,E968-E969).....	4	4.7			1	-	-	-	-	3
			WM	2	-	-	-	-	-	2
			WF	1	1	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
ALL OTHER CAUSES-(RESIDUAL).....	66	78.1			2	5	2	-	3	54
			WM	20	2	-	-	-	1	17
			WF	9	-	2	-	-	-	7
			NWM	21	-	2	-	-	2	17
			NWF	16	-	1	2	-	-	13

* RATE PER 100,000 LIVE BIRTHS

TABLE XXIII
MATERNAL DEATHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1982

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE PER 100,000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	7	7	8.3		7	-	-	3	2	1	1	-	-	-
				W	2	-	-	1	-	1	-	-	-	-
				NW	5	-	-	2	2	-	1	-	-	-
CALCASIEU	1	1	27.4		1	-	-	1	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	1	1	386.1		1	-	-	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
JEFFERSON	1	-	-		-	-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ORLEANS	1	1	9.6		1	-	-	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
RAPIDES	1	1	40.7		1	-	-	-	-	-	1	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	-	-	1	-	-	-
ST CHARLES	-	1	112.1		1	-	-	-	1	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
TERREBONNE	2	2	80.6		2	-	-	-	1	1	-	-	-	-
				W	1	-	-	-	-	1	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-

** NOT INCLUDED IN STATE TOTALS

TABLE XXIV
MATERNAL DEATHS BY CAUSE, RACE AND AGE
LOUISIANA RESIDENTS, 1982

CAUSE OF DEATH	TOTAL	RATE*	RACE	TOTAL BY RACE	AGE LT 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	UN
TOTAL	7	8.3	W	2	-	-	1	-	1	-	-	-	-
			NW	5	-	-	2	2	-	1	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME-(630-638)	2	2.4	W	1	-	-	1	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
ECTOPIC PREGNANCY-(633)	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
SPONTANEOUS ABORTION-(634)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
LEGALLY INDUCED ABORTION-(635)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
ILLEGALLY INDUCED ABORTION-(636)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
OTHER PREGNANCY WITH ABORTIVE OUTCOME-(630-632,637-638)	1	1.2	W	1	-	-	1	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
DIRECT OBSTETRIC CAUSES-(640-646,651-676)	3	3.5	W	-	-	-	-	-	-	-	-	-	-
			NW	3	-	-	1	1	-	1	-	-	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH-(640-641,666)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
TOXEMIA OF PREGNANCY-(642.4-642.9,643)	2	2.4	W	-	-	-	-	-	-	-	-	-	-
			NW	2	-	-	-	1	-	1	-	-	-
OBSTRUCTED LABOR-(660)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF THE PUERPERIUM-(670-676)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
OTHER DIRECT OBSTETRIC CAUSES-642.0-642.3, 644-646,651-659,661-665,667-669)	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
INDIRECT OBSTETRIC CAUSES-(647-648)	2	2.4	W	1	-	-	-	-	1	-	-	-	-
			NW	1	-	-	-	1	-	-	-	-	-
DELIVERY IN A COMPLETELY NORMAL CASE-(650)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-

* RATE PER 100,000 LIVE BIRTHS

Table XXV
Reportable Diseases by Parish
Louisiana, 1982
(By Place of Residence)

PARISH AND CITIES Over 10,000	ACTINOMYCOSIS	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BLASTOMYCOSIS	BOTULISM	BRUCELLOSIS (UNDULANT FEVER)	CAT SCRATCH FEVER	CHANCROID	CHOLERA	COCCIDIOIDOMYCOSIS	CRYPTOCOCCOSIS	DENGUE	DIPHTHERIA	ECHINOCOCCOSIS (HYDATID DISEASE)	ENCEPHALITIS, ARTHROPOD-BORNE	ENCEPHALITIS, POST-INFECTIOUS	ENCEPHALITIS, OTHER AND UNSPECIFIED
TOTAL	-	5	-	142	-	-	13	-	-	-	-	3	-	-	-	5	-	27
ACADIA	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Crowley*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	-	-	-	9	-	-	1	-	-	-	-	-	-	-	-	-	-	4
Bossier City*	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	3
CADDO	-	-	-	11	-	-	1	-	-	-	-	-	-	-	-	-	-	8
Shreveport*	-	-	-	9	-	-	1	-	-	-	-	-	-	-	-	-	-	7
CALCASIEU	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lake Charles*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sulphur*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-	1
EAST BATON ROUGE	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1
Baton Rouge*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	5
New Iberia*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
IBERVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	-	-	-	27	-	-	1	-	-	-	-	-	-	-	-	-	-	4
Kenner*	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Gretna*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Harahan*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westwego*	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON DAVIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Jennings*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
LAFAYETTE	-	-	-	11	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Lafayette*	-	-	-	8	-	-	1	-	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thibodaux*	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASALLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ruston*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
LIVINGSTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bastrop*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Natchitoches*	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	-	-	-	13	-	-	1	-	-	-	-	2	-	-	-	1	-	2
OUACHITA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Monroe*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
West Monroe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
RAPIDES	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Alexandria*	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. BERNARD	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. CHARLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. JAMES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. JOHN	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. LANDRY	-	-	-	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Opelousas*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eunice*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. MARTIN	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. MARY	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Morgan City*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. TAMMANY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Slidell*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hammond*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	-	-	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Houma*	-	-	-	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
VERMILION	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abbeville*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bogalusa*	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
WEBSTER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Minden*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST BATON ROUGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Cities are included in parish total.
** Not included in state total.

Table XXV
Reportable Diseases by Parish
Louisiana, 1982
(By Place of Residence)

PARISH AND CITIES Over 10,000	FOOD POISONING	GLANDERS	GONORRHEA	GRANULOMA INGUINALE	HEPATITIS A	HEPATITIS B	HEPATITIS, TYPE UNSPECIFIED	HISTOPLASMOSIS	INFECTIOUS MONONUCLEOSIS	LEGIONNAIRE'S DISEASE	LEPROSY	LEPTOSPIROSIS (WEIL'S DISEASES)	LISTERIOSIS	LYMPHOCYTIC CHORIOMENINGITIS	LYMPHOPATHIA VENEREUM	MALARIA	MEASLES	MENINGOCOCCAL INFECTIONS
TOTAL	2	-	24352	-	781	349	288	2	2	-	-	7	-	-	-	8	16	66
ACADIA	-	-	179	-	9	19	5	-	-	-	-	1	-	-	-	-	-	2
Crowley*	-	-	102	-	3	10	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	-	-	41	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	-	74	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1
ASSUMPTION	-	-	99	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1
AVOYELLES	-	-	53	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	-	-	83	-	1	2	1	-	-	-	-	-	-	-	-	-	-	1
BIENVILLE	-	-	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	-	-	380	-	11	2	3	-	-	-	-	-	-	-	-	-	-	-
Bossier City*	-	-	319	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-
CADDO	-	-	2385	-	34	15	9	-	-	-	-	-	-	-	-	1	-	6
Shreveport*	-	-	2225	-	34	14	6	-	-	-	-	-	-	-	-	1	-	4
CALCASIEU	-	-	1181	-	21	11	4	-	-	-	-	1	-	-	-	-	-	1
Lake Charles*	-	-	961	-	5	8	2	-	-	-	-	1	-	-	-	-	-	1
Sulphur*	-	-	53	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	19	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	24	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	90	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	45	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	-	50	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
EAST BATON ROUGE	-	-	1706	-	10	11	4	-	-	-	-	-	-	-	-	1	-	5
Baton Rouge*	-	-	1576	-	7	11	4	-	-	-	-	-	-	-	-	1	-	5
EAST CARROLL	-	-	79	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-
EAST FELICIANA	-	-	32	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
EVANGELINE	-	-	21	-	2	2	1	-	2	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	45	-	6	1	6	-	-	-	-	-	-	-	-	-	-	1
GRANT	-	-	56	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2
IBERIA	-	-	171	-	126	9	14	-	-	-	-	-	-	-	-	-	-	-
New Iberia*	-	-	104	-	82	5	8	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	-	-	94	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1
JACKSON	-	-	25	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	-	-	1597	-	106	35	66	-	-	-	-	-	-	-	-	-	2	7
Kenner*	-	-	203	-	29	16	11	-	-	-	-	-	-	-	-	-	1	-
Gretna*	-	-	129	-	9	4	7	-	-	-	-	-	-	-	-	-	-	1
Harahan*	-	-	9	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Westwego*	-	-	99	-	6	2	2	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON DAVIS	-	-	97	-	27	4	2	-	-	-	-	1	-	-	-	-	-	-
Jennings*	-	-	59	-	19	2	2	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	-	-	572	-	70	27	8	-	-	-	-	1	-	-	-	1	-	2
Lafayette*	-	-	473	-	46	21	6	-	-	-	-	1	-	-	-	1	-	1
LAFOURCHE	-	-	276	-	5	6	4	-	-	-	-	-	-	-	-	-	-	1
Thibodaux*	-	-	184	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-
LASALLE	-	-	16	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	149	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Ruston*	-	-	65	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	-	51	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-
MADISON	-	-	171	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	-	-	237	-	28	3	9	-	-	-	-	-	-	-	-	-	1	-
Bastrop*	-	-	179	-	21	2	4	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES	-	-	23	-	1	6	1	-	-	-	-	-	-	-	-	-	-	-
Natchitoches*	-	-	11	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	-	-	9070	-	52	84	83	-	-	-	-	-	-	-	-	3	-	11
OUACHITA	-	-	1299	-	79	2	5	-	-	-	-	-	-	-	-	-	13	3
Monroe*	-	-	1081	-	41	2	4	-	-	-	-	-	-	-	-	-	12	1
West Monroe	-	-	155	-	23	-	1	-	-	-	-	-	-	-	-	-	-	2
PLAQUEMINES	-	-	28	-	2	1	6	-	-	-	-	1	-	-	-	-	-	-
POINTE COUPEE	-	-	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	-	-	960	-	6	6	6	-	-	-	-	-	-	-	-	-	-	1
Alexandria*	-	-	695	-	2	3	1	-	-	-	-	-	-	-	-	-	-	1
RED RIVER	-	-	15	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	2	-	110	-	7	-	5	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	-	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. BERNARD	-	-	42	-	11	2	5	-	-	-	-	-	-	-	-	-	-	4
ST. CHARLES	-	-	94	-	2	4	-	-	-	-	-	-	-	-	-	-	-	1
ST. HELENA	-	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. JAMES	-	-	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. JOHN	-	-	68	-	1	4	-	-	-	-	-	-	-	-	-	1	-	1
ST. LANDRY	-	-	197	-	10	8	3	1	-	-	-	-	-	-	-	-	-	1
Opelousas*	-	-	102	-	5	3	1	-	-	-	-	-	-	-	-	-	-	1
Eunice*	-	-	21	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. MARTIN	-	-	130	-	16	4	-	-	-	-	-	-	-	-	-	-	-	3
ST. MARY	-	-	131	-	16	4	7	-	-	-	-	1	-	-	-	-	-	-
Morgan City*	-	-	41	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
ST. TAMMANY	-	-	218	-	8	15	-	-	-	-	-	-	-	-	-	-	-	-
Slidell*	-	-	76	-	3	8	-	-	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	-	-	253	-	7	3	1	-	-	-	-	-	-	-	-	-	-	1
Hammond*	-	-	108	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	-	451	-	53	16	8	-	-	-	-	-	-	-	-	-	-	3
Houma*	-	-	314	-	32	10	5	-	-	-	-	-	-	-	-	-	-	2
UNION	-	-	88	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-
VERMILION	-	-	80	-	4	5	1	-	-	-	-	1	-	-	-	-	-	-
Abbeville*	-	-	60	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	-	-	217	-	8	7	4	-	-	-	-	-	-	-	-	-	-	2
WASHINGTON	-	-	79	-	4	5	-	-	-	-	-	-	-	-	-	-	-	2
Bogalusa*	-	-	38	-	2	5	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	-	-	246	-	2	4	4	-	-	-	-	-	-	-	-	-	-	1
Minden*	-	-	165	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
WEST BATON ROUGE	-	-	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL	-	-	29	-	4	1	1	-	-	-	-	-	-	-	-	-	-	-
WEST FELICIANA	-	-	33	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	35	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	-	145	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1

* Cities are included in parish total.
** Not included in state total.

Table XXV
Reportable Diseases by Parish
Louisiana, 1982
(By Place of Residence)

PARISH AND CITIES Over 10,000	MUMPS	MYCOBACTERIOSIS, ATYPICAL	OPHTHALMIA NEONATORUM	PERTUSSIS (WHOOPING COUGH)	PLAGUE	POLIOMYELITIS, PARALYTIC	POLIOMYELITIS, NON-PARALYTIC	PSITTACOSIS	Q. FEVER	RABIES IN ANIMALS	RABIES IN MAN	RAT BITES	RAT BITE FEVER	RELAPSING FEVER	RHEUMATIC FEVER	ROCKY MOUNTAIN SPOTTED FEVER	RUBELLA	RUBELLA, CONGENITAL SYNDROME
TOTAL	6	89	-	24	-	-	-	1	1	32	-	1	-	-	-	2	1	-
ACADIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Crowley*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BIENVILLE	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
BOSSIER	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Bossier City*	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
CADDO	-	11	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
Shreveport*	-	10	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
CALCASIEU	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Lake Charles*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sulphur*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
CALDWELL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST BATON ROUGE	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Baton Rouge*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Iberia*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
JEFFERSON	-	16	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Kenner*	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gretna*	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Harahan*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westwego*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON DAVIS	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jennings*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Lafayette*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thibodaux*	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
LASALLE	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-
LINCOLN	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Ruston*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MADISON	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bastrop*	-	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-
NATCHITOCHES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Natchitoches*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	1	19	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUACHITA	-	4	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Monroe*	-	4	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
West Monroe	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
PLAQUEMINES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	1	2	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-
Alexandria*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
SABINE	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. BERNARD	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. CHARLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. JAMES	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. JOHN	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. LANDRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Opelousas*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eunice*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. MARTIN	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. MARY	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Morgan City*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. TAMMANY	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Slidell*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hammond*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Houma*	-	1	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abbeville*	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VERNON	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bogalusa*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Minden*	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST BATON ROUGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Cities are included in parish total.
** Not included in state total.

Table XXV
Reportable Diseases by Parish
Louisiana, 1982
(By Place of Residence)

PARISH AND CITIES Over 10,000	SALMONELLOSIS, INCLUDES PARATYPHOID FEVER	SHIGELLOSIS (DYSENTERY-BACILLARY)	SMALLPOX	SYPHILIS	TETANUS	TOXOPLASMOSIS	TRACHOMA	TRICHINOSIS	TUBERCULOSIS, PULMONARY	TUBERCULOSIS, OTHER FORMS	TULAREMIA	TYPHOID FEVER	TYPHUS FEVER, ENDEMIC	TYPHUS FEVER, EPIDEMIC	UNDERNUTRITION, SEVERE	VISCERAL LARVA MIGRANS	YELLOW FEVER
TOTAL	222	114	-	3641	7	-	-	1	398	73	4	4	-	-	6	-	-
ACADIA	10	1	-	32	-	-	-	-	6	2	-	-	-	-	-	-	-
Crowley*	4	1	-	17	-	-	-	-	3	1	-	-	-	-	-	-	-
ALLEN	1	-	-	4	-	-	-	-	4	-	-	-	-	-	-	-	-
ASCENSION	4	-	-	15	-	-	-	-	4	-	-	-	-	-	-	-	-
ASSUMPTION	2	2	-	13	-	-	-	-	2	-	-	-	-	-	-	-	-
AVOYELLES	1	-	-	3	-	-	-	-	6	1	-	-	-	-	-	-	-
BEAUREGARD	-	5	-	8	-	-	-	-	2	-	-	-	-	-	-	-	-
BIENVILLE	-	-	-	4	-	-	-	-	1	1	-	-	-	-	-	-	-
BOSSIER	6	5	-	68	-	-	-	-	3	3	-	-	-	-	-	-	-
Bossier City*	3	3	-	31	-	-	-	-	1	2	-	-	-	-	-	-	-
CADDO	14	25	-	404	1	-	-	-	26	5	-	-	-	-	-	-	-
Shreveport*	9	16	-	388	1	-	-	-	24	3	-	-	-	-	-	-	-
CALCASIEU	5	2	-	142	-	-	-	-	16	-	-	-	-	-	2	-	-
Lake Charles*	3	1	-	112	-	-	-	-	12	-	-	-	-	-	2	-	-
Sulphur*	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	6	-	-	-	-	1	-	-	-	-	-	-	-	-
CAMERON	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	1	-	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	3	-	-	-	-	4	-	1	-	-	-	-	-	-
CONCORDIA	-	1	-	3	-	-	-	-	1	-	-	-	-	-	1	-	-
DESOTO	-	-	-	13	-	-	-	-	3	-	-	-	-	-	-	-	-
EAST BATON ROUGE	9	1	-	335	-	-	-	-	17	4	-	-	-	-	-	-	-
Baton Rouge*	7	1	-	296	-	-	-	-	15	4	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	23	-	-	-	-	1	-	-	-	-	-	-	-	-
EAST FELICIANA	-	-	-	23	-	-	-	-	2	-	-	-	-	-	-	-	-
EVANGELINE	-	-	-	5	-	-	-	-	6	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	3	-	-	-	-	3	2	-	-	-	-	-	-	-
GRANT	-	-	-	5	-	-	-	-	2	-	-	-	-	-	-	-	-
IBERIA	8	2	-	45	1	-	-	-	4	-	-	-	-	-	-	-	-
New Iberia*	5	1	-	17	-	-	-	-	4	-	-	-	-	-	-	-	-
IBERVILLE	1	-	-	13	-	-	-	-	1	2	-	-	-	-	-	-	-
JACKSON	1	-	-	8	-	-	-	-	1	-	-	-	-	-	-	-	-
JEFFERSON	22	3	-	228	-	-	-	-	31	9	-	-	-	-	-	-	-
Kenner*	4	2	-	37	-	-	-	-	2	-	-	-	-	-	-	-	-
Gretna*	1	-	-	27	-	-	-	-	5	-	-	-	-	-	-	-	-
Harahan*	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Westwego*	-	-	-	14	-	-	-	-	1	-	-	-	-	-	-	-	-
JEFFERSON DAVIS	-	-	-	17	-	-	-	-	3	-	-	-	-	-	-	-	-
Jennings*	-	-	-	7	-	-	-	-	1	-	-	-	-	-	-	-	-
LAFAYETTE	11	2	-	108	-	-	-	-	12	-	-	-	-	-	-	-	-
Lafayette*	6	1	-	98	-	-	-	-	7	-	-	-	-	-	-	-	-
LAFOURCHE	-	6	-	17	-	-	-	-	10	-	-	-	-	-	-	-	-
Thibodaux*	-	2	-	7	-	-	-	-	3	-	-	-	-	-	-	-	-
LASALLE	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	37	-	-	-	-	-	-	1	-	-	-	-	-	-
Ruston*	-	-	-	26	-	-	-	-	-	-	1	-	-	-	-	-	-
LIVINGSTON	2	2	-	8	-	-	-	-	4	2	-	-	-	-	1	-	-
MADISON	1	-	-	6	-	-	-	-	2	-	-	-	-	-	-	-	-
MOREHOUSE	2	-	-	24	-	-	-	-	5	1	-	-	-	-	-	-	-
Bastrop*	-	-	-	22	-	-	-	-	3	1	-	-	-	-	-	-	-
NATCHITOCHES	7	-	-	5	-	-	-	-	2	-	-	-	-	-	-	-	-
Natchitoches*	4	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	28	13	-	1397	-	-	-	1	95	26	-	-	-	-	-	-	-
OUACHITA	1	-	-	75	1	-	-	-	29	5	-	1	-	-	-	-	-
Monroe*	1	-	-	63	1	-	-	-	25	5	-	1	-	-	-	-	-
West Monroe	-	-	-	10	-	-	-	-	1	-	-	-	-	-	-	-	-
PLAQUEMINES	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	-	-	12	-	-	-	-	1	-	-	-	-	-	-	-	-
RAPIDES	4	3	-	106	1	-	-	-	14	1	-	1	-	-	-	-	-
Alexandria*	3	-	-	90	-	-	-	-	8	-	-	-	-	-	-	-	-
RED RIVER	-	-	-	12	-	-	-	-	1	-	-	-	-	-	-	-	-
RICHLAND	-	-	-	5	-	-	-	-	6	-	-	1	-	-	-	-	-
SABINE	1	-	-	10	-	-	-	-	4	-	-	-	-	-	-	-	-
ST. BERNARD	3	-	-	7	2	-	-	-	3	-	-	-	-	-	-	-	-
ST. CHARLES	1	-	-	14	-	-	-	-	1	2	-	-	-	-	-	-	-
ST. HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. JAMES	1	-	-	8	-	-	-	-	2	-	-	-	-	-	-	-	-
ST. JOHN	2	-	-	13	-	-	-	-	2	-	-	-	-	-	-	-	-
ST. LANDRY	10	1	-	44	-	-	-	-	10	2	-	-	-	-	-	-	-
Opelousas*	4	1	-	14	-	-	-	-	1	2	-	-	-	-	-	-	-
Eunice*	2	-	-	12	-	-	-	-	2	-	-	-	-	-	-	-	-
ST. MARTIN	1	-	-	22	-	-	-	-	1	-	-	-	-	-	-	-	-
ST. MARY	3	5	-	32	-	-	-	-	12	2	-	-	-	-	-	-	-
Morgan City*	2	2	-	10	-	-	-	-	5	1	-	1	-	-	-	-	-
ST. TAMMANY	8	5	-	29	1	-	-	-	-	-	-	-	-	-	-	-	-
Slidell*	2	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	8	4	-	43	-	-	-	-	6	-	-	-	-	-	-	-	-
Hammond*	4	2	-	17	-	-	-	-	1	-	-	-	-	-	2	-	-
TENSAS	1	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	12	18	-	27	-	-	-	-	7	1	-	-	-	-	-	-	-
Houma*	6	7	-	19	-	-	-	-	4	-	-	-	-	-	-	-	-
UNION	2	-	-	6	-	-	-	-	1	-	1	-	-	-	-	-	-
VERMILION	9	3	-	7	-	-	-	-	4	-	-	-	-	-	-	-	-
Abbeville*	3	3	-	4	-	-	-	-	4	-	-	-	-	-	-	-	-
VERNON	-	4	-	20	-	-	-	-	2	-	-	-	-	-	-	-	-
WASHINGTON	10	-	-	19	-	-	-	-	4	-	-	-	-	-	-	-	-
Bogalusa*	4	-	-	14	-	-	-	-	2	-	-	-	-	-	-	-	-
WEBSTER	3	-	-	32	-	-	-	-	3	2	1	-	-	-	-	-	-
Minden*	2	-	-	11	-	-	-	-	2	-	-	-	-	-	-	-	-
WEST BATON ROUGE	1	-	-	13	-	-	-	-	1	-	-	-	-	-	-	-	-
WEST CARROLL	4	1	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST FELICIANA	-	-	-	30	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* Cities are included in parish total.
** Not included in state total.

Table XXVI
Reportable Diseases by Race and Age
Louisiana, 1982

(By Occurrence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS											
					Under 1	1 – 4	5 – 9	10 – 14	15 – 19	20 – 24	25 – 34	35 – 44	45 – 54	55 – 64	65 and Over	Not Stated
Actinomycosis	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–
Amebiasis	5	0.1	W	3	–	–	–	–	1	1	–	–	–	–	1	–
			NW	1	–	–	–	1	–	–	–	–	–	–	–	–
			Unk	1	–	–	–	–	–	–	–	–	1	–	–	–
Anthrax	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–
Aseptic meningitis	143	3.3	W	82	12	2	12	11	4	6	9	1	2	–	–	23
			NW	35	1	8	5	3	3	3	6	1	2	1	1	1
			Unk	26	4	–	1	2	–	–	2	1	–	–	–	16
Blastomycosis	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–
Botulism	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–
Brucellosis (undulant fever)	13	0.3	W	10	–	–	–	–	1	1	2	1	1	–	2	2
			NW	2	–	–	–	–	–	–	–	–	–	1	–	1
			Unk	1	–	–	–	–	–	–	–	–	–	–	–	1
Cat scratch fever	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–
Chancroid	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–
Coccidioidomycosis	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyptococcosis	3	0.1	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	2	–	–	–	–	–	–	–	1	–	-1	–	–
			Unk	1	–	–	–	–	–	–	–	–	1	–	–	–
Dengue	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–
Echinococcosis (hydatid disease)	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis, arthropod-borne	5	0.1	W	3	–	–	–	1	–	–	–	–	1	–	–	1
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	2	–	–	–	–	1	–	1	–	–	–	–	–
Encephalitis, post-infectious	–	– –	W	–	–	–	–	–	–	–	–	–	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis, other and unspecified	27	0.6	W	21	–	1	2	2	2	–	3	2	–	2	1	6
			NW	3	–	1	–	–	1	–	–	–	–	–	–	1
			Unk	3	–	1	–	–	–	–	1	–	–	–	–	1
Food poisoning	2	0.0	W	2	–	–	–	–	–	–	–	2	–	–	–	–
			NW	–	–	–	–	–	–	–	–	–	–	–	–	–
			Unk	–	–	–	–	–	–	–	–	–	–	–	–	–

Table XXVI
Reportable Diseases by Race and Age
Louisiana, 1982
(By Occurrence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS											
					Under 1	1 - 4	5 - 9	10 - 14	15 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and Over	Not Stated
Glanders	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhea	24497	561.6	W	4170	1	1	1	26	904	1529	1157	207	34	10	-	300
			NW	19560	-	19	13	195	5179	7077	5022	589	100	33	12	1321
			Unk	767	-	1	-	5	122	138	107	13	3	1	-	377
Granuloma inguinale	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis, type A	781	17.9	W	547	-	20	49	45	54	75	114	29	14	11	8	128
			NW	190	-	5	17	30	26	19	41	11	5	5	2	29
			Unk	44	-	-	2	3	2	-	12	3	2	1	-	19
Hepatitis, type B	349	8.0	W	167	-	-	2	3	16	35	33	13	12	5	10	38
			NW	137	1	1	1	2	13	19	38	16	7	10	11	18
			Unk	45	-	1	-	-	6	8	8	4	3	4	-	11
Hepatitis, non A, non B	27	0.6	W	15	-	-	1	1	-	2	1	2	-	3	2	3
			NW	11	-	-	-	1	1	1	4	1	-	1	1	1
			Unk	1	-	-	-	-	-	-	-	-	-	-	1	-
Hepatitis, viral, type unspecified	288	6.6	W	159	-	1	9	9	14	29	41	16	8	5	3	24
			NW	97	1	2	8	2	8	15	26	7	10	-	3	15
			Unk	32	-	-	-	3	5	4	5	4	-	-	-	11
Histoplasmosis	2	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	2	-	1	-	-	-	-	-	-	-	-	1	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious mono-nucleosis	2	0.0	W	2	-	-	-	-	-	-	1	-	-	1	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Legionnaire's disease	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Leprosy	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Leptospirosis (Weil's Disease)	7	0.1	W	4	-	-	-	-	-	-	1	2	-	-	-	1
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	3	-	-	-	-	1	2	-	-	-	-	-	-
Listeriosis	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphocytic chorio-meningitis	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphopathia venereum	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	9	0.2	W	3	-	-	-	-	-	1	-	-	-	-	1	1
			NW	3	-	-	-	-	-	-	1	-	-	-	-	2
			Unk	3	-	-	-	-	-	1	-	-	-	-	-	2
Measles	16	0.4	W	13	-	1	2	7	-	-	1	-	-	-	-	2
			NW	3	-	-	-	3	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections	67	1.5	W	36	10	11	1	1	-	4	2	-	2	2	2	1
			NW	14	6	2	-	-	-	2	1	-	2	-	1	-
			Unk	17	3	6	1	-	-	1	1	-	-	1	2	2
Mumps	6	0.1	W	4	-	-	1	1	1	-	1	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	2	-	1	-	-	-	-	-	-	-	-	-	1

Table XXVI
Reportable Diseases by Race and Age
Louisiana, 1982
(By Occurrence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS											
					Under 1	1 - 4	5 - 9	10 - 14	15 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and Over	Not Stated
Mycobacteriosis, atypical	89	2.0	W	57	-	-	-	1	-	-	4	7	7	15	16	7
			NW	29	-	1	-	-	-	-	2	5	5	5	4	7
			Unk	3	-	-	-	-	-	-	-	1	-	1	1	-
Ophthalmia neonatorum	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Pertussis (whooping cough)	24	0.6	W	3	2	-	-	-	-	-	-	-	-	-	-	1
			NW	13	8	2	-	-	-	-	-	-	-	-	-	3
			Unk	8	3	2	-	-	-	-	-	-	-	-	-	3
Plague	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, paralytic	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, non-paralytic	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Psittacosis	1	0.0	W	1	-	-	-	-	-	-	-	-	-	1	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Q. Fever	1	0.0	W	1	-	-	-	-	-	-	-	1	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies in animals	22															
Rabies in man	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rat bite fever	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rat bites	1	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	-	-	-	-	-	-	1	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing fever	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Reyes syndrome	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky mountain spotted fever	2	0.0	W	2	-	-	1	-	1	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella	1	0.0	W	1	-	-	-	-	1	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella, congenital syndrome	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmonellosis (includes paratyphoid fever)	226	5.2	W	107	30	18	6	4	3	5	7	2	5	5	7	15
			NW	91	43	14	1	1	-	4	4	4	-	4	5	11
			UNK	28	11	3	1	-	-	1	2	-	-	1	1	8

Table XXVI
Reportable Diseases by Race and Age
Louisiana, 1982
(By Occurrence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS											
					Under 1	1 - 4	5 - 9	10 - 14	15 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and Over	Not Stated
Shigellosis (dysentery-bacillary)	114	2.6	W	54	1	13	5	2	8	6	5	3	1	1	2	7
			NW	44	3	16	8	-	2	2	5	-	-	2	3	3
			Unk	16	1	3	1	-	-	1	3	1	1	-	-	5
Smallpox	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	3642	83.5	W	400	-	-	-	-	31	101	138	78	24	4	2	22
			NW	3203	1	-	5	25	562	985	1038	279	78	46	15	169
			Unk	39	-	-	-	1	-	1	4	1	3	4	3	22
Tetanus	7	0.2	W	5	-	-	-	-	-	-	-	1	-	-	4	-
			NW	2	-	-	-	-	-	-	-	-	-	1	-	1
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxoplasmosis	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Trachoma	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	1	0.0	W	1	-	-	-	-	-	-	-	1	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, pulmonary	398	9.1	W	191	-	-	1	-	2	4	21	21	39	44	56	3
			NW	201	-	-	-	-	4	16	27	36	35	32	50	1
			Unk	6	-	-	-	-	-	-	2	2	1	1	-	-
Tuberculosis, other forms	73	1.7	W	27	-	7	3	-	-	-	3	1	2	5	4	2
			NW	45	1	13	7	-	1	1	5	8	4	2	2	1
			Unk	1	-	-	-	-	-	-	-	-	-	-	1	-
Tularemia	4	0.1	W	2	-	-	-	1	-	-	-	-	-	-	-	1
			NW	2	-	-	-	-	-	-	-	-	1	-	1	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid fever	4	0.1	W	3	-	-	-	2	-	-	-	1	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	1	-	-	-	-	-	-	-	-	-	-	-	1
Typhus fever, endemic	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus fever, epidemic	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Undernutrition, severe	6	0.1	W	1	-	-	-	-	-	-	-	-	-	-	-	1
			NW	4	2	-	-	-	-	-	-	-	-	-	-	2
			Unk	1	-	-	-	-	-	-	-	-	-	-	-	1
Visceral larva migrans	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellow fever	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE XXVII
MARRIAGES, FINAL DIVORCES AND ANNULMENTS GRANTED
LOUISIANA, 1982

PARISH	MARRIAGES		DIVORCES BY PARISH GRANTING DECREE	ANNULMENTS BY PARISH GRANTING DECREE
	BY PARISH OF ISSUE OF LICENSE	BY PARISH OF OCCURRENCE		
TOTAL	45485	45485	16734	23
ACADIA	550	613	226	-
ALLEN	261	250	102 *	- *
ASCENSION	633	595	197	-
ASSUMPTION	180	193	93 *	- *
AVOYELLES	401	420	NR	NR
BEAUREGARD	380	347	81 *	- *
BIENVILLE	-	87	76 *	1 *
BOSSIER	644	1144	434	1
CADDO	2822	2251	1362	-
CALCASIEU	2245	2186	950	1
CALDWELL	131	115	56	-
CAMERON	116	142	39	-
CATAHOULA	119	139	59 *	- *
CLAIBORNE	155	141	52	-
CONCORDIA	230	237	117	-
DESOTO	195	219	92 *	- *
E BATON ROUGE	4325	4049	1913 *	10 *
EAST CARROLL	77	84	25 *	- *
E FELICIANA	156	196	55	-
EVANGELINE	386	391	142 *	1 *
FRANKLIN	223	239	82 *	- *
GRANT	103	172	78	-
IBERIA	764	747	273 *	1 *
IBERVILLE	247	300	NR	NR
JACKSON	151	160	69 *	1 *
JEFFERSON	4874	4675	1942	-
JEFF DAVIS	368	346	44	-
LAFAYETTE	2062	1900	NR	NR
LAFOURCHE	964	899	334	-
LASALLE	163	170	69	-
LINCOLN	352	305	NR	NR
LIVINGSTON	636	768	NR	NR
MADISON	125	131	60 *	1 *
MOREHOUSE	287	301	131	-
NATCHITOCHES	360	356	163	-
ORLEANS	5550	5506	2255	-
OUACHITA	1439	1361	734	1
PLAQUEMINES	232	337	85	-
POINTE COUPEE	248	268	55 *	- *
RAPIDES	1569	1573	738	-
RED RIVER	160	127	72 *	- *
RICHLAND	193	187	66 *	- *
SABINE	171	192	108 *	- *
ST BERNARD	888	1043	418	-
ST CHARLES	441	438	154	-
ST HELENA	128	117	34 *	- *
ST JAMES	168	212	53	-
ST JOHN	364	365	136	-
ST LANDRY	855	911	288 *	- *
ST MARTIN	347	377	117	-
ST MARY	872	822	352 *	- *
ST TAMMANY	1254	1342	NR	NR
TANGIPAHOA	928	983	275	-
TENSAS	44	53	NR	NR
TERREBONNE	1143	1186	736	-
UNION	1	50	77 *	- *
VERMILION	542	576	33	-
VERNON	772	838	75 *	2 *
WASHINGTON	463	462	204 *	2 *
WEBSTER	429	401	154	-
W BATON ROUGE	265	186	63 *	1 *
WEST CARROLL	110	119	34	-
W FELICIANA	84	96	40 *	- *
WINN	140	139	41 *	- *
UNKNOWN	-	11	21	-
OUT OF STATE	-	19	-	-

* SUMMARY REPORT
"NR" NO DIVORCE OR ANNULMENT DATA REPORTED BY CLERK OF COURT

VITAL
STATISTICS
OF
LOUISIANA

TABLE XXVIII
MARRIAGES BY MONTH OF OCCURRENCE
LOUISIANA, 1982

MONTH	NUMBER	PERCENT	DAILY AVERAGE
TOTAL	45485	100.0	125
JANUARY	3030	6.7	98
FEBRUARY	3141	6.9	112
MARCH	3095	6.8	100
APRIL	3815	8.4	127
MAY	4376	9.6	141
JUNE	4812	10.6	160
JULY	4479	9.8	144
AUGUST	4147	9.1	134
SEPTEMBER	3400	7.5	113
OCTOBER	3655	8.0	118
NOVEMBER	3540	7.8	118
DECEMBER	3935	8.7	127
UNKNOWN	60	0.1	

TABLE XXIX
MARRIAGES BY RACE OF GROOM AND RACE OF BRIDE
LOUISIANA, 1982

RACE OF GROOM	TOTAL	RACE OF BRIDE							
		WHITE	BLACK	AMERICAN INDIAN	CHINESE	JAPANESE	FILIPINO	OTHER	UNKNOWN
TOTAL	45485	35410	9713	41	30	7	27	216	41
WHITE	35360	35135	99	29	9	7	22	39	20
BLACK	9784	160	9603	3	1	-	2	9	6
AMERICAN INDIAN	59	50	1	8	-	-	-	-	-
CHINESE	34	7	2	-	20	-	-	5	-
JAPANESE	6	4	1	-	-	-	-	1	-
FILIPINO	8	3	1	-	-	-	3	1	-
OTHER	198	35	1	1	-	-	-	161	-
UNKNOWN	36	16	5	-	-	-	-	-	15

TABLE XXX
MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM
LOUISIANA, 1982

PREVIOUS MARITAL STATUS OF GROOM	TOTAL	PREVIOUS MARITAL STATUS OF BRIDE				
		NEVER MARRIED	WIDOWED	DIVORCED	MARRIAGE ANNULLED	UNKNOWN
TOTAL	45485	27424	1401	12279	38	4343
NEVER MARRIED	27079	22573	218	4132	13	143
WIDOWED	1136	173	447	508	3	5
DIVORCED	13006	4586	727	7595	18	80
MARRIAGE ANNULLED	21	7	2	7	4	1
UNKNOWN	4243	85	7	37	-	4114

TABLE XXXI
MARRIAGES BY AGE OF GROOM AND AGE OF BRIDE
LOUISIANA, 1982

AGE OF GROOM	TOTAL	AGE OF BRIDE															
		UNDER 15	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	45485	109	387	1075	2196	3904	3903	3695	3487	3216	2835	2267	2135	1758	1567	1427	1182
LT 15	18	-	-	-	1	3	4	1	1	4	2	1	-	-	-	1	-
15	11	-	1	5	1	2	-	-	-	-	1	-	-	-	-	-	-
16	94	3	15	23	29	13	7	3	-	-	-	1	-	-	-	-	-
17	482	23	63	107	125	83	47	10	8	6	5	1	2	1	-	-	-
18	1693	25	103	239	419	492	197	99	40	23	16	10	5	4	1	1	4
19	2595	21	81	247	443	690	518	241	111	79	45	23	16	20	11	9	4
20	3241	6	47	172	367	720	700	528	293	123	79	57	36	22	21	16	12
21	3402	14	29	88	246	537	670	606	455	264	145	73	75	54	36	24	22
22	3415	4	11	61	208	419	474	548	555	458	212	136	83	56	42	36	25
23	3169	3	9	37	105	276	352	438	468	463	395	174	138	76	60	48	33
24	2993	3	8	27	82	181	254	326	366	424	378	300	185	114	98	72	46
25	2587	4	7	20	46	122	177	208	272	343	339	302	209	143	91	67	58
26	2326	1	2	18	30	91	130	170	212	237	235	240	265	191	124	97	63
27	1947	-	1	10	25	61	86	114	177	175	197	189	198	156	137	109	76
28	1724	2	2	1	15	48	71	97	116	127	144	148	175	152	152	117	70
29	1567	-	1	5	12	40	35	54	87	108	127	116	150	149	120	140	104
30-34	5260	-	2	8	23	70	116	152	220	233	331	313	380	379	403	397	373
35-39	3164	-	-	2	7	21	34	58	59	94	121	100	156	154	174	198	174
40-44	1812	-	1	1	2	9	14	18	23	30	32	41	32	46	56	60	54
45-49	1214	-	1	-	-	6	2	5	6	5	14	25	12	25	24	26	38
50-54	881	-	-	-	1	2	3	-	2	3	8	5	12	5	8	11	11
55-59	584	-	-	1	-	-	-	-	1	2	1	2	3	5	2	4	4
60-64	426	-	-	-	-	1	1	-	-	-	1	2	-	1	3	1	4
65-69	267	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1
70-74	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 +	130	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
UNK	300	-	3	3	9	17	10	19	15	15	7	8	3	4	4	2	5

TABLE XXXI (CONTINUED)
MARRIAGES BY AGE OF GROOM AND AGE OF BRIDE
LOUISIANA, 1982

AGE OF BRIDE											AGE OF GROOM
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 AND OVER	UNKNOWN	
4171	2225	1362	810	556	353	258	156	113	51	287	TOTAL
-	-	-	-	-	-	-	-	-	-	-	LT 15
-	1	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	16
1	-	-	-	-	-	-	-	-	-	-	17
7	-	-	1	-	-	-	-	-	-	7	18
14	7	1	-	-	-	-	-	-	-	14	19
24	7	1	-	-	-	-	-	-	-	10	20
37	9	3	-	-	-	-	1	-	-	14	21
52	13	4	1	-	-	-	1	-	-	16	22
71	16	1	1	-	-	-	-	-	-	5	23
91	18	4	-	1	1	-	-	-	-	14	24
132	28	7	1	2	1	-	-	-	-	8	25
154	42	8	2	1	2	-	-	-	-	11	26
171	46	11	3	-	-	-	-	-	-	5	27
194	70	12	-	2	-	-	-	-	-	9	28
232	62	15	3	4	-	-	-	-	-	3	29
1325	373	112	23	7	1	-	-	-	-	19	30-34
898	585	220	80	20	5	2	-	-	-	12	35-39
438	446	321	129	37	9	1	-	-	-	12	40-44
170	271	268	203	80	18	7	2	2	-	4	45-49
92	136	207	157	140	46	15	8	2	1	6	50-54
33	54	107	108	121	88	33	9	1	1	4	55-59
10	24	31	58	79	105	69	29	5	-	2	60-64
2	7	12	24	38	42	73	42	18	6	-	65-69
2	2	6	7	17	23	38	32	34	11	3	70-74
1	1	1	3	7	8	16	25	44	18	4	75 +
20	7	10	6	-	4	4	7	7	14	105	UNK

1983 DATA



TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	82394	82416	18.6			354	14808	28742	23545	11212	3187	520	24	24
				MW	25735	31	3632	9035	8161	3744	976	144	3	9
				FW	24356	38	3481	8552	7705	3545	896	124	8	7
				MNW	16402	130	3907	5666	3905	2009	642	132	7	4
				FNW	15923	155	3788	5489	3774	1914	673	120	6	4
ACADIA	728	1182	19.9			7	243	434	305	146	42	5	-	-
				MW	482	4	85	178	136	59	17	3	-	-
				FW	444	2	83	163	113	69	12	2	-	-
				MNW	140	-	44	52	29	11	4	-	-	-
				FNW	116	1	31	41	27	7	9	-	-	-
CROWLEY*	463	333	20.5			2	82	106	78	47	17	1	-	-
				MW	132	2	26	45	33	15	10	1	-	-
				FW	95	-	21	30	19	23	2	-	-	-
				MNW	55	-	19	16	13	5	2	-	-	-
				FNW	51	-	16	15	13	4	3	-	-	-
ALLEN	214	359	16.5			-	90	115	91	48	13	2	-	-
				MW	139	-	29	50	41	14	4	1	-	-
				FW	123	-	33	40	30	18	2	-	-	-
				MNW	52	-	15	13	10	9	4	1	-	-
				FNW	45	-	13	12	10	7	3	-	-	-
ASCENSION	18	1125	20.6			1	186	469	341	148	33	6	1	-
				MW	427	1	62	160	138	49	14	2	1	-
				FW	392	-	55	149	131	48	8	1	-	-
				MNW	163	-	42	50	39	26	4	2	-	-
				FNW	143	-	27	50	33	25	7	1	-	-
ASSUMPTION	5	448	18.7			1	100	157	119	39	26	5	1	-
				MW	135	-	28	47	41	12	5	1	1	-
				FW	120	-	17	44	41	9	7	2	-	-
				MNW	96	-	27	36	18	8	6	1	-	-
				FNW	97	1	28	30	19	10	8	1	-	-
AVOYELLES	240	763	17.9			1	168	287	186	89	25	7	-	-
				MW	239	-	43	87	67	31	9	2	-	-
				FW	231	-	42	93	66	22	5	3	-	-
				MNW	158	-	46	55	25	24	6	2	-	-
				FNW	135	1	37	52	28	12	5	-	-	-
BEAUREGARD	367	501	16.1			4	91	173	141	76	13	3	-	-
				MW	222	-	43	80	59	37	3	-	-	-
				FW	202	1	34	71	62	24	8	2	-	-
				MNW	38	-	7	14	10	7	-	-	-	-
				FNW	39	3	7	8	10	8	2	1	-	-
DE RIDDER*	368	185	16.5			3	36	55	55	30	5	1	-	-
				MW	63	-	14	19	17	13	-	-	-	-
				FW	58	-	9	20	21	5	3	-	-	-
				MNW	30	-	6	10	9	5	-	-	-	-
				FNW	34	3	7	6	8	7	2	1	-	-
BIENVILLE	-	295	18.1			2	81	109	72	25	6	-	-	-
				MW	68	-	12	28	23	4	1	-	-	-
				FW	73	-	20	25	20	6	2	-	-	-
				MNW	80	-	28	31	13	8	-	-	-	-
				FNW	74	2	21	25	16	7	3	-	-	-
BOSSIER	1524	1593	18.0			4	264	638	449	178	52	5	2	1
				MW	611	-	89	248	178	78	18	-	-	-
				FW	546	-	78	219	173	54	17	3	1	1
				MNW	230	4	47	92	54	26	5	2	-	-
				FNW	206	-	50	79	44	20	12	-	1	-
BOSSIER CITY*	1523	1060	20.0			4	166	436	303	110	36	3	1	1
				MW	411	-	61	170	122	45	13	-	-	-
				FW	382	-	57	158	116	36	12	1	1	1
				MNW	139	4	20	59	36	15	3	2	-	-
				FNW	128	-	28	49	29	14	8	-	-	-

(CONTINUED)

TABLE I-M

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
CADDO	7440	4879	18.6			31	1006	1641	1396	588	182	32	1	2
				MW	1285	3	171	447	445	161	48	9	-	1
				FW	1256	2	189	409	427	170	52	6	-	1
				MNW	1154	14	315	400	245	122	45	12	1	-
				FNW	1184	12	331	385	279	135	37	5	-	-
SHREVEPORT*	7440	4863	19.7			28	847	1334	1159	512	158	22	1	2
				MW	979	2	115	327	353	135	40	6	-	1
				FW	937	2	136	289	329	136	39	5	-	1
				MNW	1052	14	283	367	220	116	43	8	1	-
				FNW	1095	10	313	351	257	125	36	3	-	-
CALCASIEU	4236	3436	19.4			11	579	1224	1057	435	110	19	1	-
				MW	1265	2	194	447	413	164	40	5	-	-
				FW	1220	-	188	438	395	166	27	5	1	-
				MNW	484	3	109	167	122	55	22	6	-	-
				FNW	467	6	88	172	127	50	21	3	-	-
LAKE CHARLES*	3677	1496	19.7			4	265	503	471	187	56	10	-	-
				MW	377	-	55	111	137	60	13	1	-	-
				FW	377	-	57	129	131	47	12	1	-	-
				MNW	380	1	84	129	101	43	17	5	-	-
				FNW	362	3	69	134	102	37	14	3	-	-
SULPHUR*	540	442	21.6			3	73	149	149	59	7	2	-	-
				MW	197	-	28	71	70	23	4	1	-	-
				FW	213	-	36	69	72	33	2	1	-	-
				MNW	14	-	6	4	3	-	1	-	-	-
				FNW	18	3	3	5	4	3	-	-	-	-
CALDWELL	133	173	15.8			1	48	59	51	12	2	-	-	-
				MW	75	1	26	22	18	6	2	-	-	-
				FW	74	-	14	29	26	5	-	-	-	-
				MNW	9	-	4	1	4	-	-	-	-	-
				FNW	15	-	4	7	3	1	-	-	-	-
CAMERON	9	186	18.3			-	45	70	44	21	3	3	-	-
				MW	84	-	26	28	20	7	2	1	-	-
				FW	82	-	15	35	18	11	1	2	-	-
				MNW	12	-	1	5	4	2	-	-	-	-
				FNW	8	-	3	2	2	1	-	-	-	-
CATAHOULA	3	208	16.9			1	50	82	53	11	9	2	-	-
				MW	61	1	7	29	17	4	3	-	-	-
				FW	80	-	16	36	22	1	4	1	-	-
				MNW	28	-	13	6	7	2	-	-	-	-
				FNW	39	-	14	11	7	4	2	1	-	-
CLAIBORNE	68	257	14.0			4	65	90	61	24	9	4	-	-
				MW	57	-	8	23	22	4	-	-	-	-
				FW	46	-	3	16	15	9	3	-	-	-
				MNW	76	3	31	25	9	5	1	2	-	-
				FNW	78	1	23	26	15	6	5	2	-	-
CONCORDIA	314	396	16.8			4	95	140	110	33	13	1	-	-
				MW	112	-	22	41	36	9	3	1	-	-
				FW	108	1	18	43	35	10	1	-	-	-
				MNW	89	1	24	30	19	8	7	-	-	-
				FNW	87	2	31	26	20	6	2	-	-	-
DESOTO	2	501	18.6			13	106	176	128	63	13	2	-	-
				MW	122	-	17	51	37	16	1	-	-	-
				FW	129	-	23	56	28	18	2	2	-	-
				MNW	120	5	31	35	34	9	6	-	-	-
				FNW	130	8	35	34	29	20	4	-	-	-
E BATON ROUGE	11456	7232	18.6			25	971	2208	2446	1232	307	41	2	-
				MW	2074	1	166	599	792	403	101	12	-	-
				FW	2041	2	188	611	793	359	80	8	-	-
				MNW	1587	12	311	520	432	237	65	10	-	-
				FNW	1530	10	306	478	429	233	61	11	2	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BATON ROUGE*	11066	5424	22.5			22	814	1716	1743	859	232	36	2	-
				MW	1292	1	114	376	481	241	70	9	-	-
				FW	1302	1	136	410	481	213	54	7	-	-
				MNW	1443	11	283	484	394	206	56	9	-	-
				FNW	1387	9	281	446	387	199	52	11	2	-
BAKER*	-	295	21.6			2	39	116	85	43	10	-	-	-
				MW	124	-	11	54	40	16	3	-	-	-
				FW	109	1	16	48	31	11	2	-	-	-
				MNW	30	1	7	5	7	9	1	-	-	-
				FNW	32	-	5	9	7	7	4	-	-	-
EAST CARROLL	140	246	21.1			8	68	80	66	17	5	2	-	-
				MW	25	-	2	15	5	3	-	-	-	-
				FW	27	-	5	9	12	1	-	-	-	-
				MNW	100	6	28	31	26	4	3	2	-	-
				FNW	94	2	33	25	23	9	2	-	-	-
E FELICIANA	1	392	19.7			2	78	141	112	40	15	4	-	-
				MW	92	-	14	33	30	12	2	1	-	-
				FW	92	-	14	36	32	3	6	1	-	-
				MNW	102	1	32	30	19	14	4	2	-	-
				FNW	106	1	18	42	31	11	3	-	-	-
EVANGELINE	369	650	18.9			2	141	240	163	78	21	5	-	-
				MW	229	-	39	92	62	29	6	1	-	-
				FW	190	-	39	72	54	21	4	-	-	-
				MNW	111	1	34	35	22	12	6	1	-	-
				FNW	120	1	29	41	25	16	5	3	-	-
FRANKLIN	5	391	16.0			2	116	149	86	30	6	2	-	-
				MW	122	-	24	52	33	7	4	2	-	-
				FW	96	1	20	36	28	10	1	-	-	-
				MNW	77	1	28	27	11	10	-	-	-	-
				FNW	96	-	44	34	14	3	1	-	-	-
GRANT	1	264	15.0			-	66	102	64	24	8	-	-	-
				MW	109	-	21	47	31	8	2	-	-	-
				FW	102	-	29	37	19	11	6	-	-	-
				MNW	33	-	8	13	8	4	-	-	-	-
				FNW	20	-	8	5	6	1	-	-	-	-
IBERIA	1140	1499	21.6			2	235	554	438	197	63	8	1	1
				MW	494	1	62	169	172	67	22	1	-	-
				FW	479	-	58	182	144	71	21	1	1	1
				MNW	257	1	49	95	71	29	9	3	-	-
				FNW	269	-	66	108	51	30	11	3	-	-
NEW IBERIA*	1134	724	21.6			2	117	274	197	100	27	5	1	1
				MW	218	1	24	78	75	29	11	-	-	-
				FW	219	-	31	83	56	38	9	-	1	1
				MNW	138	1	27	53	37	14	3	3	-	-
				FNW	149	-	35	60	29	19	4	2	-	-
IBERVILLE	12	683	20.7			1	136	228	194	90	30	4	-	-
				MW	161	-	32	53	41	24	11	-	-	-
				FW	132	-	20	47	42	17	5	1	-	-
				MNW	181	1	44	51	50	28	6	1	-	-
				FNW	209	-	40	77	61	21	8	2	-	-
JACKSON	250	277	16.0			1	78	96	66	26	10	-	-	-
				MW	79	-	19	20	28	8	4	-	-	-
				FW	90	-	20	38	22	7	3	-	-	-
				MNW	55	1	19	16	12	6	1	-	-	-
				FNW	53	-	20	22	4	5	2	-	-	-
JEFFERSON	6769	8029	16.8			20	1094	2533	2629	1353	327	62	3	8
				MW	3025	1	348	909	1049	558	133	23	-	4
				FW	2865	1	311	871	1023	511	127	18	1	2
				MNW	1118	7	239	381	308	139	35	8	1	-
				FNW	1021	11	196	372	249	145	32	13	1	2

(CONTINUED)

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
KENNER*	6	1206	16.9			1	154	373	398	226	45	7	-	2
				MW	482	-	56	144	154	101	25	2	-	-
				FW	447	-	39	129	176	85	16	1	-	1
				MNW	135	-	31	47	28	25	3	1	-	-
				FNW	142	1	28	53	40	15	1	3	-	1
GRETNA*	4	749	36.7			3	123	266	234	89	28	4	1	1
				MW	251	1	38	90	77	34	10	1	-	-
				FW	264	-	44	90	87	31	9	2	1	-
				MNW	112	-	21	47	34	6	4	-	-	-
				FNW	122	2	20	39	36	18	5	1	-	1
HARAHAN*	1	47	4.1			-	3	16	22	4	2	-	-	-
				MW	23	-	2	7	11	2	1	-	-	-
				FW	22	-	1	9	10	1	1	-	-	-
				MNW	2	-	-	-	1	1	-	-	-	-
				FNW	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	1	307	24.1			3	85	123	72	14	9	1	-	-
				MW	98	-	19	44	27	4	3	1	-	-
				FW	89	-	25	37	21	4	2	-	-	-
				MNW	60	1	21	15	16	5	2	-	-	-
				FNW	60	2	20	27	8	1	2	-	-	-
JEFF DAVIS	250	630	19.1			2	126	240	165	74	19	4	-	-
				MW	257	-	41	115	68	21	11	1	-	-
				FW	223	1	55	74	58	28	5	2	-	-
				MNW	73	1	17	21	23	10	1	-	-	-
				FNW	77	-	13	30	16	15	2	1	-	-
JENNINGS*	206	228	18.2			1	42	86	67	25	7	-	-	-
				MW	99	-	20	38	28	9	4	-	-	-
				FW	62	1	11	24	19	6	1	-	-	-
				MNW	29	-	5	10	12	2	-	-	-	-
				FNW	38	-	6	14	8	8	2	-	-	-
LAFAYETTE	6522	3413	20.1			8	420	1094	1134	591	136	29	-	1
				MW	1278	-	123	400	450	239	55	11	-	-
				FW	1257	-	114	404	467	226	40	6	-	-
				MNW	447	3	86	148	111	69	20	9	-	1
				FNW	431	5	97	142	106	57	21	3	-	-
LAFAYETTE*	6505	1712	19.0			7	232	510	552	321	73	16	-	1
				MW	526	-	47	151	180	120	24	4	-	-
				FW	568	-	55	167	213	108	20	5	-	-
				MNW	311	3	63	96	79	50	13	6	-	1
				FNW	307	4	67	96	80	43	16	1	-	-
LAFOURCHE	1377	1742	19.7			11	325	655	478	208	51	13	1	-
				MW	711	-	124	274	210	82	17	4	-	-
				FW	691	6	124	255	199	83	21	3	-	-
				MNW	170	4	45	48	37	25	8	3	-	-
				FNW	170	1	32	78	32	18	5	3	1	-
THIBODAUX*	848	341	21.0			3	67	135	77	42	8	9	-	-
				MW	106	-	19	49	27	8	1	2	-	-
				FW	96	-	19	32	25	15	3	2	-	-
				MNW	70	2	17	25	11	10	2	3	-	-
				FNW	69	1	12	29	14	9	2	2	-	-
LASALLE	103	254	14.4			1	51	94	71	29	6	2	-	-
				MW	109	-	23	42	28	9	5	2	-	-
				FW	110	-	19	40	36	14	1	-	-	-
				MNW	14	-	5	5	2	2	-	-	-	-
				FNW	21	1	4	7	5	4	-	-	-	-
LINCOLN	366	623	14.9			5	125	232	155	82	21	3	-	-
				MW	197	-	30	77	49	32	8	1	-	-
				FW	146	-	14	60	40	24	8	-	-	-
				MNW	141	3	41	46	38	9	3	1	-	-
				FNW	139	2	40	49	28	17	2	1	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
RUSTON*	357	303	13.9			1	63	118	75	39	6	1	-	-
				MW	88	-	14	35	23	14	2	-	-	-
				FW	70	-	6	30	18	15	1	-	-	-
				MNW	72	1	20	24	21	4	1	1	-	-
				FNW	73	-	23	29	13	6	2	-	-	-
LIVINGSTON	6	1260	19.0			4	225	535	340	127	28	1	-	-
				MW	630	-	119	274	166	59	12	-	-	-
				FW	536	3	86	220	154	58	14	1	-	-
				MNW	50	-	12	22	10	5	1	-	-	-
				FNW	44	1	8	19	10	5	1	-	-	-
MADISON	55	286	18.0			- 2	81	89	72	31	9	2	-	-
				MW	43	-	8	13	15	7	-	-	-	-
				FW	33	-	9	11	6	6	1	-	-	-
				MNW	97	-	29	29	28	7	3	1	-	-
				FNW	113	2	35	36	23	11	5	1	-	-
TALLULAH*	54	231	20.3			1	66	74	60	21	7	2	-	-
				MW	27	-	5	10	9	3	-	-	-	-
				FW	16	-	5	4	4	3	-	-	-	-
				MNW	88	-	26	28	26	5	2	1	-	-
				FNW	100	1	30	32	21	10	5	1	-	-
MOREHOUSE	406	610	17.3			3	166	241	124	51	22	3	-	-
				MW	130	-	23	49	40	14	4	-	-	-
				FW	145	-	29	66	30	14	4	2	-	-
				MNW	190	3	66	76	29	9	6	1	-	-
				FNW	145	-	48	50	25	14	8	-	-	-
BASTROP*	406	290	19.0			1	78	118	57	23	11	2	-	-
				MW	44	-	10	17	11	5	1	-	-	-
				FW	62	-	13	26	15	5	1	2	-	-
				MNW	114	1	35	51	18	6	3	-	-	-
				FNW	70	-	20	24	13	7	6	-	-	-
NATCHITOCHES	456	656	16.1			3	114	255	162	96	24	2	-	-
				MW	180	-	21	81	50	24	3	1	-	-
				FW	165	-	19	69	49	21	7	-	-	-
				MNW	173	2	41	57	39	26	8	-	-	-
				FNW	138	1	33	48	24	25	6	1	-	-
NATCHITOCHES*	454	339	19.7			2	54	123	88	56	14	2	-	-
				MW	62	-	5	23	20	12	1	1	-	-
				FW	69	-	5	31	21	9	3	-	-	-
				MNW	115	2	24	35	31	17	6	-	-	-
				FNW	93	-	20	34	16	18	4	1	-	-
ORLEANS	15937	10412	18.4			41	2053	3274	2851	1566	539	80	4	4
				MW	1386	1	123	365	469	321	96	10	1	-
				FW	1320	-	137	316	463	290	101	13	-	-
				MNW	3960	15	894	1358	1000	497	163	27	3	3
				FNW	3746	25	899	1235	919	458	179	30	-	1
OUACHITA	4215	2385	16.8			21	467	874	623	303	86	11	-	-
				MW	670	-	80	255	218	90	23	4	-	-
				FW	711	3	103	276	200	107	19	3	-	-
				MNW	493	8	134	158	112	54	24	3	-	-
				FNW	511	10	150	185	93	52	20	1	-	-
MONROE*	3427	1193	20.4			15	285	400	280	156	52	5	-	-
				MW	198	-	25	56	76	30	10	1	-	-
				FW	217	1	34	71	60	44	6	1	-	-
				MNW	373	6	103	125	76	42	19	2	-	-
				FNW	405	8	123	148	68	40	17	1	-	-
WEST MONROE*	785	293	19.2			4	46	128	70	33	10	2	-	-
				MW	115	-	15	53	27	14	5	1	-	-
				FW	131	1	19	60	34	13	3	1	-	-
				MNW	27	1	7	11	5	2	1	-	-	-
				FNW	20	2	5	4	4	4	1	-	-	-

(CONTINUED)

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
PLAQUEMINES	8	590	21.7			3	97	246	146	60	22	6	-	-
				MW	283	2	32	83	58	18	7	3	-	-
				FW	283	1	30	88	52	24	7	1	-	-
				MNW	84	-	14	38	17	11	3	1	-	-
				FNW	90	-	21	37	19	7	5	1	-	-
POINTE COUPEE	147	468	18.7			1	72	172	127	71	20	5	-	-
				MW	135	-	18	48	44	20	4	1	-	-
				FW	115	-	19	44	32	17	3	-	-	-
				MNW	118	-	20	42	23	20	10	3	-	-
				FNW	100	1	15	38	28	14	3	1	-	-
RAPIDES	4179	2585	18.7			14	477	990	676	326	90	11	-	1
				MW	837	2	135	327	242	103	24	3	-	1
				FW	792	1	118	316	225	103	26	3	-	-
				MNW	491	5	118	159	118	65	24	2	-	-
				FNW	465	6	106	188	91	55	16	3	-	-
ALEXANDRIA*	2348	1214	23.2			10	257	469	283	154	36	5	-	-
				MW	247	1	37	107	66	31	3	2	-	-
				FW	256	-	39	106	69	35	6	1	-	-
				MNW	373	4	95	122	87	48	15	2	-	-
				FNW	338	5	86	134	61	40	12	-	-	-
PINEVILLE*	1778	330	26.7			2	59	127	91	32	15	4	-	-
				MW	127	1	25	49	36	12	4	-	-	-
				FW	120	-	21	47	35	11	5	1	-	-
				MNW	39	-	9	11	10	5	4	-	-	-
				FNW	44	1	4	20	10	4	2	3	-	-
RED RIVER	30	195	17.5			4	48	71	43	18	8	3	-	-
				MW	60	1	17	20	13	7	1	1	-	-
				FW	49	1	6	17	17	6	2	-	-	-
				MNW	38	-	13	16	4	2	2	1	-	-
				FNW	48	2	12	18	9	3	3	1	-	-
RICHLAND	158	416	18.3			5	105	139	96	45	21	4	1	-
				MW	99	-	12	35	31	16	5	-	-	-
				FW	100	-	20	41	18	16	5	-	-	-
				MNW	109	2	38	33	23	6	4	3	-	-
				FNW	108	3	35	30	24	7	7	1	1	-
SABINE	57	417	15.4			4	107	174	80	33	16	2	1	-
				MW	148	-	41	59	23	16	9	-	-	-
				FW	147	2	25	66	36	11	5	1	1	-
				MNW	58	-	21	23	8	3	2	1	-	-
				FNW	64	2	20	26	13	3	-	-	-	-
ST BERNARD	4	1077	15.9			2	184	395	317	144	28	6	-	1
				MW	509	1	85	176	163	70	12	1	-	1
				FW	478	1	70	191	132	66	13	5	-	-
				MNW	38	-	11	13	7	5	2	-	-	-
				FNW	52	-	18	15	15	3	1	-	-	-
ST CHARLES	105	888	21.6			3	133	313	270	137	28	2	-	2
				MW	327	-	34	112	114	53	12	1	-	1
				FW	305	-	40	97	103	56	8	-	-	1
				MNW	130	1	29	54	27	16	2	1	-	-
				FNW	126	2	30	50	26	12	6	-	-	-
ST HELENA	1	162	15.9			1	28	57	44	25	6	1	-	-
				MW	52	-	10	17	15	9	1	-	-	-
				FW	27	-	3	10	10	3	1	-	-	-
				MNW	34	-	7	11	8	6	1	1	-	-
				FNW	49	1	8	19	11	7	3	-	-	-
ST JAMES	84	458	20.8			3	77	168	108	76	21	4	1	-
				MW	111	-	14	47	26	18	5	1	-	-
				FW	98	-	11	44	27	15	1	-	-	-
				MNW	123	-	26	41	28	21	6	-	1	-
				FNW	126	3	26	36	27	22	9	3	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ST JOHN	243	940	25.0			1	126	344	280	163	24	2	-	-
				MW	277	-	28	93	97	51	7	1	-	-
				FW	314	-	27	131	101	51	4	-	-	-
				MNW	180	-	38	60	42	34	6	-	-	-
				FNW	169	1	33	60	40	27	7	1	-	-
ST LANDRY	1235	1782	20.3			8	330	660	470	220	84	10	-	-
				MW	526	1	78	205	155	66	19	2	-	-
				FW	469	2	79	177	130	64	15	2	-	-
				MNW	395	1	88	143	96	43	22	2	-	-
				FNW	392	4	85	135	89	47	28	4	-	-
OPELOUSAS*	954	471	24.4			3	91	176	119	55	23	4	-	-
				MW	79	1	6	33	24	13	2	-	-	-
				FW	76	-	12	23	28	11	2	-	-	-
				MNW	149	1	32	57	37	16	5	1	-	-
				FNW	167	1	41	63	30	15	14	3	-	-
EUNICE*	277	276	22.3			2	55	101	70	33	13	2	-	-
				MW	112	-	19	47	27	13	4	2	-	-
				FW	74	1	17	25	18	11	2	-	-	-
				MNW	52	-	14	15	14	4	5	-	-	-
				FNW	38	1	5	14	11	5	2	-	-	-
ST MARTIN	165	918	20.7			1	172	330	223	127	53	11	1	-
				MW	287	-	51	111	69	39	14	3	-	-
				FW	273	-	45	94	75	42	12	4	1	-
				MNW	181	1	39	74	30	22	14	1	-	-
				FNW	177	-	37	51	49	24	13	3	-	-
ST MARY	745	1420	21.2			4	288	549	382	135	51	10	-	1
				MW	463	2	80	184	138	37	19	3	-	-
				FW	431	-	91	155	126	41	14	3	-	1
				MNW	263	-	64	102	52	33	9	3	-	-
				FNW	263	2	53	108	66	24	9	1	-	-
MORGAN CITY*	455	357	22.0			-	72	135	98	36	15	1	-	-
				MW	124	-	25	49	30	13	7	-	-	-
				FW	112	-	24	36	36	12	3	1	-	-
				MNW	60	-	12	24	16	6	2	-	-	-
				FNW	61	-	11	26	16	5	3	-	-	-
ST TAMMANY	1506	2188	17.1			10	274	657	711	413	109	13	-	1
				MW	971	1	100	288	328	199	44	10	-	1
				FW	878	1	96	260	298	165	57	1	-	-
				MNW	178	5	36	68	39	25	4	1	-	-
				FNW	161	3	42	41	46	24	4	1	-	-
SLIDELL*	671	495	18.2			2	66	138	164	104	17	3	-	1
				MW	222	-	28	58	78	48	6	3	-	1
				FW	178	-	17	53	58	39	11	-	-	-
				MNW	39	-	7	17	9	6	-	-	-	-
				FNW	56	2	14	10	19	11	-	-	-	-
TANGIPAHOA	1872	1795	20.4			11	360	654	483	212	64	10	1	-
				MW	545	1	79	209	168	64	22	2	-	-
				FW	542	1	79	207	165	66	19	4	1	-
				MNW	368	5	111	123	63	52	11	3	-	-
				FNW	340	4	91	115	87	30	12	1	-	-
HAMMOND*	-	329	20.8			1	74	119	83	38	13	1	-	-
				MW	72	-	9	30	22	6	5	-	-	-
				FW	62	-	7	20	21	10	4	-	-	-
				MNW	101	1	28	39	15	15	2	1	-	-
				FNW	94	-	30	30	25	7	2	-	-	-
TENSAS	55	171	20.7			-	46	51	45	20	5	4	-	-
				MW	30	-	6	10	7	4	3	-	-	-
				FW	29	-	5	8	10	6	-	-	-	-
				MNW	48	-	16	12	13	5	-	2	-	-
				FNW	64	-	19	21	15	5	2	2	-	-

(CONTINUED)

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TERREBONNE	3519	2165	21.2			8	415	784	593	264	84	16	1	-
				MW	831	3	144	309	240	97	30	8	-	-
				FW	739	1	133	275	211	94	23	2	-	-
				MNW	291	2	66	106	64	35	15	2	1	-
				FNW	304	2	72	94	78	38	16	4	-	-
HOUMA*	1087	888	26.2			5	194	305	255	93	34	2	-	-
				MW	294	1	65	101	92	24	10	1	-	-
				FW	278	-	54	101	83	31	9	-	-	-
				MNW	146	2	38	51	30	18	7	-	-	-
				FNW	170	2	37	52	50	20	8	1	-	-
UNION	61	344	15.8			2	80	134	88	31	7	2	-	-
				MW	113	-	19	46	34	12	1	1	-	-
				FW	100	-	18	46	27	7	1	1	-	-
				MNW	71	2	21	26	11	8	3	-	-	-
				FNW	60	-	22	16	16	4	2	-	-	-
VERMILION	614	1002	19.1			3	176	378	293	108	39	5	-	-
				MW	429	-	80	164	128	39	17	1	-	-
				FW	386	-	63	138	123	45	16	1	-	-
				MNW	87	1	12	38	23	11	-	2	-	-
				FNW	100	2	21	38	19	13	6	1	-	-
ABBEVILLE*	279	309	24.8			2	66	97	87	43	11	3	-	-
				MW	108	-	23	29	36	16	3	1	-	-
				FW	71	-	17	19	22	8	5	-	-	-
				MNW	57	-	9	24	13	10	-	1	-	-
				FNW	73	2	17	25	16	9	3	1	-	-
VERNON	1246	1619	26.4			4	333	752	364	133	28	4	1	-
				MW	590	-	128	272	132	49	9	-	-	-
				FW	530	2	129	230	108	46	11	3	1	-
				MNW	251	-	39	122	64	22	4	-	-	-
				FNW	248	2	37	128	60	16	4	1	-	-
WASHINGTON	847	828	18.1			7	164	315	213	92	32	5	-	-
				MW	265	1	44	107	74	32	5	2	-	-
				FW	251	2	48	104	55	29	11	2	-	-
				MNW	157	1	41	48	40	15	12	-	-	-
				FNW	155	3	31	56	44	16	4	1	-	-
BOGALUSA*	752	261	15.4			2	57	97	62	37	6	-	-	-
				MW	78	-	10	31	24	13	-	-	-	-
				FW	75	-	19	29	15	11	1	-	-	-
				MNW	51	-	15	17	11	4	4	-	-	-
				FNW	57	2	13	20	12	9	1	-	-	-
WEBSTER	360	696	15.4			2	162	275	165	63	24	5	-	-
				MW	194	-	37	73	59	17	7	1	-	-
				FW	222	-	43	89	61	20	8	1	-	-
				MNW	133	1	40	57	25	7	2	1	-	-
				FNW	147	1	42	56	20	19	7	2	-	-
MINDEN*	311	254	17.0			2	59	100	54	28	8	3	-	-
				MW	58	-	9	21	19	7	1	1	-	-
				FW	53	-	11	22	15	4	1	-	-	-
				MNW	76	1	21	36	13	4	-	1	-	-
				FNW	67	1	18	21	7	13	6	1	-	-
W BATON ROUGE	5	413	20.5			-	60	163	135	39	14	2	-	-
				MW	141	-	17	52	53	14	5	-	-	-
				FW	108	-	10	46	42	7	2	1	-	-
				MNW	80	-	14	30	25	9	2	-	-	-
				FNW	84	-	19	35	15	9	5	1	-	-
WEST CARROLL	-	201	15.2			-	48	87	38	19	8	1	-	-
				MW	74	-	14	33	18	7	2	-	-	-
				FW	72	-	14	33	14	7	3	1	-	-
				MNW	30	-	12	12	3	1	2	-	-	-
				FNW	25	-	8	9	3	4	1	-	-	-

(CONTINUED)

TABLE I-A
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
W FELICIANA	8	171	12.9			1	31	55	51	25	6	2	-	-
				MW	40	-	5	13	18	3	1	-	-	-
				FW	34	-	4	11	11	8	-	-	-	-
				MNW	48	1	9	17	10	7	2	2	-	-
				FNW	49	-	13	14	12	7	3	-	-	-
WINN	3	281	16.0			3	62	111	61	32	11	-	-	1
				MW	93	-	20	42	17	12	2	-	-	-
				FW	87	-	14	38	23	8	4	-	-	-
				MNW	60	2	18	19	12	7	2	-	-	-
				FNW	41	1	10	12	9	5	3	-	-	1
OUT OF STATE**	870	848				-	151	311	236	113	32	5	-	-
				MW	374	-	53	131	119	50	17	4	-	-
				FW	342	-	57	136	87	49	13	-	-	-
				MNW	75	-	20	30	16	6	2	1	-	-
				FNW	57	-	21	14	14	8	-	-	-	-

*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1983

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	82394	82416	18.6			354	14808	28742	23545	11212	3187	520	24	24
				MW	25735	31	3632	9035	8161	3744	976	144	3	9
				FW	24356	38	3481	8552	7705	3545	896	124	8	7
				MNW	16402	130	3907	5666	3905	2009	642	132	7	4
				FNW	15923	155	3788	5489	3774	1914	673	120	6	4
SPD 1	24224	22286	17.6			76	3702	7165	6654	3536	1025	167	7	14
				MW	6094	6	688	1821	2067	1166	292	47	1	6
				FW	5744	4	644	1726	1968	1056	305	38	1	2
				MNW	5378	27	1194	1858	1371	677	207	37	4	3
				FNW	5070	39	1176	1700	1248	637	221	45	1	3
SPD 2	14373	14529	19.0			54	2311	4937	4486	2101	555	81	4	-
				MW	4562	4	566	1565	1539	689	178	20	1	-
				FW	4270	8	526	1485	1467	615	149	19	1	-
				MNW	2888	21	643	944	719	419	118	24	-	-
				FNW	2809	21	576	943	761	378	110	18	2	-
SPD 3	5333	6641	21.1			27	1176	2421	1848	887	234	42	4	2
				MW	2392	3	372	882	728	313	76	16	1	1
				FW	2267	7	352	846	682	308	64	7	-	1
				MNW	990	7	231	345	216	139	43	7	2	-
				FNW	992	10	221	348	222	127	51	12	1	-
SPD 4	11518	11866	20.3			35	2005	4139	3408	1602	489	83	2	3
				MW	4188	8	598	1303	1310	575	169	25	-	-
				FW	3929	4	572	1385	1232	579	134	19	2	2
				MNW	1881	8	416	687	434	230	84	21	-	1
				FNW	1868	15	419	664	432	218	102	18	-	-
SPD 5	5076	5112	18.7			17	931	1822	1498	654	158	31	1	-
				MW	1967	2	333	720	601	243	60	8	-	-
				FW	1850	2	325	658	563	247	43	11	1	-
				MNW	659	4	149	220	169	83	27	7	-	-
				FNW	636	9	124	224	165	81	28	5	-	-
SPD 6	6089	6370	19.2			28	1302	2558	1585	677	190	27	1	2
				MW	2150	3	399	887	570	225	57	8	-	1
				FW	2040	4	385	833	534	215	58	10	1	-
				MNW	1124	8	271	409	255	134	43	4	-	-
				FNW	1056	13	247	429	226	103	32	5	-	1
SPD 7	10303	10112	17.5			72	2079	3661	2711	1170	355	58	4	3
				MW	2922	4	443	1107	899	359	96	13	-	1
				FW	2779	5	420	1026	866	339	106	13	2	2
				MNW	2203	32	608	782	469	217	74	20	1	-
				FNW	2208	31	607	746	477	255	79	12	1	-
SPD 8	5478	5500	17.0			45	1303	1999	1355	585	181	31	1	-
				MW	1460	1	233	550	447	174	48	7	-	-
				FW	1477	4	257	593	393	186	37	7	-	-
				MNW	1279	23	395	421	272	110	46	12	-	-
				FNW	1284	17	418	435	243	115	50	5	1	-
HSA 1	29557	28927	18.3			103	4878	9526	8502	4423	1259	209	11	16
				MW	8486	9	1060	2703	2795	1479	368	63	2	7
				FW	8011	11	996	2572	2650	1364	369	45	1	3
				MNW	6368	34	1425	2203	1587	816	250	44	6	3
				FNW	6062	49	1397	2048	1470	764	272	57	2	3
HSA 2	30967	31507	19.4			106	5247	10998	9392	4357	1202	195	7	3
				MW	10717	14	1497	3788	3450	1507	407	53	1	-
				FW	10049	14	1423	3528	3262	1441	326	49	4	2
				MNW	5428	33	1208	1851	1322	732	229	52	-	1
				FNW	5313	45	1119	1831	1358	677	240	41	2	-
HSA 3	21870	21982	17.8			145	4683	8218	5651	2432	726	116	6	5
				MW	6532	8	1075	2544	1916	758	201	28	-	2
				FW	6296	13	1062	2452	1793	740	201	30	3	2
				MNW	4686	63	1274	1612	996	461	163	36	1	-
				FNW	4548	61	1272	1610	946	473	161	22	2	1

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1983

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
				TOTAL	ATTENDED BY			TOTAL	ATTENDED BY			MALE	FEMALE
					PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER		
TOTAL	82394	82416	18.6	50091	49718	234	139	32325	32061	135	129	42137	40279
ACADIA	728	1182	19.9	926	923	1	2	256	254	-	2	622	560
CROWLEY*	463	333	20.5	227	226	-	1	106	104	-	2	187	146
ALLEN	214	359	16.5	262	262	-	-	97	97	-	-	191	168
ASCENSION	18	1125	20.6	819	817	-	2	306	298	1	7	590	535
ASSUMPTION	5	448	18.7	255	255	-	-	193	188	-	5	231	217
AVOYELLES	240	763	17.9	470	469	-	1	293	293	-	-	397	366
BEAUREGARD	367	501	16.1	424	423	-	1	77	77	-	-	260	241
DE RIDDER*	368	185	16.5	121	120	-	1	64	64	-	-	93	92
BIENVILLE	-	295	18.1	141	141	-	-	154	152	1	1	148	147
BOSSIER	1524	1593	18.0	1157	1025	128	4	436	396	39	1	841	752
BOSSIER CITY*	1523	1060	20.0	793	681	108	4	267	227	39	1	550	510
CADDO	7440	4879	18.6	2541	2512	29	-	2338	2316	21	1	2439	2440
SHREVEPORT*	7440	4063	19.7	1916	1891	25	-	2147	2131	15	1	2031	2032
CALCASIEU	4236	3436	19.4	2485	2485	-	-	951	950	-	1	1749	1687
LAKE CHARLES*	3677	1496	19.7	754	754	-	-	742	741	-	1	757	739
SULPHUR*	540	442	21.6	410	410	-	-	32	32	-	-	211	231
CALDWELL	133	173	15.8	149	148	-	1	24	24	-	-	84	89
CAMERON	9	186	18.3	166	166	-	-	20	20	-	-	96	90
CATAHOULA	3	208	16.9	141	140	-	1	67	67	-	-	89	119
CLAIBORNE	68	257	14.0	103	103	-	-	154	152	1	1	133	124
CONCORDIA	314	396	16.8	220	220	-	-	176	176	-	-	201	195
DE SOTO	2	501	18.6	251	251	-	-	250	247	3	-	242	259
EAST BATON ROUGE	11456	7232	18.6	4115	4099	13	3	3117	3096	1	20	3661	3571
BATON ROUGE*	11066	5424	22.5	2594	2583	9	2	2830	2811	1	18	2735	2689
BAKER*	-	295	21.6	233	233	-	-	62	62	-	-	154	141
EAST CARROLL	140	246	21.1	52	52	-	-	194	190	2	2	125	121
EAST FELICIANA	1	392	19.7	184	184	-	-	208	208	-	-	194	198
EVANGELINE	369	650	18.9	419	419	-	-	231	230	-	1	340	310
FRANKLIN	5	391	16.0	218	217	-	1	173	172	-	1	199	192
GRANT	1	264	15.0	211	211	-	-	53	53	-	-	142	122
IBERIA	1140	1499	21.6	973	969	-	4	526	523	-	3	751	748
NEW IBERIA*	1134	724	21.6	437	434	-	3	287	286	-	1	356	368
IBERVILLE	12	683	20.7	293	290	1	2	390	379	1	10	342	341
JACKSON	250	277	16.0	169	169	-	-	108	108	-	-	134	143
JEFFERSON	6769	8029	16.8	5890	5867	10	13	2139	2136	2	1	4143	3886
KENNER*	6	1206	16.9	929	922	2	5	277	277	-	-	617	589
GRETNA*	4	749	36.7	515	512	3	-	234	234	-	-	363	386
HARAHAN*	1	47	4.1	45	45	-	-	2	2	-	-	25	22
WESTWEGO*	1	307	24.1	187	186	1	-	120	120	-	-	158	149

(CONTINUED)

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1983

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
				TOTAL	ATTENDED BY			TOTAL	ATTENDED BY			MALE	FEMALE
					PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER		
JEFFERSON DAVIS	250	630	19.1	480	480	-	-	150	150	-	-	330	300
JENNINGS*	206	228	18.2	161	161	-	-	67	67	-	-	128	100
LAFAYETTE	6522	3413	20.1	2535	2516	2	17	878	876	1	1	1725	1688
LAFAYETTE*	6505	1712	19.0	1094	1086	1	7	618	616	1	1	837	875
LAFOURCHE	1377	1742	19.7	1402	1394	-	8	340	334	1	5	881	861
THIBODAUX*	848	341	21.0	202	200	-	2	139	135	-	4	176	165
LA SALLE	103	254	14.4	219	218	-	1	35	35	-	-	123	131
LINCOLN	366	623	14.9	343	341	2	-	280	278	2	-	338	285
RUSTON*	357	303	13.9	158	157	1	-	145	144	1	-	160	143
LIVINGSTON	6	1260	19.0	1166	1159	1	6	94	94	-	-	680	580
MADISON	55	286	18.0	76	70	5	1	210	158	50	2	140	146
TALLULAH*	54	231	20.3	43	39	4	-	188	137	49	2	115	116
MOREHOUSE	406	610	17.3	275	275	-	-	335	335	-	-	320	290
BASTROP*	406	290	19.0	106	106	-	-	184	184	-	-	158	132
NATCHITOCHES	456	656	16.1	345	345	-	-	311	308	-	3	353	303
NATCHITOCHES*	454	339	19.7	131	131	-	-	208	205	-	3	177	162
ORLEANS	15937	10412	18.4	2706	2682	14	10	7706	7677	4	25	5346	5066
OUACHITA	4215	2385	16.8	1381	1380	-	1	1004	1004	-	-	1163	1222
MONROE*	3427	1193	20.4	415	414	-	1	778	778	-	-	571	622
WEST MONROE*	785	293	19.2	246	246	-	-	47	47	-	-	142	151
PLAQUEMINES	8	580	21.7	406	403	2	1	174	173	-	1	287	293
POINTE COUPEE	147	468	18.7	250	250	-	-	218	216	-	2	253	215
RAPIDES	4179	2585	18.7	1629	1624	-	5	956	951	1	4	1328	1257
ALEXANDRIA*	2348	1214	23.2	503	501	-	2	711	706	1	4	626	594
PINEVILLE*	1778	330	26.7	247	247	-	-	83	83	-	-	166	164
RED RIVER	30	195	17.5	109	109	-	-	86	86	-	-	98	97
RICHLAND	158	416	18.3	199	198	1	-	217	216	-	1	208	208
SABINE	57	417	15.4	295	294	1	-	122	120	-	2	206	211
ST BERNARD	4	1077	15.9	987	985	1	1	90	90	-	-	547	530
ST CHARLES	105	888	21.6	632	630	1	1	256	255	-	1	457	431
ST HELENA	1	162	15.9	79	78	1	-	83	83	-	-	86	76
ST JAMES	84	458	20.8	209	207	-	2	249	248	-	1	234	224
ST JOHN	243	940	25.0	591	590	-	1	349	349	-	-	457	483
ST LANDRY	1235	1782	20.3	995	991	2	2	787	786	-	1	921	861
OPELOUSAS*	954	471	24.4	155	154	-	1	316	316	-	-	228	243
EUNICE*	277	276	22.3	186	185	-	1	90	90	-	-	164	112
ST MARTIN	165	918	20.7	560	555	-	5	358	357	-	1	468	450
ST MARY	745	1420	21.2	894	891	-	3	526	522	-	4	726	694
MORGAN CITY*	455	357	22.0	236	236	-	-	121	119	-	2	184	173
ST TAMMANY	1506	2188	17.1	1849	1835	8	6	339	339	-	-	1149	1039
SLIDELL*	671	495	18.2	400	398	2	-	95	95	-	-	261	234

(CONTINUED)

TABLE II
LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1983

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
				TOTAL	ATTENDED BY			TOTAL	ATTENDED BY			MALE	FEMALE
					PHYSICIAN	MIDWIFE	OTHER		PHYSICIAN	MIDWIFE	OTHER		
TANGIPAHOA	1872	1795	20.4	1087	1084	2	1	708	708	-	-	913	882
HAMMOND*	-	329	20.8	134	133	1	-	195	195	-	-	173	156
TENSAS	55	171	20.7	59	57	2	-	112	112	-	-	78	93
TERREBONNE	3519	2165	21.2	1570	1562	1	7	595	591	-	4	1122	1043
HOUMA*	1087	888	26.2	572	569	-	3	316	313	-	3	440	448
UNION	61	344	15.8	213	213	-	-	131	130	-	1	184	160
VERMILION	614	1002	19.1	815	805	-	10	187	187	-	-	516	486
ABBEVILLE*	279	309	24.8	179	175	-	4	130	130	-	-	165	144
VERNON	1246	1619	26.4	1120	1107	2	11	499	489	1	9	841	778
WASHINGTON	847	828	18.1	516	514	2	-	312	312	-	-	422	406
BOGALUSA*	752	261	15.4	153	152	1	-	108	108	-	-	129	132
WEBSTER	360	696	15.4	416	413	1	2	280	277	2	1	327	369
MINDEN*	311	254	17.0	111	110	-	1	143	143	-	-	134	120
WEST BATON ROUGE	5	413	20.5	249	248	-	1	164	162	-	2	221	192
WEST CARROLL	-	201	15.2	146	146	-	-	55	54	1	-	104	97
WEST FELICIANA	8	171	12.9	74	74	-	-	97	96	-	1	88	83
WINN	3	281	16.0	180	178	1	1	101	101	-	-	153	128
OUT OF STATE**	870	848		716	703	12	1	132	129	1	2	449	399

*INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
TOTAL	82394	25788	24395	16353	15858
ACADIA	720	317	291	69	51
ACADIA-ST. LANDRY HOSPITAL	98	33	31	22	12
AMERICAN LEGION HOSPITAL	460	226	209	13	12
RAYNE BRANCH HOSPITAL	161	58	47	31	25
OUT OF HOSPITAL	9	-	4	3	2
ALLEN	214	85	76	26	27
ALLEN PARISH HOSPITAL	140	62	50	16	12
HUMANA HOSPITAL, OAKDALE	74	23	26	10	15
ASCENSION	18	2	4	6	6
EAST ASCENSION GENERAL HOSPITAL	7	2	2	1	2
PREVOST MEMORIAL HOSPITAL	1	-	-	1	-
OUT OF HOSPITAL	10	-	2	4	4
ASSUMPTION	5	-	-	2	3
OUT OF HOSPITAL	5	-	-	2	3
AVOYELLES	240	82	68	45	45
BUNKIE GENERAL HOSPITAL	99	39	31	13	16
HUMANA HOSPITAL-MARKSVILLE	137	42	37	29	29
OUT OF HOSPITAL	4	1	-	3	-
BEAUREGARD	367	157	162	17	31
BEAUREGARD MEMORIAL HOSPITAL	366	156	162	17	31
OUT OF HOSPITAL	1	1	-	-	-
BOSSIER	1524	643	613	133	135
U S AIR FORCE BASE HOSPITAL	576	190	221	83	82
BOSSIER MEDICAL CENTER	941	448	391	49	53
RIVERSIDE COMMUNITY HOSPITAL	1	1	-	-	-
OUT OF HOSPITAL	6	4	1	1	-
CADDO	7440	1932	1844	1835	1829
L.S.U. MEDICAL CENTER	4307	631	622	1534	1520
HIGHLAND HOSPITAL	458	213	198	24	23
DOCTORS HOSPITAL OF CADDO	79	16	19	25	19
PHYSICIANS AND SURGEONS HOSPITAL	274	69	85	64	56
T. E. SCHUMPERT HOSPITAL	1152	519	482	62	89
WILLIS KNIGHTON MEDICAL CENTER	1166	483	437	125	121
OUT OF HOSPITAL	4	1	1	1	1
CALCASIEU	4236	1601	1502	580	553
DEQUINCY GENERAL HOSPITAL	19	3	8	5	3
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	1434	489	485	308	312
LAKE CHARLES MEMORIAL HOSPITAL	1421	543	523	191	164
ST. PATRICKS HOSPITAL	815	367	339	57	52
WEST CALCASIEU-CAMERON HOSPITAL	539	279	223	16	21
OUT OF HOSPITAL	8	-	4	3	1
CALDWELL	133	37	41	21	34
CALDWELL MEMORIAL HOSPITAL	85	23	22	15	25
CITIZENS MEDICAL HOSPITAL	47	14	18	6	9
OUT OF HOSPITAL	1	-	1	-	-
CAMERON	9	5	3	1	-
SOUTH CAMERON MEMORIAL HOSPITAL	9	5	3	1	-
CATAHOULA	3	-	2	-	1
CATAHOULA PARISH HOSPITAL	1	-	-	-	1
OUT OF HOSPITAL	2	-	2	-	-
CLAIBORNE	68	18	9	20	21
HOMER MEMORIAL HOSPITAL	68	18	9	20	21
CONCORDIA	314	68	71	77	98
CONCORDIA PARISH HOSPITAL	313	68	71	77	97
OUT OF HOSPITAL	1	-	-	-	1
DESOTO	2	-	1	1	-
DESOTO GENERAL HOSPITAL	2	-	1	1	-

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
EAST BATON ROUGE	11456	3627	3398	2233	2198
BATON ROUGE GENERAL HOSPITAL	2	-	1	1	-
EARL K. LONG MEMORIAL HOSPITAL	3399	469	440	1241	1249
LANE MEMORIAL HOSPITAL	388	134	147	44	63
OUR LADY OF THE LAKE MEDICAL CENTER	1	-	1	-	-
WOMANS HOSPITAL	7621	3017	2805	930	869
OUT OF HOSPITAL	45	7	4	17	17
EAST CARROLL	140	7	6	64	63
EAST CARROLL PARISH HOSPITAL	134	7	6	61	60
OUT OF HOSPITAL	6	-	-	3	3
EAST FELICIANA	1	-	-	1	-
OUT OF HOSPITAL	1	-	-	1	-
EVANGELINE	369	115	82	89	83
HUMANA HOSPITAL-VILLE PLATTE	161	49	41	38	33
SAVOY MEMORIAL HOSPITAL	207	66	41	50	50
OUT OF HOSPITAL	1	-	-	1	-
FRANKLIN	5	1	2	1	1
FRANKLIN PARISH HOSPITAL	2	-	1	1	-
OUT OF HOSPITAL	3	1	1	-	1
GRANT	1	1	-	-	-
OUT OF HOSPITAL	1	1	-	-	-
IBERIA	1140	407	401	173	159
DAUTERIVE HOSPITAL INC.	509	226	204	47	32
IBERIA GENERAL HOSP AND MEDICAL CENTER	617	179	196	121	121
OUT OF HOSPITAL	14	2	1	5	6
IBERVILLE	12	1	1	4	6
RHODES SPEDALE GENERAL HOSPITAL	4	-	-	1	3
OUT OF HOSPITAL	8	1	1	3	3
JACKSON	250	34	24	103	89
JACKSON PARISH HOSPITAL	250	34	24	103	89
JEFFERSON	6769	2987	2839	506	437
EAST JEFFERSON GENERAL HOSPITAL	893	425	412	27	29
OCHSNER FOUNDATION HOSPITAL	603	255	242	58	48
LAKESIDE HOSPITAL	4014	1853	1727	231	203
WEST JEFFERSON GENERAL HOSPITAL	1221	440	440	188	153
OUT OF HOSPITAL	38	14	18	2	4
JEFFERSON DAVIS	250	119	98	11	22
JENNINGS AMERICAN LEGION HOSPITAL	206	105	78	8	15
WELSH GENERAL HOSPITAL	43	14	20	3	6
OUT OF HOSPITAL	1	-	-	-	1
LAFAYETTE	6522	2144	2083	1146	1149
UNIVERSITY MEDICAL CENTER	3166	693	643	913	917
LAFAYETTE GENERAL HOSPITAL	1590	654	640	149	147
ST. ANNS INFIRMARY	3	2	1	-	-
WOMANS HOSPITAL OF ACADIANA	1720	779	784	80	77
OUT OF HOSPITAL	43	16	15	4	8
LAFOURCHE	1377	633	594	76	74
LADY OF THE SEA HOSPITAL	120	57	57	2	4
ST. ANNE HOSPITAL	399	185	188	15	11
THIBODAUX GENERAL HOSPITAL	845	388	344	58	55
OUT OF HOSPITAL	13	3	5	1	4
LASALLE	103	47	41	6	9
HARDTNER MEDICAL CENTER	100	47	41	5	7
LASALLE GENERAL HOSPITAL	3	-	-	1	2
LINCOLN	366	160	154	22	30
LINCOLN GENERAL HOSPITAL	356	158	154	19	25
OUT OF HOSPITAL	10	2	-	3	5
LIVINGSTON	6	2	4	-	-
OUT OF HOSPITAL	6	2	4	-	-

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
MADISON	55	7	3	23	22
MADISON PARISH HOSPITAL	51	6	3	23	19
OUT OF HOSPITAL	4	1	-	-	3
MOREHOUSE	406	103	111	111	81
MOREHOUSE GENERAL HOSPITAL	401	102	111	109	79
OUT OF HOSPITAL	5	1	-	2	2
NATCHITOCHES	456	164	144	82	66
NATCHITOCHES PARISH HOSPITAL	452	164	142	81	65
OUT OF HOSPITAL	4	-	2	1	1
ORLEANS	15937	3083	2924	5082	4848
JO ELLEN SMITH MEMORIAL HOSPITAL	1	-	-	1	-
SOUTHERN BAPTIST HOSPITAL	2171	991	936	143	101
CHARITY HOSPITAL OF NEW ORLEANS	6744	603	568	2784	2789
CHILDRENS HOSPITAL	1	-	1	-	-
UNITED MEDICAL CENTER	472	2	6	234	230
F. EDWARD HEBERT HOSPITAL	1662	471	433	413	345
FLINT GOODRIDGE HOSP OF DILLARD UNIV	199	20	17	77	85
HOTEL DIEU HOSPITAL	930	178	175	302	275
PENDLETON MEMORIAL METHODIST HOSPITAL	1942	583	529	449	381
MERCY HOSPITAL	3	1	1	-	1
TOURO INFIRMARY	1295	169	191	486	449
TULANE MEDICAL CENTER HOSPITAL	442	48	52	172	170
OUT OF HOSPITAL	75	17	15	21	22
OUACHITA	4215	1173	1198	920	924
E. A. CONWAY HOSPITAL	2087	271	277	760	779
GLENWOOD HOSPITAL	784	341	353	49	41
NORTH MONROE COMMUNITY HOSPITAL	38	15	20	2	1
ST. FRANCIS HOSPITAL	1289	546	546	104	93
OUT OF HOSPITAL	17	-	2	5	10
PLAQUEMINES	8	4	1	2	1
PLAQUEMINES PARISH GENERAL HOSPITAL	4	1	-	2	1
OUT OF HOSPITAL	4	3	1	-	-
POINTE COUPEE	147	28	22	53	44
POINTE COUPEE GENERAL HOSPITAL	146	28	22	53	43
OUT OF HOSPITAL	1	-	-	-	1
RAPIDES	4179	1355	1328	785	711
RAPIDES GENERAL HOSPITAL	1318	564	516	124	114
WOODVIEW REGIONAL HOSPITAL	45	13	12	11	9
HUEY P. LONG CHARITY HOSPITAL	1776	327	355	573	521
ST. FRANCIS CABRINI HOSPITAL	1022	446	441	72	63
OUT OF HOSPITAL	18	5	4	5	4
RED RIVER	30	11	16	1	2
L. S. HUCKABAY MEMORIAL HOSPITAL	30	11	16	1	2
RICHLAND	158	65	62	17	14
RICHLAND PARISH HOSPITAL - URBAN	115	55	49	4	7
RICHLAND PARISH HOSPITAL - RURAL	41	10	13	11	7
OUT OF HOSPITAL	2	-	-	2	-
SABINE	57	15	13	16	13
SABINE MEDICAL CENTER	33	12	12	5	4
PLEASANT HILL GENERAL HOSPITAL	21	3	1	10	7
OUT OF HOSPITAL	3	-	-	1	2
ST.BERNARD	4	2	2	-	-
OUT OF HOSPITAL	4	2	2	-	-
ST.CHARLES	105	14	22	37	32
ST. CHARLES PARISH HOSPITAL	101	12	22	37	30
OUT OF HOSPITAL	4	2	-	-	2
ST. HELENA	1	-	1	-	-
OUT OF HOSPITAL	1	-	1	-	-

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ST. JAMES	84	22	28	18	16
ST. JAMES PARISH HOSPITAL	81	21	28	17	15
OUT OF HOSPITAL	3	1	-	1	1
ST. JOHN	243	91	94	26	32
RIVER PARISHES MEDICAL CENTER	241	90	93	26	32
OUT OF HOSPITAL	2	1	1	-	-
ST. LANDRY	1235	507	437	144	147
MOOSA MEMORIAL HOSPITAL	275	127	100	24	24
OPELOUSAS GENERAL HOSPITAL	953	378	336	118	121
OUT OF HOSPITAL	7	2	1	2	2
ST. MARTIN	165	49	61	24	31
GARY MEMORIAL HOSPITAL	103	28	41	17	17
ST. MARTIN INFIRMARY	56	20	17	6	13
OUT OF HOSPITAL	6	1	3	1	1
ST. MARY	745	284	262	112	87
FRANKLIN FOUNDATION HOSPITAL	284	84	93	59	48
LAKEWOOD HOSPITAL	455	199	167	52	37
OUT OF HOSPITAL	6	1	2	1	2
ST. TAMMANY	1506	662	592	150	102
HIGHLAND PARK HOSPITAL	335	114	117	64	40
ST. TAMMANY PARISH HOSPITAL	455	211	158	56	30
SLIDELL MEMORIAL HOSPITAL	670	312	298	29	31
OUT OF HOSPITAL	46	25	19	1	1
TANGIPAHOA	1872	552	516	400	404
HOOD MEMORIAL HOSPITAL	2	1	1	-	-
LALLIE KEMP CHARITY HOSPITAL	895	210	173	247	265
E. S. PIKE MEMORIAL HOSPITAL	1	-	-	-	1
SEVENTH WARD GENERAL HOSPITAL	969	341	338	153	137
OUT OF HOSPITAL	5	-	4	-	1
TENSAS	55	8	7	18	22
TENSAS MEMORIAL HOSPITAL	55	8	7	18	22
TERREBONNE	3519	1206	1094	583	636
SOUTH LOUISIANA MEDICAL CENTER	2413	708	632	511	562
TERREBONNE PARISH GENERAL HOSPITAL	1078	494	455	66	63
OUT OF HOSPITAL	28	4	7	6	11
UNION	61	15	16	18	12
UNION GENERAL HOSPITAL	59	15	16	18	10
OUT OF HOSPITAL	2	-	-	-	2
VERMILION	614	287	230	51	46
ABROM KAPLAN MEMORIAL HOSPITAL	310	156	132	11	11
ABBEVILLE GENERAL HOSPITAL	274	117	88	37	32
ERATH GENERAL HOSPITAL	19	9	4	3	3
OUT OF HOSPITAL	11	5	6	-	-
VERNON	1246	421	363	236	226
LEESVILLE GENERAL HOSPITAL	23	11	7	3	2
BAYNE JONES ARMY COMMUNITY HOSPITAL	1141	386	329	220	206
BYRD MEMORIAL HOSPITAL	75	22	26	10	17
OUT OF HOSPITAL	7	2	1	3	1
WASHINGTON	847	283	281	143	140
BOGALUSA COMMUNITY MEDICAL CENTER	255	120	108	12	15
RIVERSIDE MEDICAL CENTER	95	44	39	4	8
WASHINGTON-ST. TAMMANY HOSPITAL	495	119	134	126	116
OUT OF HOSPITAL	2	-	-	1	1
WEBSTER	360	140	151	31	38
HUMANA HOSPITAL-MINDEN	308	123	126	26	33
HUMANA HOSPITAL-SPRINGHILL	47	17	24	4	2
OUT OF HOSPITAL	5	-	1	1	3
WEST BATON ROUGE	5	-	1	-	4
OUT OF HOSPITAL	5	-	1	-	4

(CONTINUED)

TABLE III
LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
WEST FELICIANA	8	4	-	2	2
WEST FELICIANA PARISH HOSPITAL	3	2	-	-	1
OUT OF HOSPITAL	5	2	-	2	1
WINN	3	1	1	-	1
HUMANA HOSPITAL-WINN PARISH	1	-	-	-	1
OUT OF HOSPITAL	2	1	1	-	-

TABLE IV
CONGENITAL ANOMALIES SPECIFIED ON BIRTH CERTIFICATES
SHOWN BY TYPE OF ANOMALY AND AGE OF MOTHER
LOUISIANA RESIDENTS, 1983

CONGENITAL ANOMALY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & OVER	UNK
TOTAL	612	7	101	222	165	76	34	7	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES - (740)	7	-	1	2	3	1	-	-	-	-
SPINA BIFIDA - (741)	20	-	2	5	10	1	1	1	-	-
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM - (742)	14	-	2	6	4	2	-	-	-	-
CONGENITAL ANOMALIES OF EYE - (743)	6	-	1	4	1	-	-	-	-	-
CONGENITAL ANOMALIES OF EAR, FACE AND NECK - (744)	25	-	3	11	7	3	1	-	-	-
BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE - (745)	8	-	-	2	5	-	1	-	-	-
OTHER CONGENITAL ANOMALIES OF HEART - (746)	13	1	4	1	4	1	2	-	-	-
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM - (747)	10	1	1	4	2	1	1	-	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM - (748)	17	1	3	6	3	3	1	-	-	-
CLEFT PALATE AND CLEFT LIP - (749)	46	1	5	11	19	10	-	-	-	-
OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT - (750)	14	-	5	5	3	-	1	-	-	-
OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM - (751)	12	-	1	4	3	2	2	-	-	-
CONGENITAL ANOMALIES OF GENITAL ORGANS - (752)	56	1	10	21	12	9	1	2	-	-
CONGENITAL ANOMALIES OF URINARY SYSTEM - (753)	13	-	-	6	5	-	2	-	-	-
CERTAIN CONGENITAL MUSCULOSKELETAL DEFORMITIES - (754)	66	1	11	26	16	8	4	-	-	-
OTHER CONGENITAL ANOMALIES OF LIMBS - (755)	151	1	34	58	33	22	3	-	-	-
OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES - (756)	29	-	6	15	4	3	1	-	-	-
CONGENITAL ANOMALIES OF THE INTEGUMENT - (757)	30	-	3	16	6	3	-	2	-	-
CHROMOSOMAL ANOMALIES - (758)	29	-	2	7	10	2	7	1	-	-
OTHER AND UNSPECIFIED CONGENITAL ANOMALIES - (759)	38	-	6	10	11	5	5	1	-	-
CONDITIONS OTHER THAN (740-759) MENTIONED ON BIRTH CERTIFICATE	8	-	1	2	4	-	1	-	-	-

THIS IS NOT AN UNDUPLICATED COUNT,
MORE THAN ONE CONGENITAL ANOMALY WAS SHOWN ON SOME BIRTH CERTIFICATES.

TABLE V
IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
TOTAL	7150	1375	1534	1960	2281	1508	1409	4233
ACADIA	43	15	15	7	6	5	9	29
ACADIA-ST. LANDRY HOSPITAL	5	1	1	2	1	-	2	3
AMERICAN LEGION HOSPITAL	18	9	9	-	-	2	2	14
RAYNE BRANCH HOSPITAL	18	5	4	5	4	2	4	12
OUT OF HOSPITAL	2	-	1	-	1	1	1	-
ALLEN	9	2	3	1	3	-	1	8
ALLEN PARISH HOSPITAL	3	-	1	1	1	-	-	3
HUMANA HOSPITAL, OAKDALE	6	2	2	-	2	-	1	5
ASCENSION	5	1	-	3	1	1	2	2
EAST ASCENSION GENERAL HOSPITAL	3	1	-	1	1	1	1	1
PREVOST MEMORIAL HOSPITAL	1	-	-	1	-	-	1	-
OUT OF HOSPITAL	1	-	-	1	-	-	-	1
ASSUMPTION	2	-	-	-	2	1	1	-
OUT OF HOSPITAL	2	-	-	-	2	1	1	-
AVOYELLES	15	3	2	5	5	-	5	10
BUNKIE GENERAL HOSPITAL	8	2	1	3	2	-	2	6
HUMANA HOSPITAL-MARKSVILLE	7	1	1	2	3	-	3	4
BEAUREGARD	16	7	5	1	3	-	3	13
BEAUREGARD MEMORIAL HOSPITAL	16	7	5	1	3	-	3	13
BOSSIER	82	26	29	15	12	12	7	63
U S AIR FORCE BASE HOSPITAL	27	5	7	8	7	3	3	21
BOSSIER MEDICAL CENTER	54	20	22	7	5	8	4	42
OUT OF HOSPITAL	1	1	-	-	-	1	-	-
CADDO	759	123	137	231	268	185	137	437
L.S.U. MEDICAL CENTER	525	37	60	199	229	122	91	312
HIGHLAND HOSPITAL	17	8	6	1	2	4	2	11
DOCTORS HOSPITAL OF CADDO	10	3	-	4	3	1	-	9
PHYSICIANS AND SURGEONS HOSPITAL	18	3	2	7	6	1	3	14
T. E. SCHUMPERT HOSPITAL	116	51	42	9	14	41	24	51
WILLIS KNIGHTON MEDICAL CENTER	73	21	27	11	14	16	17	40
CALCASIEU	308	73	94	63	78	46	50	212
DEQUINCY GENERAL HOSPITAL	2	-	-	2	-	1	-	1
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	137	25	35	31	46	19	22	96
LAKE CHARLES MEMORIAL HOSPITAL	93	17	30	20	26	16	13	64
ST. PATRICKS HOSPITAL	43	15	17	6	5	6	6	31
WEST CALCASIEU-CAMERON HOSPITAL	31	16	12	3	-	3	9	19
OUT OF HOSPITAL	2	-	-	1	1	1	-	1
CALDWELL	4	1	-	2	1	-	2	2
CALDWELL MEMORIAL HOSPITAL	3	1	-	2	-	-	1	2
CITIZENS MEDICAL HOSPITAL	1	-	-	-	1	-	1	-
CLAIBORNE	5	1	-	1	3	-	1	4
HOMER MEMORIAL HOSPITAL	5	1	-	1	3	-	1	4
CONCORDIA	27	1	4	4	18	4	4	19
CONCORDIA PARISH HOSPITAL	27	1	4	4	18	4	4	19
EAST BATON ROUGE	991	191	214	272	314	242	200	549
EARL K. LONG MEMORIAL HOSPITAL	442	40	49	165	188	110	92	240
LANE MEMORIAL HOSPITAL	26	11	6	5	4	2	5	19
OUR LADY OF THE LAKE MEDICAL CENTER	1	-	1	-	-	-	-	1
WOMANS HOSPITAL	514	140	158	97	119	126	101	287
OUT OF HOSPITAL	8	-	-	5	3	4	2	2
EAST CARROLL	22	-	1	11	10	3	2	17
EAST CARROLL PARISH HOSPITAL	19	-	1	9	9	2	2	15
OUT OF HOSPITAL	3	-	-	2	1	1	-	2
EVANGELINE	40	9	5	11	15	4	7	29
HUMANA HOSPITAL-VILLE PLATTE	10	2	2	2	4	1	1	8
SAVOY MEMORIAL HOSPITAL	30	7	3	9	11	3	6	21

(CONTINUED)

TABLE V
INMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
FRANKLIN	1	-	-	1	-	-	-	1
FRANKLIN PARISH HOSPITAL	1	-	-	1	-	-	-	1
IBERIA	62	13	18	15	16	14	10	38
DAUTERIVE HOSPITAL INC.	24	8	7	6	3	5	4	15
IBERIA GENERAL HOSP AND MEDICAL CENTER	37	4	11	9	13	9	5	23
OUT OF HOSPITAL	1	1	-	-	-	-	1	-
IBERVILLE	2	-	-	1	1	-	1	1
RHODES SPEDALE GENERAL HOSPITAL	2	-	-	1	1	-	1	1
JACKSON	19	3	2	7	7	2	5	12
JACKSON PARISH HOSPITAL	19	3	2	7	7	2	5	12
JEFFERSON	447	153	184	57	53	114	88	245
EAST JEFFERSON GENERAL HOSPITAL	39	14	16	4	5	8	9	22
OCHSNER FOUNDATION HOSPITAL	93	28	30	22	13	48	19	26
LAKESIDE HOSPITAL	227	93	99	16	19	44	43	140
WEST JEFFERSON GENERAL HOSPITAL	87	17	39	15	16	14	17	56
OUT OF HOSPITAL	1	1	-	-	-	-	-	1
JEFFERSON DAVIS	9	3	4	1	1	2	3	4
JENNINGS AMERICAN LEGION HOSPITAL	7	2	3	1	1	2	2	3
WELSH GENERAL HOSPITAL	2	1	1	-	-	-	1	1
LAFAYETTE	606	136	133	153	184	136	131	339
UNIVERSITY MEDICAL CENTER	385	52	53	125	155	80	83	222
LAFAYETTE GENERAL HOSPITAL	110	35	34	16	25	32	25	53
WOMANS HOSPITAL OF ACADIANA	107	48	46	10	3	22	22	63
OUT OF HOSPITAL	4	1	-	2	1	2	1	1
LAFOURCHE	57	25	21	7	4	7	13	37
LADY OF THE SEA HOSPITAL	6	4	2	-	-	-	2	4
ST. ANNE HOSPITAL	13	5	5	2	1	2	3	8
THIBODAUX GENERAL HOSPITAL	37	16	14	5	2	5	8	24
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
LASALLE	10	5	1	1	3	3	2	5
HARDTNER MEDICAL CENTER	7	5	1	-	1	-	2	5
LASALLE GENERAL HOSPITAL	3	-	-	1	2	3	-	-
LINCOLN	20	6	7	3	4	4	1	15
LINCOLN GENERAL HOSPITAL	18	6	7	3	2	4	1	13
OUT OF HOSPITAL	2	-	-	-	2	-	-	2
LIVINGSTON	1	1	-	-	-	-	-	1
OUT OF HOSPITAL	1	1	-	-	-	-	-	1
MADISON	8	-	-	2	6	2	2	4
MADISON PARISH HOSPITAL	7	-	-	2	5	2	1	4
OUT OF HOSPITAL	1	-	-	-	1	-	1	-
MOREHOUSE	32	2	6	13	11	6	9	17
MOREHOUSE GENERAL HOSPITAL	32	2	6	13	11	6	9	17
NATCHITOCHES	20	6	3	4	7	3	2	15
NATCHITOCHES PARISH HOSPITAL	20	6	3	4	7	3	2	15
ORLEANS	1864	225	226	646	767	418	361	1085
SOUTHERN BAPTIST HOSPITAL	141	62	51	18	10	35	28	78
CHARITY HOSPITAL OF NEW ORLEANS	1029	71	77	391	490	257	209	563
UNITED MEDICAL CENTER	75	-	1	31	43	10	19	46
F. EDWARD HEBERT HOSPITAL	140	29	28	42	41	15	24	101
FLINT GOODRIDGE HOSP OF DILLARD UNIV	26	3	1	9	13	7	2	17
HOTEL DIEU HOSPITAL	101	9	14	33	45	14	18	69
PENDLETON MEMORIAL METHODIST HOSPITAL	163	40	36	40	47	36	23	104
TOURO INFIRMARY	119	5	7	56	51	21	21	77
TULANE MEDICAL CENTER HOSPITAL	62	5	9	23	25	22	17	23
OUT OF HOSPITAL	8	1	2	3	2	1	-	7

(CONTINUED)

TABLE V
INMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
OUACHITA	388	65	85	116	122	68	100	220
E. A. CONWAY HOSPITAL	260	21	27	103	109	42	67	151
GLENWOOD HOSPITAL	27	7	12	5	3	2	6	19
NORTH MONROE COMMUNITY HOSPITAL	2	-	2	-	-	-	-	2
ST. FRANCIS HOSPITAL	95	37	43	7	8	22	26	47
OUT OF HOSPITAL	4	-	1	1	2	2	1	1
POINTE COUPEE	12	2	-	4	6	1	5	6
POINTE COUPEE GENERAL HOSPITAL	12	2	-	4	6	1	5	6
RAPIDES	380	84	107	87	102	83	82	215
RAPIDES GENERAL HOSPITAL	82	25	38	8	11	17	14	51
WOODVIEW REGIONAL HOSPITAL	5	1	2	-	2	-	1	4
HUEY P. LONG CHARITY HOSPITAL	194	29	30	63	72	42	47	105
ST. FRANCIS CABRINI HOSPITAL	98	29	36	16	17	23	20	55
OUT OF HOSPITAL	1	-	1	-	-	1	-	-
RED RIVER	2	-	2	-	-	1	1	-
L. S. HUCKABAY MEMORIAL HOSPITAL	2	-	2	-	-	1	1	-
RICHLAND	7	1	3	2	1	-	-	7
RICHLAND PARISH HOSPITAL - URBAN	5	1	2	1	1	-	-	5
RICHLAND PARISH HOSPITAL - RURAL	2	-	1	1	-	-	-	2
SABINE	1	-	1	-	-	-	-	1
SABINE MEDICAL CENTER	1	-	1	-	-	-	-	1
ST.CHARLES	10	1	1	2	6	2	3	5
ST. CHARLES PARISH HOSPITAL	9	1	1	2	5	1	3	5
OUT OF HOSPITAL	1	-	-	-	1	1	-	-
ST. JAMES	6	-	1	3	2	2	1	3
ST. JAMES PARISH HOSPITAL	5	-	1	2	2	1	1	3
OUT OF HOSPITAL	1	-	-	1	-	1	-	-
ST. JOHN	14	2	4	3	5	-	2	12
RIVER PARISHES MEDICAL CENTER	13	2	3	3	5	-	2	11
OUT OF HOSPITAL	1	-	1	-	-	-	-	1
ST. LANDRY	79	25	24	12	18	6	19	54
MOOSA MEMORIAL HOSPITAL	20	10	8	1	1	1	5	14
OPELOUSAS GENERAL HOSPITAL	57	15	16	10	16	4	14	39
OUT OF HOSPITAL	2	-	-	1	1	1	-	1
ST. MARTIN	18	1	4	6	7	2	2	14
GARY MEMORIAL HOSPITAL	13	-	3	4	6	2	2	9
ST. MARTIN INFIRMARY	4	1	1	1	1	-	-	4
OUT OF HOSPITAL	1	-	-	1	-	-	-	1
ST. MARY	37	5	10	12	10	5	8	24
FRANKLIN FOUNDATION HOSPITAL	18	1	2	8	7	3	4	11
LAKEWOOD HOSPITAL	17	4	7	4	2	2	4	11
OUT OF HOSPITAL	2	-	1	-	1	-	-	2
ST. TAMMANY	64	19	30	8	7	13	9	42
HIGHLAND PARK HOSPITAL	27	6	13	2	6	2	2	23
ST. TAMMANY PARISH HOSPITAL	26	8	11	6	1	7	5	14
SLIDELL MEMORIAL HOSPITAL	11	5	6	-	-	4	2	5
TANGIPAHOA	162	24	40	46	52	26	29	107
HOOD MEMORIAL HOSPITAL	1	1	-	-	-	-	-	1
LALLIE KEMP CHARITY HOSPITAL	71	5	15	22	29	13	13	45
E. S. PIKE MEMORIAL HOSPITAL	1	-	-	-	1	-	-	1
SEVENTH WARD GENERAL HOSPITAL	88	18	25	24	21	13	16	59
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
TENSAS	3	1	-	1	1	1	1	1
TENSAS MEMORIAL HOSPITAL	3	1	-	1	1	1	1	1

(CONTINUED)

TABLE V
INMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
TERREBONNE	305	66	56	83	100	53	56	196
SOUTH LOUISIANA MEDICAL CENTER	255	49	41	78	87	42	45	168
TERREBONNE PARISH GENERAL HOSPITAL	45	17	15	4	9	9	9	27
OUT OF HOSPITAL	5	-	-	1	4	2	2	1
UNION	6	-	2	2	2	1	1	4
UNION GENERAL HOSPITAL	5	-	2	2	1	-	1	4
OUT OF HOSPITAL	1	-	-	-	1	1	-	-
VERMILION	36	14	10	6	6	8	10	18
ABROM KAPLAN MEMORIAL HOSPITAL	9	8	1	-	-	1	2	6
ABBEVILLE GENERAL HOSPITAL	26	6	8	6	6	7	8	11
ERATH GENERAL HOSPITAL	1	-	1	-	-	-	-	1
VERNON	55	9	18	12	16	11	6	38
LEESVILLE GENERAL HOSPITAL	1	-	1	-	-	-	-	1
BAYNE JONES ARMY COMMUNITY HOSPITAL	46	8	15	11	12	10	4	32
BYRD MEMORIAL HOSPITAL	8	1	2	1	4	1	2	5
WASHINGTON	56	21	13	12	10	9	8	39
BOGALUSA COMMUNITY MEDICAL CENTER	12	5	5	2	-	3	1	8
RIVERSIDE MEDICAL CENTER	7	4	3	-	-	2	2	3
WASHINGTON-ST. TAMMANY HOSPITAL	36	12	5	9	10	4	5	27
OUT OF HOSPITAL	1	-	-	1	-	-	-	1
WEBSTER	17	4	7	4	2	2	6	9
HUMANA HOSPITAL-MINDEN	13	3	6	2	2	1	5	7
HUMANA HOSPITAL-SPRINGHILL	4	1	1	2	-	1	1	2
WEST BATON ROUGE	3	-	1	-	2	-	1	2
OUT OF HOSPITAL	3	-	1	-	2	-	1	2
WEST FELICIANA	2	-	-	1	1	-	-	2
WEST FELICIANA PARISH HOSPITAL	1	-	-	-	1	-	-	1
OUT OF HOSPITAL	1	-	-	1	-	-	-	1
WINN	1	-	1	-	-	-	-	1
OUT OF HOSPITAL	1	-	1	-	-	-	-	1

TABLE VI
LIVE BIRTHS BY LIVE BIRTH ORDER BY WEIGHT OF CHILD
LOUISIANA RESIDENTS, 1983

BIRTH ORDER	TOTAL	WEIGHT IN POUNDS										PERCENT OF TOTAL LIVE BIRTHS
		THROUGH 2.5	OVER 2.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5	OVER 5.5 THROUGH 6.5	OVER 6.5 THROUGH 7.5	OVER 7.5 THROUGH 8.5	OVER 8.5 THROUGH 9.5	OVER 9.5	NOT STATED	IMMATURE BIRTHS	
TOTAL	82416	791	2108	4250	13719	27141	22853	9072	2433	49	7149	8.7
1	33332	354	853	1718	5745	11469	9132	3327	728	6	2925	8.8
2	26198	223	594	1275	4140	8485	7588	3033	839	21	2092	8.0
3	13326	117	358	644	2147	4285	3691	1588	487	9	1119	8.4
4	5406	57	146	305	924	1683	1445	635	204	7	508	9.4
5	2196	29	71	155	408	637	529	268	98	1	255	11.6
6	963	6	39	71	188	302	226	106	25	-	116	12.0
7	449	2	25	36	75	119	112	55	25	-	63	14.0
8	246	-	11	24	32	73	64	29	13	-	35	14.2
9	132	1	5	5	23	46	31	12	9	-	11	8.3
10	63	-	4	7	19	13	11	7	2	-	11	17.5
11	25	1	1	2	4	8	8	-	1	-	4	16.0
12	27	-	1	4	3	8	4	6	1	-	5	18.5
13	10	-	-	-	2	2	3	2	1	-	-	-
14	1	-	-	-	-	1	-	-	-	-	-	-
15	3	-	-	-	-	-	3	-	-	-	-	-
UNK.	39	1	-	4	9	10	6	4	-	5	5	12.8

TABLE VII
LIVE BIRTHS BY WEIGHT OF CHILD SHOWN BY SEX AND RACE
LOUISIANA RESIDENTS, 1983

WEIGHT IN POUNDS	TOTAL	PERCENT	WHITE				NONWHITE			
			MALE	PERCENT	FEMALE	PERCENT	MALE	PERCENT	FEMALE	PERCENT
0.5 OR LESS	17	0.0	3	0.0	1	0.0	5	0.0	8	0.1
OVER 0.5 THROUGH 1.5	280	0.3	51	0.2	51	0.2	91	0.6	87	0.5
OVER 1.5 THROUGH 2.5	494	0.6	99	0.4	83	0.3	163	1.0	149	0.9
OVER 2.5 THROUGH 3.5	700	0.8	136	0.5	124	0.5	222	1.4	218	1.4
OVER 3.5 THROUGH 4.5	1408	1.7	271	1.1	299	1.2	389	2.3	458	2.9
OVER 4.5 THROUGH 5.5	4250	5.2	811	3.2	965	4.0	1100	6.7	1374	8.6
OVER 5.5 THROUGH 6.5	13719	16.7	2838	11.0	3752	15.4	3107	19.0	4022	25.3
OVER 6.5 THROUGH 7.5	27141	33.0	7443	28.9	8442	34.7	5675	34.6	5581	35.1
OVER 7.5 THROUGH 8.5	22853	27.7	8475	32.9	7341	30.1	4018	24.5	3019	19.0
OVER 8.5 THROUGH 9.5	9072	11.0	4264	16.6	2692	11.1	1308	8.0	808	5.1
OVER 9.5	2433	3.0	1331	5.2	599	2.5	326	2.0	177	1.1
TOTAL(WITH WEIGHT STATED)	82367	100.0	25722	100.0	24349	100.0	16395	100.0	15901	100.0
WEIGHT NOT STATED	49	-	13	-	7	-	7	-	22	-
TOTAL	82416	-	25735	-	24356	-	16402	-	15923	-

PERCENT MAY NOT ADD DUE TO ROUNDING

TABLE VIII
LIVE BIRTHS BY BIRTH WEIGHT, AGE OF MOTHER, AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

AGE OF MOTHER AND RACE	TOTAL	BIRTH WEIGHT											
		499 GRAMS OR LESS	500-999 GRAMS	1000-1499 GRAMS	1500-1999 GRAMS	2000-2499 GRAMS	2500-2999 GRAMS	3000-3499 GRAMS	3500-3999 GRAMS	4000-4499 GRAMS	4500-4999 GRAMS	5000 GRAMS & OVER	NOT STATED
ALL RACES	82416	147	476	632	1394	4465	15038	30930	21824	6232	1096	133	49
UNDER 15 YEARS	354	1	5	11	16	39	81	135	54	10	2	-	-
15-19 YEARS	14808	35	119	176	351	1003	3284	5747	3278	704	96	7	8
20-24 YEARS	28742	52	158	201	451	1582	5534	11119	7358	1911	322	39	15
25-29 YEARS	23545	34	111	138	310	1075	3796	8688	6856	2113	368	41	15
30-34 YEARS	11212	21	64	77	176	531	1733	3989	3253	1113	220	29	6
35-39 YEARS	3187	4	16	24	74	194	508	1084	872	319	78	12	2
40-44 YEARS	520	-	2	4	14	37	95	155	141	57	10	5	-
45-49 YEARS	24	-	1	1	1	3	3	9	4	2	-	-	-
50 YEARS & OVER	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	24	-	-	-	1	1	4	4	8	3	-	-	3
WHITE	50091	44	183	225	562	1871	7281	18542	15498	4916	850	99	20
UNDER 15 YEARS	69	-	-	4	3	6	12	21	19	4	-	-	-
15-19 YEARS	7113	6	35	41	119	339	1205	2703	2050	533	75	6	1
20-24 YEARS	17587	14	66	72	172	657	2719	6764	5269	1559	260	29	6
25-29 YEARS	15866	15	47	64	132	515	2112	5804	5132	1715	288	33	9
30-34 YEARS	7289	8	29	31	93	264	940	2510	2378	847	166	21	2
35-39 YEARS	1872	1	4	11	34	73	249	663	549	224	55	8	1
40-44 YEARS	268	-	2	1	8	16	39	69	93	32	6	2	-
45-49 YEARS	11	-	-	1	1	1	2	5	1	-	-	-	-
50 YEARS & OVER	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	16	-	-	-	-	-	3	3	7	2	-	-	1
NONWHITE	32325	103	293	407	832	2594	7757	12388	6326	1316	246	34	29
UNDER 15 YEARS	285	1	5	7	13	33	69	114	35	6	2	-	-
15-19 YEARS	7695	29	84	135	232	664	2079	3044	1228	171	21	1	7
20-24 YEARS	11155	38	92	129	279	925	2815	4355	2089	352	62	10	9
25-29 YEARS	7679	19	64	74	178	560	1684	2884	1724	398	80	8	6
30-34 YEARS	3923	13	35	46	83	267	793	1479	875	266	54	8	4
35-39 YEARS	1315	3	12	13	40	121	259	421	323	95	23	4	1
40-44 YEARS	252	-	-	3	6	21	56	86	48	25	4	3	-
45-49 YEARS	13	-	1	-	-	2	1	4	3	2	-	-	-
50 YEARS & OVER	-	-	-	-	-	-	-	-	-	-	-	-	-
NOT STATED	8	-	-	-	1	1	1	1	1	1	-	-	2

TABLE IX
LIVE BIRTHS BY BIRTH ORDER SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

BIRTH ORDER	RACE	TOTAL	MOTHER'S AGE IN YEARS									PERCENT OF ALL LIVE BIRTHS	MEAN* AGE OF MOTHER
			UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK.		
TOTAL		82416	354	14808	28742	23545	11212	3187	520	24	24	100.0	24.6
	W	50091	69	7113	17587	15866	7289	1872	268	11	16	60.8	25.0
	NW	32325	285	7695	11155	7679	3923	1315	252	13	8	39.2	23.9
1		33332	346	11289	12847	6601	1885	319	34	1	10	40.4	21.9
	W	21835	66	5865	8992	5169	1479	231	24	1	8	26.5	22.7
	NW	11497	280	5424	3855	1432	406	88	10	-	2	13.9	20.5
2		26198	7	2830	10159	8913	3591	627	64	1	6	31.8	24.9
	W	16922	2	1092	6306	6436	2603	438	40	1	4	20.5	25.6
	NW	9276	5	1738	3853	2477	988	189	24	-	2	11.3	23.8
3		13326	1	578	4053	4886	2944	787	72	3	2	16.2	26.8
	W	7584	1	144	1865	3077	1918	530	46	2	1	9.2	27.6
	NW	5742	-	434	2188	1809	1026	257	26	1	1	7.0	25.8
4		5406	-	92	1211	1903	1522	587	88	1	2	6.6	28.5
	W	2495	-	8	353	857	881	338	56	1	1	3.0	29.7
	NW	2911	-	84	858	1046	641	249	32	-	1	3.5	27.4
5		2196	-	4	337	743	660	365	85	2	-	2.7	30.0
	W	783	-	1	53	230	267	187	45	-	-	1.0	31.6
	NW	1413	-	3	284	513	393	178	40	2	-	1.7	29.1
6		963	-	-	99	290	313	204	54	3	-	1.2	31.1
	W	263	-	-	10	73	86	74	18	2	-	0.3	32.4
	NW	700	-	-	89	217	227	130	36	1	-	0.8	30.6
7		449	-	-	19	125	144	117	44	-	-	0.5	32.5
	W	104	-	-	1	17	27	40	19	-	-	0.1	34.8
	NW	345	-	-	18	108	117	77	25	-	-	0.4	31.8
8		246	-	-	4	46	81	79	33	3	-	0.3	34.0
	W	52	-	-	1	2	17	20	10	2	-	0.1	36.0
	NW	194	-	-	3	44	64	59	23	1	-	0.2	33.5
9		132	-	-	1	24	42	48	15	2	-	0.2	34.2
	W	21	-	-	-	2	5	9	4	1	-	0.0	36.3
	NW	111	-	-	1	22	37	39	11	1	-	0.1	33.8
10		63	-	-	-	10	19	19	12	3	-	0.1	35.3
	W	9	-	-	-	2	4	1	1	1	-	0.0	34.2
	NW	54	-	-	-	8	15	18	11	2	-	0.1	35.5
11		25	-	-	-	-	5	12	7	1	-	0.0	37.8
	W	5	-	-	-	-	1	2	2	-	-	0.0	38.0
	NW	20	-	-	-	-	4	10	5	1	-	0.0	37.8
12		27	-	-	-	1	2	19	3	2	-	0.0	37.6
	W	4	-	-	-	-	-	2	2	-	-	0.0	39.5
	NW	23	-	-	-	1	2	17	1	2	-	0.0	37.2
13		10	-	-	-	-	-	2	6	2	-	0.0	42.0
	W	1	-	-	-	-	-	-	1	-	-	0.0	42.0
	NW	9	-	-	-	-	-	2	5	2	-	0.0	42.0
14		1	-	-	-	-	-	-	1	-	-	0.0	42.0
	W	-	-	-	-	-	-	-	-	-	-	-	-
	NW	1	-	-	-	-	-	-	1	-	-	0.0	42.0
15		3	-	-	-	-	-	1	2	-	-	0.0	40.3
	W	-	-	-	-	-	-	-	-	-	-	-	-
	NW	3	-	-	-	-	-	1	2	-	-	0.0	40.3
UNK.		39	-	15	12	3	4	1	-	-	4	0.0	21.9
	W	13	-	3	6	1	1	-	-	-	2	0.0	22.0
	NW	26	-	12	6	2	3	1	-	-	2	0.0	21.8

*MEAN AGE CALCULATED FROM GROUPED DATA AT MIDPOINT OF GROUP
PERCENT MAY NOT ADD DUE TO ROUNDING

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	20857	20892	253.5			331	8108	7385	3247	1287	444	80	3	7
				W	4115	53	1738	1414	582	229	73	21	1	4
				NW	16777	278	6370	5971	2665	1058	371	59	2	3
ACADIA	134	252	213.2			6	104	91	32	9	9	1	-	-
				W	107	5	41	39	12	5	4	1	-	-
				NW	145	1	63	52	20	4	5	-	-	-
ALLEN	49	70	195.0			-	40	17	6	6	1	-	-	-
				W	31	-	20	7	1	3	-	-	-	-
				NW	39	-	20	10	5	3	1	-	-	-
ASCENSION	12	217	192.9			1	91	80	25	17	3	-	-	-
				W	63	1	31	21	7	2	1	-	-	-
				NW	154	-	60	59	18	15	2	-	-	-
ASSUMPTION	3	106	236.6			1	44	34	15	6	6	-	-	-
				W	15	-	6	3	2	1	3	-	-	-
				NW	91	1	38	31	13	5	3	-	-	-
AVOYELLES	77	194	254.3			1	85	74	21	10	3	-	-	-
				W	30	-	13	14	1	2	-	-	-	-
				NW	164	1	72	60	20	8	3	-	-	-
BEAUREGARD	51	62	123.8			4	27	17	8	5	1	-	-	-
				W	32	1	16	8	4	2	1	-	-	-
				NW	30	3	11	9	4	3	-	-	-	-
BIENVILLE	-	91	308.5			2	46	28	12	3	-	-	-	-
				W	11	-	7	2	2	-	-	-	-	-
				NW	80	2	39	26	10	3	-	-	-	-
BOSSIER	88	305	191.5			4	114	112	51	15	7	2	-	-
				W	95	-	43	31	14	3	2	2	-	-
				NW	210	4	71	81	37	12	5	-	-	-
CADDO	2616	1591	326.1			31	652	545	233	88	36	6	-	-
				W	212	5	92	77	27	7	3	1	-	-
				NW	1379	26	560	468	206	81	33	5	-	-
CALCASIEU	822	660	192.1			11	266	233	99	35	13	3	-	-
				W	247	2	115	83	30	11	5	1	-	-
				NW	413	9	151	150	69	24	8	2	-	-
CALDWELL	59	31	179.2			1	15	10	5	-	-	-	-	-
				W	12	1	7	3	1	-	-	-	-	-
				NW	19	-	8	7	4	-	-	-	-	-
CAMERON	4	28	150.5			-	17	7	3	-	1	-	-	-
				W	22	-	14	5	2	-	1	-	-	-
				NW	6	-	3	2	1	-	-	-	-	-
CATAHOULA	2	50	240.4			-	30	9	9	-	1	1	-	-
				W	5	-	3	2	-	-	-	-	-	-
				NW	45	-	27	7	9	-	1	1	-	-
CLAIBORNE	34	97	377.4			4	49	27	12	3	1	1	-	-
				W	3	-	2	1	-	-	-	-	-	-
				NW	94	4	47	26	12	3	1	1	-	-
CONCORDIA	155	154	388.9			4	63	49	27	7	4	-	-	-
				W	18	1	8	5	2	2	-	-	-	-
				NW	136	3	55	44	25	5	4	-	-	-
DESOTO	-	155	309.4			13	64	41	29	6	2	-	-	-
				W	12	-	6	6	-	-	-	-	-	-
				NW	143	13	58	35	29	6	2	-	-	-
E BATON ROUGE	2576	1682	232.6			24	582	601	315	122	34	4	-	-
				W	258	3	86	97	57	13	1	1	-	-
				NW	1424	21	496	504	258	109	33	3	-	-

(CONTINUED)

ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
EAST CARROLL	104	155	630.1			8	60	49	29	6	2	1	-	-
				W	8	-	3	5	-	-	-	-	-	-
				NW	147	8	57	44	29	6	2	1	-	-
E FELICIANA	-	131	334.2			2	46	44	21	11	5	2	-	-
				W	13	-	6	3	1	3	-	-	-	-
				NW	118	2	40	41	20	8	5	2	-	-
EVANGELINE	134	158	243.1			2	64	55	19	13	5	-	-	-
				W	38	-	17	13	6	2	-	-	-	-
				NW	120	2	47	42	13	11	5	-	-	-
FRANKLIN	2	135	345.3			1	73	40	15	5	1	-	-	-
				W	12	-	7	3	1	1	-	-	-	-
				NW	123	1	66	37	14	4	1	-	-	-
GRANT	-	43	162.9			-	17	15	10	-	1	-	-	-
				W	16	-	7	8	-	-	1	-	-	-
				NW	27	-	10	7	10	-	-	-	-	-
IBERIA	179	330	220.1			2	118	124	52	26	6	1	-	1
				W	82	1	32	26	12	8	2	-	-	1
				NW	248	1	86	98	40	18	4	1	-	-
IBERVILLE	7	241	352.9			1	86	80	48	17	8	1	-	-
				W	25	-	12	6	5	1	1	-	-	-
				NW	216	1	74	74	43	16	7	1	-	-
JACKSON	138	70	252.7			1	37	25	5	1	1	-	-	-
				W	3	-	1	2	-	-	-	-	-	-
				NW	67	1	36	23	5	1	1	-	-	-
JEFFERSON	514	1399	174.2			16	567	488	208	94	17	5	2	2
				W	476	-	210	155	68	33	5	2	1	2
				NW	923	16	357	333	140	61	12	3	1	-
JEFF DAVIS	25	125	198.4			2	56	32	18	13	4	-	-	-
				W	61	1	34	16	6	2	2	-	-	-
				NW	64	1	22	16	12	11	2	-	-	-
LAFAYETTE	1486	594	174.0			8	212	229	94	37	10	3	-	1
				W	192	-	66	77	32	12	4	1	-	-
				NW	402	8	146	152	62	25	6	2	-	1
LAFOURCHE	74	310	178.0			10	115	122	28	23	6	5	1	-
				W	127	5	58	44	10	7	1	2	-	-
				NW	183	5	57	78	18	16	5	3	1	-
LASALLE	23	40	157.5			1	21	9	4	4	-	1	-	-
				W	20	-	12	4	2	1	-	1	-	-
				NW	20	1	9	5	2	3	-	-	-	-
LINCOLN	22	181	290.5			5	73	66	26	6	3	2	-	-
				W	18	-	8	6	4	-	-	-	-	-
				NW	163	5	65	60	22	6	3	2	-	-
LIVINGSTON	-	148	117.5			4	54	67	15	7	1	-	-	-
				W	95	3	41	39	9	2	1	-	-	-
				NW	53	1	13	28	6	5	-	-	-	-
MADISON	35	153	535.0			2	65	44	31	7	4	-	-	-
				W	8	-	5	1	1	1	-	-	-	-
				NW	145	2	60	43	30	6	4	-	-	-
MOREHOUSE	162	255	418.0			3	119	92	30	8	3	-	-	-
				W	22	-	12	8	2	-	-	-	-	-
				NW	233	3	107	84	28	8	3	-	-	-
NATCHITOCHES	84	185	282.0			2	67	66	31	15	4	-	-	-
				W	26	-	11	8	4	3	-	-	-	-
				NW	159	2	56	58	27	12	4	-	-	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ORLEANS	6252	4651	446.7			40	1671	1672	811	324	115	17	-	1
				W	312	1	105	105	57	29	12	3	-	-
				NW	4339	39	1566	1567	754	295	103	14	-	1
OUACHITA	1345	755	316.6			21	315	254	104	40	18	3	-	-
				W	112	3	45	38	15	8	3	-	-	-
				NW	643	18	270	216	89	32	15	3	-	-
PLAQUEMINES	1	115	198.3			3	38	49	16	6	3	-	-	-
				W	44	3	16	12	9	2	2	-	-	-
				NW	71	-	22	37	7	4	1	-	-	-
POINTE COUPEE	66	135	288.5			1	34	61	24	11	4	-	-	-
				W	13	-	4	6	2	1	-	-	-	-
				NW	122	1	30	55	22	10	4	-	-	-
RAPIDES	933	585	226.3			12	227	225	84	26	10	1	-	-
				W	123	1	50	49	18	5	-	-	-	-
				NW	462	11	177	176	66	21	10	1	-	-
RED RIVER	6	62	317.9			2	19	21	10	4	5	1	-	-
				W	11	-	1	4	5	-	1	-	-	-
				NW	51	2	18	17	5	4	4	1	-	-
RICHLAND	22	166	399.0			5	74	55	21	6	3	2	-	-
				W	13	-	5	5	1	1	1	-	-	-
				NW	153	5	69	50	20	5	2	2	-	-
SABINE	23	107	256.6			4	39	42	17	2	2	1	-	-
				W	27	2	7	12	5	-	1	-	-	-
				NW	80	2	32	30	12	2	1	1	-	-
ST BERNARD	1	121	112.3			2	64	33	16	4	1	1	-	-
				W	77	2	38	21	11	3	1	1	-	-
				NW	44	-	26	12	5	1	-	-	-	-
ST CHARLES	57	166	186.9			3	55	66	26	14	2	-	-	-
				W	49	-	17	16	10	6	-	-	-	-
				NW	117	3	38	50	16	8	2	-	-	-
ST HELENA	-	57	351.9			1	16	24	7	7	2	-	-	-
				W	7	-	2	4	1	-	-	-	-	-
				NW	50	1	14	20	6	7	2	-	-	-
ST JAMES	16	124	270.7			3	45	40	18	12	5	1	-	-
				W	13	-	8	3	1	1	-	-	-	-
				NW	111	3	37	37	17	11	5	1	-	-
ST JOHN	32	161	171.3			1	66	50	25	14	4	1	-	-
				W	22	-	13	4	5	-	-	-	-	-
				NW	139	1	53	46	20	14	4	1	-	-
ST LANDRY	155	439	246.4			7	169	155	70	24	13	1	-	-
				W	99	2	42	34	13	4	3	1	-	-
				NW	340	5	127	121	57	20	10	-	-	-
ST MARTIN	49	216	235.3			1	85	77	32	15	4	2	-	-
				W	58	-	25	19	8	4	1	1	-	-
				NW	158	1	60	58	24	11	3	1	-	-
ST MARY	113	339	238.7			3	125	138	44	16	10	3	-	-
				W	91	1	37	34	11	4	2	2	-	-
				NW	248	2	88	104	33	12	8	1	-	-
ST TAMMANY	196	290	132.5			8	114	94	49	17	6	1	-	1
				W	123	2	52	39	21	6	2	-	-	1
				NW	167	6	62	55	28	11	4	1	-	-
TANGIPAHOA	569	496	276.3			11	207	173	68	32	5	-	-	-
				W	84	2	34	30	13	5	-	-	-	-
				NW	412	9	173	143	55	27	5	-	-	-

(CONTINUED)

TABLE X-A
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TENSAS	32	82	479.5			-	31	28	15	5	1	2	-	-
				W	2	-	1	-	1	-	-	-	-	-
				NW	80	-	30	28	14	5	1	2	-	-
TERREBONNE	881	382	176.4			7	160	129	53	24	8	1	-	-
				W	135	3	56	50	14	8	3	1	-	-
				NW	247	4	104	79	39	16	5	-	-	-
UNION	15	80	232.6			2	42	24	7	3	2	-	-	-
				W	12	-	6	5	1	-	-	-	-	-
				NW	68	2	36	19	6	3	2	-	-	-
VERMILION	99	164	163.7			3	65	50	26	15	3	2	-	-
				W	86	-	42	22	14	7	1	-	-	-
				NW	78	3	23	28	12	8	2	2	-	-
VERNON	86	133	82.1			3	56	51	19	3	1	-	-	-
				W	77	1	34	29	9	3	1	-	-	-
				NW	56	2	22	22	10	-	-	-	-	-
WASHINGTON	200	204	246.4			5	63	83	37	10	6	-	-	-
				W	39	1	12	18	5	2	1	-	-	-
				NW	165	4	51	65	32	8	5	-	-	-
WEBSTER	30	198	284.5			2	87	74	18	13	3	1	-	-
				W	27	-	16	9	1	1	-	-	-	-
				NW	171	2	71	65	17	12	3	1	-	-
W BATON ROUGE	4	92	222.8			-	32	37	20	1	2	-	-	-
				W	14	-	6	7	1	-	-	-	-	-
				NW	78	-	26	30	19	1	2	-	-	-
WEST CARROLL	-	46	228.9			-	22	16	5	3	-	-	-	-
				W	12	-	5	4	2	1	-	-	-	-
				NW	34	-	17	12	3	2	-	-	-	-
W FELICIANA	2	57	333.3			1	19	16	13	7	1	-	-	-
				W	8	-	3	3	2	-	-	-	-	-
				NW	49	1	16	13	11	7	1	-	-	-
WINN	1	71	252.7			3	29	26	6	4	2	-	-	1
				W	10	-	4	4	1	1	-	-	-	-
				NW	61	3	25	22	5	3	2	-	-	1
OUT OF STATE**	169	134				-	64	49	12	6	1	2	-	-
				W	77	-	32	32	7	4	1	1	-	-
				NW	57	-	32	17	5	2	-	1	-	-

**NOT INCLUDED IN STATE TOTALS

TABLE X-B
ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1983

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	20857	20892	253.5			331	8108	7385	3247	1287	444	80	3	7
				W	4115	53	1738	1414	582	229	73	21	1	4
				NW	16777	278	6370	5971	2665	1058	371	59	2	3
SPD 1	6964	6576	295.1			69	2454	2336	1100	445	142	24	2	4
				W	1032	8	421	332	166	73	22	6	1	3
				NW	5544	61	2033	2004	934	372	120	18	1	1
SPD 2	3436	3460	238.1			51	1230	1266	593	242	71	7	-	-
				W	619	10	237	234	103	29	5	1	-	-
				NW	2841	41	993	1032	490	213	66	6	-	-
SPD 3	1063	1249	198.1			25	485	441	165	93	31	8	1	-
				W	361	8	158	120	42	23	7	3	-	-
				NW	888	17	327	321	123	70	24	5	1	-
SPD 4	2349	2492	210.0			32	942	919	369	155	60	13	-	2
				W	753	9	302	264	108	46	17	6	-	1
				NW	1739	23	640	655	261	109	43	7	-	1
SPD 5	951	945	184.9			17	406	306	134	59	20	3	-	-
				W	393	4	199	119	43	18	9	1	-	-
				NW	552	13	207	187	91	41	11	2	-	-
SPD 6	1277	1270	199.4			24	528	458	180	54	22	3	-	1
				W	299	3	131	115	33	14	2	1	-	-
				NW	971	21	397	343	147	40	20	2	-	1
SPD 7	2903	2972	293.9			69	1210	1022	439	155	63	14	-	-
				W	442	7	193	156	62	14	7	3	-	-
				NW	2530	62	1017	866	377	141	56	11	-	-
SPD 8	1914	1928	350.5			44	853	637	267	84	35	8	-	-
				W	216	4	97	74	25	12	4	-	-	-
				NW	1712	40	756	563	242	72	31	8	-	-
HSA 1	8027	7825	270.5			94	2939	2777	1265	538	173	32	3	4
				W	1393	16	579	452	208	96	29	9	1	3
				NW	6432	78	2360	2325	1057	442	144	23	2	1
HSA 2	6736	6897	218.9			100	2578	2491	1096	456	151	23	-	2
				W	1765	23	738	617	254	93	31	8	-	1
				NW	5132	77	1840	1874	842	363	120	15	-	1
HSA 3	6094	6170	280.7			137	2591	2117	886	293	120	25	-	1
				W	957	14	421	345	120	40	13	4	-	-
				NW	5213	123	2170	1772	766	253	107	21	-	1

STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	777	767	9.3			9	158	270	174	97	46	6	2	5
				W	334	1	42	119	92	53	21	4	1	1
				NW	433	8	116	151	82	44	25	2	1	4
ACADIA	13	18	15.2			2	1	7	3	2	1	2	-	-
				W	9	-	-	3	2	2	1	1	-	-
				NW	9	2	1	4	1	-	-	1	-	-
ALLEN	4	5	13.9			-	1	2	2	-	-	-	-	-
				W	2	-	-	-	2	-	-	-	-	-
				NW	3	-	1	2	-	-	-	-	-	-
ASCENSION	-	6	5.3			-	1	3	1	-	1	-	-	-
				W	5	-	-	3	1	-	1	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
ASSUMPTION	-	1	2.2			-	-	-	-	1	-	-	-	-
				W	1	-	-	-	-	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
AVOYELLES	4	7	9.2			-	2	2	1	2	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	6	-	2	2	-	2	-	-	-	-
BEAUREGARD	4	5	10.0			-	1	1	3	-	-	-	-	-
				W	3	-	-	-	3	-	-	-	-	-
				NW	2	-	1	1	-	-	-	-	-	-
BIENVILLE	-	3	10.2			-	1	2	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	2	-	1	1	-	-	-	-	-	-
BOSSIER	7	12	7.5			-	6	3	1	2	-	-	-	-
				W	7	-	3	2	1	1	-	-	-	-
				NW	5	-	3	1	-	1	-	-	-	-
CADDO	86	52	10.7			1	11	23	9	5	2	-	1	-
				W	19	-	2	10	3	3	1	-	-	-
				NW	33	1	9	13	6	2	1	-	1	-
CALCASIEU	26	24	7.0			-	4	11	4	2	3	-	-	-
				W	13	-	2	6	2	2	1	-	-	-
				NW	11	-	2	5	2	-	2	-	-	-
CALDWELL	-	3	17.3			-	1	1	-	1	-	-	-	-
				W	3	-	1	1	-	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
CAMERON	-	1	5.4			-	-	-	-	1	-	-	-	-
				W	1	-	-	-	-	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	2	9.6			-	1	-	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
CLAIBORNE	1	3	11.7			-	2	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	3	-	2	1	-	-	-	-	-	-
CONCORDIA	6	2	5.1			-	2	-	-	-	-	-	-	-
				W	1	-	1	-	-	-	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
DESOTO	1	3	6.0			-	-	2	1	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	2	-	-	1	1	-	-	-	-	-
E BATON ROUGE	72	38	5.3			1	7	11	9	8	2	-	-	-
				W	11	-	-	-	5	5	1	-	-	-
				NW	27	1	7	11	4	3	1	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
EAST CARROLL	2	3	12.2			-	-	-	2	-	1	-	-	-
				W	1	-	-	-	-	-	1	-	-	-
				NW	2	-	-	-	2	-	-	-	-	-
E FELICIANA	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
EVANGELINE	2	6	9.2			-	2	1	3	-	-	-	-	-
				W	3	-	-	1	2	-	-	-	-	-
				NW	3	-	2	-	1	-	-	-	-	-
FRANKLIN	-	4	10.2			-	1	2	1	-	-	-	-	-
				W	3	-	1	1	1	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
GRANT	-	2	7.6			-	-	1	-	1	-	-	-	-
				W	1	-	-	-	-	1	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
IBERIA	12	18	12.0			1	6	6	3	1	1	-	-	-
				W	6	1	2	2	-	-	1	-	-	-
				NW	12	-	4	4	3	1	-	-	-	-
IBERVILLE	-	4	5.9			-	-	4	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	3	-	-	3	-	-	-	-	-	-
JACKSON	4	4	14.4			-	1	2	-	1	-	-	-	-
				W	2	-	1	1	-	-	-	-	-	-
				NW	2	-	-	1	-	1	-	-	-	-
JEFFERSON	60	72	9.0			-	9	25	20	8	8	-	1	1
				W	48	-	5	18	15	5	3	-	1	1
				NW	24	-	4	7	5	3	5	-	-	-
JEFF DAVIS	3	3	4.8			-	1	1	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	2	-	1	1	-	-	-	-	-	-
LAFAYETTE	74	33	9.7			-	3	10	9	8	2	1	-	-
				W	18	-	1	3	9	4	-	1	-	-
				NW	15	-	2	7	-	4	2	-	-	-
LAFOURCHE	2	10	5.7			1	1	4	3	1	-	-	-	-
				W	5	-	1	3	1	-	-	-	-	-
				NW	5	1	-	1	2	1	-	-	-	-
LASALLE	1	3	11.8			-	-	3	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
LINCOLN	5	14	22.5			-	4	2	7	1	-	-	-	-
				W	5	-	-	-	5	-	-	-	-	-
				NW	9	-	4	2	2	1	-	-	-	-
LIVINGSTON	-	11	8.7			-	3	4	1	2	1	-	-	-
				W	9	-	3	4	-	2	-	-	-	-
				NW	2	-	-	-	1	-	1	-	-	-
MADISON	1	3	10.5			-	-	-	2	1	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	3	-	-	-	2	1	-	-	-	-
MOREHOUSE	2	6	9.8			-	1	3	2	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	5	-	1	2	2	-	-	-	-	-
NATCHITOCHES	2	6	9.1			-	2	1	1	2	-	-	-	-
				W	4	-	2	1	-	1	-	-	-	-
				NW	2	-	-	-	1	1	-	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ORLEANS	180	130	12.5			1	28	37	29	23	6	2	-	4
				W	27	-	3	4	7	10	2	1	-	-
				NW	103	1	25	33	22	13	4	1	-	4
OUACHITA	49	31	13.0			1	6	12	8	-	4	-	-	-
				W	17	-	2	6	6	-	3	-	-	-
				NW	14	1	4	6	2	-	1	-	-	-
PLAQUEMINES	-	1	1.7			-	-	-	-	1	-	-	-	-
				W	1	-	-	-	-	1	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	2	8	17.1			-	3	1	2	2	-	-	-	-
				W	4	-	-	1	1	2	-	-	-	-
				NW	4	-	3	-	1	-	-	-	-	-
RAPIDES	37	22	8.5			1	7	8	4	2	-	-	-	-
				W	7	-	1	4	2	-	-	-	-	-
				NW	15	1	6	4	2	2	-	-	-	-
RED RIVER	-	1	5.1			-	-	-	-	-	1	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	-	-	1	-	-	-
RICHLAND	2	1	2.4			-	-	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
SABINE	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ST BERNARD	-	7	6.5			-	-	3	2	1	1	-	-	-
				W	7	-	-	3	2	1	1	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ST CHARLES	-	6	6.8			-	2	4	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	5	-	2	3	-	-	-	-	-	-
ST HELENA	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ST JAMES	2	7	15.3			-	3	3	1	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	6	-	3	2	1	-	-	-	-	-
ST JOHN	4	11	11.7			-	2	4	5	-	-	-	-	-
				W	4	-	1	1	2	-	-	-	-	-
				NW	7	-	1	3	3	-	-	-	-	-
ST LANDRY	13	25	14.0			-	4	8	8	3	2	-	-	-
				W	6	-	1	2	2	1	-	-	-	-
				NW	19	-	3	6	6	2	2	-	-	-
ST MARTIN	2	10	10.9			-	3	4	2	-	1	-	-	-
				W	4	-	1	1	2	-	-	-	-	-
				NW	6	-	2	3	-	-	1	-	-	-
ST MARY	8	18	12.7			-	2	6	5	3	2	-	-	-
				W	9	-	1	3	1	2	2	-	-	-
				NW	9	-	1	3	4	1	-	-	-	-
ST TAMMANY	9	17	7.8			-	2	9	5	1	-	-	-	-
				W	15	-	2	9	3	1	-	-	-	-
				NW	2	-	-	-	2	-	-	-	-	-
TANGIPAHOA	13	12	6.7			-	7	2	1	1	1	-	-	-
				W	4	-	1	-	1	1	1	-	-	-
				NW	8	-	6	2	-	-	-	-	-	-

(CONTINUED)

TABLE XI-A
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TENSAS	-	2	11.7			-	1	-	-	-	1	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	2	-	1	-	-	-	1	-	-	-
TERREBONNE	40	27	12.5			-	6	11	6	4	-	-	-	-
				W	15	-	2	7	4	2	-	-	-	-
				NW	12	-	4	4	2	2	-	-	-	-
UNION	-	2	5.8			-	-	2	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
VERMILION	2	4	4.0			-	1	-	1	-	2	-	-	-
				W	2	-	-	-	1	-	1	-	-	-
				NW	2	-	1	-	-	-	1	-	-	-
VERNON	10	12	7.4			-	-	7	1	3	1	-	-	-
				W	9	-	-	5	1	2	1	-	-	-
				NW	3	-	-	2	-	1	-	-	-	-
WASHINGTON	8	10	12.1			-	2	3	1	2	1	1	-	-
				W	5	-	1	2	1	-	-	1	-	-
				NW	5	-	1	1	-	2	1	-	-	-
WEBSTER	2	3	4.3			-	-	3	-	-	-	-	-	-
				W	3	-	-	3	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	-	5	12.1			-	1	2	1	1	-	-	-	-
				W	1	-	-	-	-	1	-	-	-	-
				NW	4	-	1	2	1	-	-	-	-	-
WEST CARROLL	-	2	10.0			-	1	-	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
W FELICIANA	-	1	5.8			-	-	-	-	-	1	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	-	-	1	-	-	-
WINN	-	5	17.8			-	2	2	1	-	-	-	-	-
				W	3	-	1	2	-	-	-	-	-	-
				NW	2	-	1	-	1	-	-	-	-	-
OUT OF STATE**	-	10				-	2	2	2	1	2	1	-	-
				W	6	-	1	2	1	1	1	-	-	-
				NW	4	-	1	-	1	-	1	1	-	-

**NOT INCLUDED IN STATE TOTALS

TABLE XI-B
STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1983

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	777	767	9.3			9	158	270	174	97	46	6	2	5
				W	334	1	42	119	92	53	21	4	1	1
				NW	433	8	116	151	82	44	25	2	1	4
SPD 1	249	227	10.2			1	39	74	56	34	15	2	1	5
				W	98	-	10	34	27	18	6	1	1	1
				NW	129	1	29	40	29	16	9	1	-	4
SPD 2	95	95	6.5			1	24	30	16	16	7	1	-	-
				W	40	-	5	11	9	11	3	1	-	-
				NW	55	1	19	19	7	5	4	-	-	-
SPD 3	48	62	9.3			1	14	26	15	6	-	-	-	-
				W	27	-	4	13	7	3	-	-	-	-
				NW	35	1	10	13	8	3	-	-	-	-
SPD 4	126	132	11.1			3	22	42	34	17	11	3	-	-
				W	57	1	6	15	19	9	5	2	-	-
				NW	75	2	16	27	15	8	6	1	-	-
SPD 5	37	38	7.4			-	7	15	10	3	3	-	-	-
				W	20	-	2	6	8	3	1	-	-	-
				NW	18	-	5	9	2	-	2	-	-	-
SPD 6	58	55	8.6			1	14	23	8	8	1	-	-	-
				W	24	-	3	12	5	3	1	-	-	-
				NW	31	1	11	11	3	5	-	-	-	-
SPD 7	104	97	9.6			1	26	37	19	10	3	-	1	-
				W	40	-	7	18	9	5	1	-	-	-
				NW	57	1	19	19	10	5	2	-	1	-
SPD 8	60	61	11.1			1	12	23	16	3	6	-	-	-
				W	28	-	5	10	8	1	4	-	-	-
				NW	33	1	7	13	8	2	2	-	-	-
HSA 1	297	289	10.0			2	53	100	71	40	15	2	1	5
				W	125	-	14	47	34	21	6	1	1	1
				NW	164	2	39	53	37	19	9	1	-	4
HSA 2	258	265	8.4			4	53	87	60	36	21	4	-	-
				W	117	1	13	32	36	23	9	3	-	-
				NW	148	3	40	55	24	13	12	1	-	-
HSA 3	222	213	9.7			3	52	83	43	21	10	-	1	-
				W	92	-	15	40	22	9	6	-	-	-
				NW	121	3	37	43	21	12	4	-	1	-

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
TOTAL	767	930.6			9	158	270	174	97	46	6	2	5
			W	334	1	42	119	92	53	21	4	1	1
			NW	433	8	116	151	82	44	25	2	1	4
CONGENITAL ANOMALIES - (740-759)	47	57.0			1	8	15	12	9	1	1	-	-
			W	29	-	4	8	9	6	1	1	-	-
			NW	18	1	4	7	3	3	-	-	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES - (740)	5	6.1			-	1	4	-	-	-	-	-	-
			W	2	-	1	1	-	-	-	-	-	-
			NW	3	-	-	3	-	-	-	-	-	-
SPINA BIFIDA - (741)	2	2.4			-	-	2	-	-	-	-	-	-
			W	1	-	-	1	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM - (742)	9	10.9			1	2	1	3	1	1	-	-	-
			W	6	-	-	1	3	1	1	-	-	-
			NW	3	1	2	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF HEART - (745-746)	5	6.1			-	1	-	1	3	-	-	-	-
			W	2	-	-	-	-	2	-	-	-	-
			NW	3	-	1	-	1	1	-	-	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM - (748)	1	1.2			-	-	1	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
MULTIPLE CONGENITAL ANOMALIES - (759.7)	12	14.6			-	4	2	4	1	-	1	-	-
			W	8	-	3	1	3	-	-	1	-	-
			NW	4	-	1	1	1	1	-	-	-	-
ALL OTHER CONGENITAL ANOMALIES - (REMAINDER OF 740-759)	13	15.8			-	-	5	4	4	-	-	-	-
			W	10	-	-	4	3	3	-	-	-	-
			NW	3	-	-	1	1	1	-	-	-	-
FETUS AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY - (760)	28	34.0			-	4	9	5	5	5	-	-	-
			W	14	-	2	4	3	3	2	-	-	-
			NW	14	-	2	5	2	2	3	-	-	-
MATERNAL HYPERTENSIVE DISORDERS - (760.0)	20	24.3			-	3	6	3	3	5	-	-	-
			W	10	-	2	3	2	1	2	-	-	-
			NW	10	-	1	3	1	2	3	-	-	-
MATERNAL INJURY - (760.5)	1	1.2			-	-	1	-	-	-	-	-	-
			W	1	-	-	1	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
FETUS AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PREGNANCY - (REMAINDER OF 760)	7	8.5			-	1	2	2	2	-	-	-	-
			W	3	-	-	-	1	2	-	-	-	-
			NW	4	-	1	2	1	-	-	-	-	-
FETUS AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY - (761)	59	71.6			2	7	24	11	12	2	1	-	-
			W	26	-	3	11	6	5	-	1	-	-
			NW	33	2	4	13	5	7	2	-	-	-

(CONTINUED)

TABLE XII

STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
PREMATURE RUPTURE OF MEMBRANES - (761.1)	22	26.7			-	3	7	3	7	1	1	-	-
			W	6	-	1	1	1	2	-	1	-	-
			NW	16	-	2	6	2	5	1	-	-	-
MULTIPLE PREGNANCY - (761.5)	21	25.5			-	3	12	3	2	1	-	-	-
			W	14	-	2	8	2	2	-	-	-	-
			NW	7	-	1	4	1	-	1	-	-	-
FETUS AFFECTED BY OTHER MATERNAL COMPLICATIONS OF PREGNANCY - (REMAINDER OF 761)	16	19.4			2	1	5	5	3	-	-	-	-
			W	6	-	-	2	3	1	-	-	-	-
			NW	10	2	1	3	2	2	-	-	-	-
FETUS AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES - (762)	303	367.6			3	56	102	74	39	26	1	1	1
			W	151	1	19	55	41	19	14	1	1	-
			NW	152	2	37	47	33	20	12	-	-	1
PLACENTA PRAEVIA - (762.0)	17	20.6			-	2	4	5	3	2	-	1	-
			W	10	-	-	2	3	2	2	-	1	-
			NW	7	-	2	2	2	1	-	-	-	-
OTHER FORMS OF PLACENTAL SEPARATION AND HAEMORRHAGE - (762.1)	125	151.7			1	29	44	22	17	11	1	-	-
			W	47	1	7	18	10	5	5	1	-	-
			NW	78	-	22	26	12	12	6	-	-	-
OTHER AND UNSPECIFIED MORPHOLOGICAL AND FUNCTIONAL ABNORMALITIES OF PLACENTA - (762.2)	61	74.0			-	11	24	13	7	6	-	-	-
			W	37	-	6	16	8	3	4	-	-	-
			NW	24	-	5	8	5	4	2	-	-	-
PLACENTAL TRANSFUSION SYNDROMES - (762.3)	2	2.4			-	-	-	1	1	-	-	-	-
			W	2	-	-	-	1	1	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
PROLAPSED CORD - (762.4)	5	6.1			-	-	2	3	-	-	-	-	-
			W	1	-	-	-	1	-	-	-	-	-
			NW	4	-	-	2	2	-	-	-	-	-
OTHER COMPRESSION OF UMBILICAL CORD - (762.5)	67	81.3			2	10	19	24	6	5	-	-	1
			W	38	-	6	13	14	4	1	-	-	-
			NW	29	2	4	6	10	2	4	-	-	1
OTHER AND UNSPECIFIED CONDITIONS OF UMBILICAL CORD - (762.6)	20	24.3			-	2	7	5	5	1	-	-	-
			W	13	-	-	5	3	4	1	-	-	-
			NW	7	-	2	2	2	1	-	-	-	-
ABNORMALITIES OF CHORION AND AMNION - (762.7 - 762.9)	6	7.3			-	2	2	1	-	1	-	-	-
			W	3	-	-	1	1	-	1	-	-	-
			NW	3	-	2	1	-	-	-	-	-	-
FETUS AFFECTED BY OTHER COMPLICATIONS OF LABOUR AND DELIVERY - (763)	9	10.9			-	2	-	5	2	-	-	-	-
			W	5	-	1	-	2	2	-	-	-	-
			NW	4	-	1	-	3	-	-	-	-	-
SLOW FETAL GROWTH AND FETAL MALNUTRITION - (764)	1	1.2			-	1	-	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	1	-	-	-	-	-	-	-

(CONTINUED)

TABLE XII
STILLBIRTHS SHOWN BY SELECTED CAUSE, AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1983

ICD-9 CAUSE OF STILLBIRTH	TOTAL	RATIO*	RACE	TOTAL BY RACE	AGE								
					UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT - (765)	79	95.9			2	22	35	12	5	1	-	-	2
			W	20	-	3	12	4	-	-	-	-	1
			NW	59	2	19	23	8	5	1	-	-	1
BIRTH TRAUMA - (767)		-			-	-	-	-	-	-	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA - (768)	32	38.8			-	10	11	5	4	2	-	-	-
			W	13	-	3	4	3	3	-	-	-	-
			NW	19	-	7	7	2	1	2	-	-	-
HAEMOLYTIC DISEASE OF FETUS DUE TO ISOIMMUNIZATION AND OTHER PERINATAL JAUNDICE - (773 - 774)	1	1.2			-	-	-	-	-	1	-	-	-
			W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	-	-	1	-	-	-
SYNDROME OF 'INFANT OF A DIABETIC MOTHER' AND NEONATAL DIABETES MELLITUS - (775.0 - 775.1)	7	8.5			-	2	3	1	1	-	-	-	-
			W	3	-	1	2	-	-	-	-	-	-
			NW	4	-	1	1	1	1	-	-	-	-
UNSPECIFIED CAUSE - (779.9, 799.9)	172	208.7			1	43	57	40	19	6	3	1	2
			W	58	-	6	16	17	15	3	1	-	-
			NW	114	1	37	41	23	4	3	2	1	2
ALL OTHER CAUSES - (RESIDUAL)	29	35.2			-	3	14	9	1	2	-	-	-
			W	15	-	-	7	7	-	1	-	-	-
			NW	14	-	3	7	2	1	1	-	-	-

* RATIO PER 100,000 LIVE BIRTHS

TABLE XIII
REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WEEKS OF GESTATION, RACE, AGE AND MARITAL STATUS OCCURRING IN LOUISIANA, 1983

WEEKS OF GESTATION	TOTAL	RACE	TOTAL BY RACE	AGE									MARITAL STATUS		
				UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN	MARRIED	UNMARRIED	UNKNOWN
TOTAL	19438			202	4148	5841	3848	2056	853	238	15	2237	3909	11239	4290
		W	10235	73	2217	3114	1987	1004	380	117	4	1339	2034	5650	2551
		NW	8737	127	1853	2593	1766	993	451	119	11	824	1788	5377	1572
		U	466	2	78	134	95	59	22	2	-	74	87	212	167
8 AND UNDER	9184			61	1744	2811	1975	1080	407	121	6	979	1884	5185	2115
		W	5703	26	1091	1741	1222	654	231	73	2	663	1135	3088	1480
		NW	3261	34	616	1007	703	391	166	48	4	292	699	2001	561
		U	220	1	37	63	50	35	10	-	-	24	50	96	74
9	2326			18	436	697	389	233	90	29	4	424	496	1254	570
		W	1220	6	230	357	199	112	46	13	-	257	249	640	331
		NW	1062	12	199	330	181	119	42	16	4	159	242	595	225
		U	38	-	7	10	9	2	2	-	-	8	5	19	14
10	2136			23	451	625	394	216	117	31	2	277	451	1189	496
		W	1060	15	235	307	193	94	41	15	1	159	214	575	271
		NW	1012	8	204	296	191	115	73	15	1	109	227	582	203
		U	64	-	12	22	10	7	3	1	-	9	10	32	22
11	932			11	219	267	160	73	37	12	2	151	153	540	239
		W	473	5	114	147	71	34	14	3	-	85	74	264	135
		NW	439	6	102	113	86	37	23	8	2	62	76	266	97
		U	20	-	3	7	3	2	-	1	-	4	3	10	7
12	987			17	265	309	184	77	31	9	-	95	200	622	165
		W	452	3	136	141	80	29	10	3	-	50	95	259	98
		NW	516	14	125	160	103	47	19	6	-	42	103	353	60
		U	19	-	4	8	1	1	2	-	-	3	2	10	7
13	620			14	179	193	99	43	20	4	-	68	142	372	106
		W	348	5	109	121	52	20	7	2	-	32	86	210	52
		NW	263	9	68	70	45	23	13	2	-	33	56	156	51
		U	9	-	2	2	2	-	-	-	-	3	-	6	3
14	433			9	130	121	80	40	15	4	1	33	93	270	70
		W	216	4	69	66	38	12	7	2	1	17	49	130	37
		NW	210	5	59	53	41	26	8	2	-	16	43	135	32
		U	7	-	2	2	1	2	-	-	-	-	1	5	1
15	214			5	51	71	35	15	4	2	-	31	48	122	44
		W	111	2	27	39	16	9	1	1	-	16	23	65	23
		NW	99	3	23	30	19	6	3	1	-	14	25	54	20
		U	4	-	1	2	-	-	-	-	-	1	-	3	1
16	247			5	75	72	28	21	12	4	-	30	52	157	38
		W	117	1	39	36	12	4	6	3	-	16	25	73	19
		NW	126	4	34	36	15	16	6	1	-	14	27	81	18
		U	4	-	2	-	1	1	-	-	-	-	-	3	1
17	243			3	71	71	30	15	7	2	-	44	36	153	54
		W	108	-	32	34	11	3	3	-	-	25	15	66	27
		NW	131	3	39	36	17	12	4	2	-	18	20	85	26
		U	4	-	-	1	2	-	-	-	-	1	1	2	1
18	171			9	63	54	16	14	1	-	-	14	32	111	28
		W	75	4	29	21	6	7	1	-	-	7	13	47	15
		NW	93	5	33	31	10	7	-	-	-	7	19	62	12
		U	3	-	1	2	-	-	-	-	-	-	-	2	1
19	21			-	11	7	3	-	-	-	-	-	4	17	-
		W	9	-	4	2	3	-	-	-	-	-	3	6	-
		NW	12	-	7	5	-	-	-	-	-	-	1	11	-
		U	-	-	-	-	-	-	-	-	-	-	-	-	-
20	13			-	6	4	1	1	-	-	-	1	1	11	1
		W	10	-	5	4	1	-	-	-	-	-	1	9	-
		NW	3	-	1	-	-	1	-	-	-	1	-	2	1
		U	-	-	-	-	-	-	-	-	-	-	-	-	-
21 AND OVER	5			-	4	1	-	-	-	-	-	-	-	5	-
		W	3	-	2	1	-	-	-	-	-	-	-	3	-
		NW	2	-	2	-	-	-	-	-	-	-	-	2	-
		U	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1912			27	443	538	454	228	112	20	-	90	317	1231	364
		W	330	2	95	97	83	26	13	2	-	12	52	215	63
		NW	1508	24	341	426	355	193	94	18	-	57	250	992	266
		U	74	1	7	15	16	9	5	-	-	21	15	24	35

TABLE XIV
REPORTED INDUCED TERMINATIONS OF PREGNANCY
BY TYPE OF PROCEDURE AND WEEKS OF GESTATION
OCCURRING IN LOUISIANA, 1983

WEEKS OF GESTATION	TOTAL	TYPE OF PROCEDURE								
		CURETTAGE		INTRAUTERINE INSTILLATION		HYSTEROTOMY	HYSTERECTOMY	DILATION AND EVACUATION	OTHER	UNKNOWN
		SUCTION	SHARP	SALINE	PROSTAGLANDIN					
TOTAL	19438	17938	42	-	-	-	3	1093	4	358
8 AND UNDER	9184	8916	22	-	-	-	1	60	-	185
9	2320	2278	4	-	-	-	-	4	-	34
10	2136	2082	3	-	-	-	-	27	-	24
11	932	902	5	-	-	-	-	14	-	11
12	987	933	4	-	-	-	-	39	-	11
13	620	304	1	-	-	-	-	302	1	12
14	433	187	2	-	-	-	-	226	-	18
15	214	133	-	-	-	-	-	72	1	8
16	247	139	-	-	-	-	1	96	1	10
17	243	123	1	-	-	-	1	115	-	3
18	171	62	-	-	-	-	-	98	1	10
19	21	9	-	-	-	-	-	11	-	1
20	13	7	-	-	-	-	-	2	-	4
21 AND OVER	5	3	-	-	-	-	-	1	-	1
UNKNOWN	1912	1860	-	-	-	-	-	26	-	26

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	36602	36334	8.2			1108	209	120	128	1023	1170	1343	2570	5679	22962	22
				MW	13159	282	68	39	51	473	465	567	1050	2374	7843	7
				FW	11290	207	40	24	24	149	195	257	514	1392	8484	4
				NNW	6444	338	64	29	35	281	365	357	615	1095	3259	6
				FNW	5441	281	37	28	18	120	145	222	391	818	3376	5
ACADIA	397	543	9.1			19	3	-	3	20	11	16	37	87	347	-
				MW	257	8	3	-	3	12	7	9	18	53	144	-
				FW	176	6	-	-	-	3	1	2	7	16	141	-
				NNW	62	4	-	-	-	4	2	4	6	10	32	-
				FNW	48	1	-	-	-	1	1	1	6	8	30	-
CROWLEY*	201	183	11.3			1	-	-	-	7	3	3	13	38	118	-
				MW	67	-	-	-	-	4	1	-	4	22	36	-
				FW	63	-	-	-	-	2	-	1	2	7	51	-
				NNW	30	1	-	-	-	1	1	2	3	5	17	-
				FNW	23	-	-	-	-	-	1	-	4	4	14	-
ALLEN	182	207	9.5			2	2	-	-	6	3	4	13	35	142	-
				MW	90	-	-	-	-	4	2	1	3	17	63	-
				FW	81	1	1	-	-	2	1	2	5	13	56	-
				NNW	17	-	-	-	-	-	-	-	3	1	13	-
				FNW	19	1	1	-	-	-	-	1	2	4	10	-
ASCENSION	274	373	6.8			18	3	1	1	14	14	21	26	62	213	-
				MW	142	5	-	1	1	6	5	8	7	27	82	-
				FW	118	4	2	-	-	2	3	5	4	16	82	-
				NNW	55	7	1	-	-	5	5	4	10	8	15	-
				FNW	58	2	-	-	-	1	1	4	5	11	34	-
ASSUMPTION	138	206	8.6			12	2	-	-	10	12	7	16	27	120	-
				MW	70	4	1	-	-	6	6	3	3	11	36	-
				FW	42	2	-	-	-	-	-	-	3	3	34	-
				NNW	52	2	-	-	-	3	4	3	7	6	27	-
				FNW	42	4	1	-	-	1	2	1	3	7	23	-
AVOYELLES	363	451	10.6			10	3	-	1	8	10	18	21	62	318	-
				MW	196	6	3	-	-	6	6	10	8	28	129	-
				FW	156	1	-	-	-	1	2	4	6	16	126	-
				NNW	47	1	-	-	1	1	-	2	4	7	31	-
				FNW	52	2	-	-	-	-	2	2	3	11	32	-
BEAUREGARD	235	291	9.3			11	-	-	1	7	13	9	22	41	187	-
				MW	137	4	-	-	1	5	10	6	13	20	78	-
				FW	96	6	-	-	-	1	-	2	5	14	68	-
				NNW	32	1	-	-	-	1	1	1	4	3	21	-
				FNW	26	-	-	-	-	-	2	-	-	4	20	-
DE RIDDER*	179	123	11.0			4	-	-	-	1	5	5	6	16	86	-
				MW	35	-	-	-	-	-	2	3	3	4	23	-
				FW	39	3	-	-	-	-	-	1	-	6	29	-
				NNW	27	1	-	-	-	1	1	1	3	3	17	-
				FNW	22	-	-	-	-	-	2	-	-	3	17	-
BIENVILLE	138	221	13.6			4	1	1	1	4	4	5	9	22	170	-
				MW	72	1	-	1	1	2	2	1	3	9	52	-
				FW	57	-	1	-	-	1	1	-	2	3	49	-
				NNW	51	1	-	-	-	-	-	2	4	7	37	-
				FNW	41	2	-	-	-	1	1	2	-	3	32	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
BOSSIER	424	524	5.9			27	5	2	3	29	19	15	46	78	299	1
				MW	210	10	-	-	1	8	8	7	24	37	115	-
				FW	183	6	-	-	1	7	3	4	15	30	116	1
				MNW	73	4	3	1	-	10	6	3	4	9	33	-
				FNW	58	7	2	1	1	4	2	1	3	2	35	-
BOSSIER CITY*	342	308	5.8			14	-	1	3	14	11	6	31	51	177	-
				MW	143	7	-	-	1	8	6	3	19	24	75	-
				FW	125	4	-	-	1	4	3	3	10	21	79	-
				MNW	20	2	-	-	-	2	1	-	-	4	11	-
				FNW	20	1	-	1	1	-	1	-	2	2	12	-
CADDO	3393	2491	9.5			66	12	6	7	71	62	67	150	371	1679	-
				MW	765	14	5	2	2	23	25	14	59	135	486	-
				FW	774	11	1	-	1	10	8	12	30	93	608	-
				MNW	494	28	2	2	2	26	22	26	36	77	273	-
				FNW	458	13	4	2	2	12	7	15	25	66	312	-
SHREVEPORT*	3245	2124	10.3			54	11	4	5	56	47	59	124	328	1436	-
				MW	621	10	5	2	1	15	19	13	44	118	394	-
				FW	665	7	1	-	1	8	5	12	26	78	527	-
				MNW	429	26	1	1	2	22	17	20	31	71	238	-
				FNW	409	11	4	1	1	11	6	14	23	61	277	-
CALCASIEU	1460	1349	7.6			33	6	6	7	33	54	37	86	244	843	-
				MW	517	13	3	3	3	16	16	13	37	105	308	-
				FW	468	10	2	1	1	4	18	11	18	64	339	-
				MNW	217	7	-	-	3	11	13	8	24	44	107	-
				FNW	147	3	1	2	-	2	7	5	7	31	89	-
LAKE CHARLES*	1052	731	9.6			10	1	4	4	18	32	18	44	150	450	-
				MW	219	3	1	2	1	7	9	3	12	57	124	-
				FW	232	1	-	-	1	2	7	5	7	31	178	-
				MNW	168	4	-	-	2	7	12	5	18	41	79	-
				FNW	112	2	-	2	-	2	4	5	7	21	69	-
SULPHUR*	251	176	8.6			2	1	-	1	3	5	5	12	26	121	-
				MW	86	-	-	-	1	2	3	2	8	12	58	-
				FW	76	2	1	-	-	-	2	3	2	11	55	-
				MNW	10	-	-	-	-	1	-	-	2	1	6	-
				FNW	4	-	-	-	-	-	-	-	-	2	2	-
CALDWELL	78	94	8.6			2	-	-	-	3	-	3	7	4	75	-
				MW	43	2	-	-	-	3	-	2	4	2	30	-
				FW	39	-	-	-	-	-	-	1	3	2	33	-
				MNW	5	-	-	-	-	-	-	-	-	-	5	-
				FNW	7	-	-	-	-	-	-	-	-	-	7	-
CAMERON	45	63	6.2			3	-	-	1	-	2	4	6	10	37	-
				MW	33	1	-	-	1	-	1	1	3	6	20	-
				FW	25	2	-	-	-	-	1	2	3	3	14	-
				MNW	3	-	-	-	-	-	-	1	-	1	1	-
				FNW	2	-	-	-	-	-	-	-	-	-	2	-
CATAHOULA	115	118	9.6			2	1	-	2	3	5	7	4	12	82	-
				MW	42	1	-	-	-	1	2	3	1	6	28	-
				FW	44	-	-	-	2	2	-	2	1	6	31	-
				MNW	15	1	1	-	-	-	1	-	2	-	10	-
				FNW	17	-	-	-	-	-	2	2	-	-	13	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
CLAIBORNE	170	245	13.3			3	3	1	-	3	3	3	11	28	190	-
				MW	74	-	-	1	-	1	1	1	4	8	58	-
				FW	66	-	1	-	-	-	-	-	1	3	61	-
				MNW	61	2	2	-	-	2	-	1	5	11	38	-
				FNW	44	1	-	-	-	-	2	1	1	6	33	-
CONCORDIA	143	219	9.3			8	1	-	3	4	1	5	19	30	148	-
				MW	65	1	1	-	2	3	-	-	7	11	40	-
				FW	45	2	-	-	1	-	1	1	1	2	37	-
				MNW	49	2	-	-	-	1	-	1	5	11	29	-
				FNW	60	3	-	-	-	-	-	3	6	6	42	-
DESOTO	205	289	10.7			8	1	1	-	7	9	4	13	32	214	-
				MW	78	-	-	-	-	2	2	1	6	9	58	-
				FW	67	-	-	-	-	1	-	1	1	7	57	-
				MNW	72	5	-	1	-	3	5	-	5	9	44	-
				FNW	72	3	1	-	-	1	2	2	1	7	55	-
E BATON ROUGE	3063	2513	6.5			91	19	13	9	65	123	107	203	436	1447	-
				MW	780	18	3	2	2	27	37	37	67	145	442	-
				FW	747	20	2	1	1	8	22	14	39	111	529	-
				MNW	532	27	9	7	3	22	45	30	58	103	228	-
				FNW	454	26	5	3	3	8	19	26	39	77	248	-
BATON ROUGE*	2794	2115	8.8			77	16	12	6	49	99	82	173	365	1236	-
				MW	605	12	1	2	1	16	26	24	51	113	359	-
				FW	608	16	2	-	-	5	14	8	32	89	442	-
				MNW	482	25	8	7	2	21	42	26	54	92	205	-
				FNW	420	24	5	3	3	7	17	24	36	71	230	-
BAKER*	25	80	5.8			3	1	-	-	3	12	3	3	14	41	-
				MW	35	1	1	-	-	2	6	3	2	7	13	-
				FW	28	1	-	-	-	1	4	-	1	4	17	-
				MNW	11	-	-	-	-	-	1	-	-	2	8	-
				FNW	6	1	-	-	-	-	1	-	-	1	3	-
EAST CARROLL	95	118	10.1			5	-	-	-	1	4	6	2	16	83	1
				MW	17	-	-	-	-	-	-	2	-	2	13	-
				FW	14	-	-	-	-	1	-	1	-	4	8	-
				MNW	45	4	-	-	-	-	1	1	2	5	31	1
				FNW	42	1	-	-	-	-	3	2	-	5	31	-
E FELICIANA	142	111	5.6			-	1	1	-	1	3	5	7	20	73	-
				MW	43	-	-	-	-	-	2	3	3	11	24	-
				FW	19	-	-	-	-	-	-	-	-	4	15	-
				MNW	30	-	1	1	-	1	1	1	1	4	20	-
				FNW	19	-	-	-	-	-	-	1	3	1	14	-
EVANGELINE	308	342	10.0			12	3	1	1	9	9	16	21	44	226	-
				MW	151	4	2	-	-	5	4	9	7	24	96	-
				FW	130	1	-	1	-	3	1	2	7	15	100	-
				MNW	31	4	1	-	1	1	2	3	2	2	15	-
				FNW	30	3	-	-	-	-	2	2	5	3	15	-
FRANKLIN	169	245	10.0			5	3	-	4	4	3	5	16	37	168	-
				MW	108	-	2	-	2	-	2	2	7	24	69	-
				FW	71	1	-	-	2	1	-	1	4	5	57	-
				MNW	35	2	1	-	-	1	-	2	4	3	22	-
				FNW	31	2	-	-	-	2	1	-	1	5	20	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
GRANT	64	167	9.5			5	-	-	2	3	3	3	9	17	125	-
				NW	58	2	-	-	1	1	1	-	4	5	44	-
				FW	77	2	-	-	-	-	1	1	3	6	64	-
				NNW	17	1	-	-	1	2	-	1	-	4	8	-
				FNW	15	-	-	-	-	-	1	1	2	2	9	-
IBERIA	476	545	7.9			27	1	3	2	21	16	19	45	83	328	-
				NW	199	6	-	1	1	13	9	6	18	35	110	-
				FW	161	2	1	-	1	4	3	4	11	17	118	-
				NNW	103	14	-	1	-	2	3	3	11	17	52	-
				FNW	82	5	-	1	-	2	1	6	5	14	48	-
NEW IBERIA*	391	312	9.3			16	-	1	-	12	3	11	21	52	196	-
				NW	110	2	-	-	-	7	3	4	7	20	67	-
				FW	96	1	-	-	-	2	-	4	3	13	73	-
				NNW	55	9	-	-	-	2	-	1	8	10	25	-
				FNW	51	4	-	1	-	1	-	2	3	9	31	-
IBERVILLE	226	341	10.3			6	2	2	2	13	10	10	24	65	207	-
				NW	108	2	-	-	-	6	4	4	13	22	57	-
				FW	65	-	-	-	-	1	-	2	2	8	52	-
				NNW	80	1	1	1	2	2	4	3	6	16	44	-
				FNW	88	3	1	1	-	4	2	1	3	19	54	-
JACKSON	155	222	12.8			4	1	-	1	4	3	6	13	31	159	-
				NW	81	2	-	-	-	1	-	1	9	16	52	-
				FW	63	2	1	-	-	-	-	1	2	9	48	-
				NNW	40	-	-	-	1	2	3	4	-	3	27	-
				FNW	38	-	-	-	-	1	-	-	2	3	32	-
JEFFERSON	2774	2996	6.3			96	15	5	13	76	114	134	242	531	1769	1
				NW	1383	27	5	-	6	39	62	75	134	306	729	-
				FW	1196	29	4	1	5	17	24	32	66	153	865	-
				NNW	232	26	5	-	1	13	21	16	27	38	85	-
				FNW	185	14	1	4	1	7	7	11	15	34	90	1
KENNER*	70	287	4.0			9	2	-	6	7	25	22	31	45	140	-
				NW	113	1	1	-	3	2	7	13	14	23	49	-
				FW	107	1	-	-	2	1	8	5	10	12	68	-
				NNW	40	5	1	-	-	2	7	3	6	6	10	-
				FNW	27	2	-	-	1	2	3	1	1	4	13	-
GRETNA*	100	310	15.2			11	-	1	3	8	11	21	27	65	163	-
				NW	143	2	-	-	1	2	9	12	16	34	67	-
				FW	102	4	-	-	1	4	1	4	7	16	65	-
				NNW	33	3	-	-	1	-	1	2	3	8	15	-
				FNW	32	2	-	1	-	2	-	3	1	7	16	-
HARAHAN*	15	61	5.3			1	-	-	-	1	2	-	5	9	43	-
				NW	34	-	-	-	-	1	2	-	3	8	20	-
				FW	26	1	-	-	-	-	-	-	2	1	22	-
				NNW	-	-	-	-	-	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	-	-	-	-	1	-
WESTWEGO*	11	103	8.1			3	-	-	-	4	1	6	9	21	59	-
				NW	48	1	-	-	-	1	1	5	8	12	20	-
				FW	40	1	-	-	-	2	-	-	-	6	31	-
				NNW	7	1	-	-	-	-	-	1	1	1	3	-
				FNW	8	-	-	-	-	1	-	-	-	2	5	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
JEFF DAVIS	292	315	9.5			8	2	1	1	4	9	9	27	43	211	-
				MW	134	2	1	1	-	4	5	2	15	20	84	-
				FW	105	2	1	-	1	-	2	3	4	7	85	-
				MNW	40	3	-	-	-	-	2	3	5	11	16	-
				FNW	36	1	-	-	-	-	-	1	3	5	26	-
JENNINGS*	179	136	10.9			3	-	-	-	-	3	6	11	20	93	-
				MW	54	1	-	-	-	-	1	2	6	6	38	-
				FW	46	1	-	-	-	-	1	2	1	5	36	-
				MNW	18	1	-	-	-	-	1	2	3	5	6	-
				FNW	18	-	-	-	-	-	-	-	1	4	13	-
LAFAYETTE	1413	948	5.6			39	8	5	3	27	36	40	81	137	572	-
				MW	402	16	5	3	1	11	17	16	40	62	231	-
				FW	323	8	1	2	-	5	8	15	16	37	231	-
				MNW	118	9	2	-	1	9	8	6	18	16	49	-
				FNW	105	6	-	-	1	2	3	3	7	22	61	-
LAFAYETTE*	1331	621	6.9			20	3	2	-	13	23	19	52	90	399	-
				MW	233	5	2	1	-	5	7	8	21	40	144	-
				FW	224	2	-	1	-	1	7	6	11	23	173	-
				MNW	86	9	1	-	-	5	7	3	14	13	34	-
				FNW	78	4	-	-	-	2	2	2	6	14	48	-
LAFOURCHE	511	547	6.2			24	3	3	1	27	23	18	44	107	297	-
				MW	271	4	2	-	1	21	14	8	26	60	135	-
				FW	185	6	1	3	-	5	5	4	9	32	120	-
				MNW	55	9	-	-	-	1	4	5	4	10	22	-
				FNW	36	5	-	-	-	-	-	1	5	5	20	-
THIBODAUX*	216	160	9.9			7	1	-	-	5	5	4	11	33	94	-
				MW	57	1	1	-	-	5	1	1	3	13	32	-
				FW	56	-	-	-	-	-	3	1	2	11	39	-
				MNW	24	3	-	-	-	-	1	2	3	5	10	-
				FNW	23	3	-	-	-	-	-	-	3	4	13	-
LASALLE	145	174	9.8			2	-	1	-	5	1	3	9	21	131	1
				MW	93	-	-	-	-	3	1	2	5	14	68	-
				FW	63	-	-	1	-	1	-	-	4	5	51	1
				MNW	9	1	-	-	-	1	-	-	-	1	6	-
				FNW	9	1	-	-	-	-	-	1	-	1	6	-
LINCOLN	330	302	7.2			10	1	2	-	3	4	8	19	28	227	-
				MW	94	2	-	-	-	1	2	4	6	12	67	-
				FW	103	1	-	1	-	2	-	1	4	7	87	-
				MNW	70	4	-	1	-	-	1	2	6	6	50	-
				FNW	35	3	1	-	-	-	1	1	3	3	23	-
RUSTON*	273	129	5.9			4	-	1	-	-	1	1	10	10	102	-
				MW	36	1	-	-	-	-	-	-	3	3	29	-
				FW	46	-	-	-	-	-	-	1	-	1	44	-
				MNW	31	2	-	1	-	-	-	-	5	3	20	-
				FNW	16	1	-	-	-	-	1	-	2	3	9	-
LIVINGSTON	275	422	6.4			12	5	1	-	17	18	22	41	64	242	-
				MW	214	6	1	1	-	10	8	18	29	34	107	-
				FW	167	4	4	-	-	5	9	1	10	24	110	-
				MNW	18	2	-	-	-	1	1	3	1	2	8	-
				FNW	23	-	-	-	-	1	-	-	1	4	17	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
MADISON	122	162	10.2			8	3	-	-	5	4	8	9	12	112	1
				MW	38	1	-	-	-	4	3	-	1	4	25	-
				FW	28	-	-	-	-	-	-	1	-	4	23	-
				MNW	36	4	1	-	-	1	-	2	5	3	19	1
				FNW	60	3	2	-	-	-	1	5	3	1	45	-
TALLULAH*	96	129	11.3			7	2	-	-	2	3	7	8	8	91	1
				MW	26	1	-	-	-	1	2	-	1	2	19	-
				FW	17	-	-	-	-	-	-	-	-	3	14	-
				MNW	32	4	1	-	-	1	-	2	5	2	16	1
				FNW	54	2	1	-	-	-	1	5	2	1	42	-
MOREHOUSE	290	335	9.5			15	-	-	-	8	10	5	22	47	228	-
				MW	94	4	-	-	-	4	4	1	5	10	66	-
				FW	98	1	-	-	-	-	1	2	7	15	72	-
				MNW	76	6	-	-	-	3	3	1	6	12	45	-
				FNW	67	4	-	-	-	1	2	1	4	10	45	-
BASTROP*	231	169	11.1			9	-	-	-	5	5	2	8	24	116	-
				MW	46	2	-	-	-	2	2	-	3	6	33	-
				FW	43	1	-	-	-	-	1	1	-	5	35	-
				MNW	43	4	-	-	-	3	2	-	3	9	22	-
				FNW	35	2	-	-	-	-	-	1	2	4	26	-
NATCHITOCHES	297	389	9.5			7	2	-	1	10	10	15	16	53	275	-
				MW	113	1	2	-	1	2	1	5	4	17	80	-
				FW	109	3	-	-	-	2	3	3	3	17	78	-
				MNW	93	3	-	-	-	2	5	5	6	13	59	-
				FNW	74	-	-	-	-	4	1	2	3	6	58	-
NATCHITOCHES*	231	172	10.0			2	-	-	1	3	5	4	9	22	126	-
				MW	33	-	-	-	1	-	-	-	1	4	27	-
				FW	44	-	-	-	-	-	1	1	1	6	35	-
				MNW	54	2	-	-	-	2	3	2	5	6	34	-
				FNW	41	-	-	-	-	1	1	1	2	6	30	-
ORLEANS	7225	6026	10.6			182	30	16	15	148	201	231	437	968	3787	11
				MW	1496	19	3	3	1	28	43	47	96	268	984	4
				FW	1551	6	4	4	3	8	16	21	51	153	1283	2
				MNW	1634	83	15	4	8	77	108	110	171	314	743	1
				FNW	1345	74	8	5	3	35	34	53	119	233	777	4
OUACHITA	1397	1185	8.3			25	9	7	6	29	26	45	83	171	784	-
				MW	416	5	4	4	3	14	10	23	35	57	261	-
				FW	398	6	1	-	1	5	8	7	18	55	297	-
				MNW	193	6	3	1	2	6	6	6	16	39	108	-
				FNW	178	8	1	2	-	4	2	9	14	20	118	-
MONROE*	1011	651	11.1			13	5	4	3	14	13	20	47	98	434	-
				MW	161	1	1	1	1	3	3	7	15	20	109	-
				FW	184	1	-	-	-	3	3	1	7	27	142	-
				MNW	155	6	3	1	2	6	6	4	12	33	82	-
				FNW	151	5	1	2	-	2	1	8	13	18	101	-
WEST MONROE*	277	242	15.9			7	1	-	-	3	5	7	16	27	176	-
				MW	103	3	-	-	-	3	3	4	9	12	69	-
				FW	107	3	1	-	-	-	2	3	5	11	82	-
				MNW	19	-	-	-	-	-	-	-	2	3	14	-
				FNW	13	1	-	-	-	-	-	-	-	1	11	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
PLAQUEMINES	104	183	6.8			4	-	1	1	8	7	13	24	29	96	-
				MW	79	1	-	1	-	6	2	4	13	13	39	-
				FW	61	3	-	-	-	-	2	4	4	8	40	-
				MNW	22	-	-	-	1	1	2	2	3	5	8	-
				FNW	21	-	-	-	-	1	1	3	4	3	9	-
POINTE COUPEE	181	241	9.6			4	3	-	-	5	2	8	15	34	169	1
				MW	74	3	-	-	-	1	-	2	7	14	47	-
				FW	69	-	-	-	-	-	1	1	2	11	54	-
				MNW	47	-	2	-	-	2	-	4	2	6	30	1
				FNW	51	1	1	-	-	2	1	1	4	3	38	-
RAPIDES	1654	1232	8.9			38	5	1	6	31	38	48	81	193	791	-
				MW	464	11	3	-	4	15	15	16	32	85	283	-
				FW	361	7	1	-	1	7	5	11	16	47	266	-
				MNW	223	6	1	-	1	6	18	11	20	37	123	-
				FNW	184	14	-	1	-	3	-	10	13	24	119	-
ALEXANDRIA*	928	611	11.7			25	1	1	1	11	21	21	46	99	385	-
				MW	169	5	-	-	1	3	3	3	14	36	104	-
				FW	159	5	-	-	-	3	1	4	9	18	120	-
				MNW	151	4	1	-	-	3	17	6	14	27	79	-
				FNW	132	11	-	1	-	2	-	8	10	18	82	-
PINEVILLE*	259	169	13.6			5	2	-	1	5	4	7	13	22	110	-
				MW	72	3	2	-	-	4	1	4	8	7	43	-
				FW	62	1	-	-	-	-	2	1	3	10	45	-
				MNW	20	-	-	-	1	-	1	1	2	2	13	-
				FNW	15	1	-	-	-	1	-	1	-	3	9	-
RED RIVER	154	131	11.8			3	1	-	-	1	2	3	5	15	101	-
				MW	35	1	-	-	-	-	1	-	1	5	27	-
				FW	48	-	-	-	-	1	-	2	-	6	39	-
				MNW	29	-	1	-	-	-	1	1	2	3	21	-
				FNW	19	2	-	-	-	-	-	-	2	1	14	-
RICHLAND	270	252	11.1			7	1	-	1	4	3	2	14	28	192	-
				MW	94	3	-	-	-	1	3	1	6	13	67	-
				FW	65	-	1	-	-	-	-	-	2	5	57	-
				MNW	47	2	-	-	1	2	-	-	4	4	34	-
				FNW	46	2	-	-	-	1	-	1	2	6	34	-
SABINE	202	256	9.4			6	2	-	-	9	4	12	10	42	170	1
				MW	114	1	1	-	-	6	2	3	6	20	74	1
				FW	85	2	-	-	-	1	1	5	2	12	62	-
				MNW	30	1	-	-	-	2	1	1	-	8	17	-
				FNW	27	2	1	-	-	-	-	3	2	2	17	-
ST BERNARD	389	498	7.3			8	1	1	-	13	15	25	40	112	282	1
				MW	251	2	1	-	-	9	10	13	19	66	130	1
				FW	223	4	-	1	-	3	3	9	20	42	141	-
				MNW	12	2	-	-	-	1	2	1	-	1	5	-
				FNW	12	-	-	-	-	-	-	2	1	3	6	-
ST CHARLES	160	268	6.5			10	2	3	2	7	15	16	24	36	153	-
				MW	110	1	2	-	2	3	9	7	11	19	56	-
				FW	77	1	-	1	-	1	2	5	3	11	53	-
				MNW	42	3	-	-	-	3	3	3	6	4	20	-
				FNW	39	5	-	2	-	-	1	1	4	2	24	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
ST HELENA	55	86	8.4			1	1	-	-	4	4	2	1	13	60	-
				MW	20	1	-	-	-	2	-	1	-	2	14	-
				FW	27	-	-	-	-	2	-	1	-	4	20	-
				MNW	24	-	1	-	-	-	3	-	-	3	17	-
				FNW	15	-	-	-	-	-	1	-	1	4	9	-
ST JAMES	137	206	9.4			17	-	2	2	5	6	10	10	25	129	-
				MW	49	2	-	1	-	1	2	1	3	4	35	-
				FW	53	1	-	-	-	-	-	2	-	7	43	-
				MNW	49	7	-	-	1	3	3	4	4	4	23	-
				FNW	55	7	-	1	1	1	1	3	3	10	28	-
ST JOHN	223	235	6.2			7	2	2	-	11	11	11	16	42	133	-
				MW	90	3	1	1	-	4	5	3	7	18	48	-
				FW	53	1	-	-	-	5	1	3	4	4	35	-
				MNW	52	2	1	1	-	-	4	4	4	7	29	-
				FNW	40	1	-	-	-	2	1	1	1	13	21	-
ST LANDRY	711	846	9.6			24	2	4	-	23	20	32	56	129	556	-
				MW	295	3	1	1	-	15	6	10	19	44	196	-
				FW	226	7	-	-	-	3	3	3	9	32	169	-
				MNW	186	7	1	3	-	4	9	9	16	37	100	-
				FNW	139	7	-	-	-	1	2	10	12	16	91	-
OPELOUSAS*	417	248	12.8			11	-	-	-	4	2	15	13	35	168	-
				MW	60	-	-	-	-	2	1	4	2	8	43	-
				FW	61	3	-	-	-	1	-	-	1	7	49	-
				MNW	65	2	-	-	-	1	1	6	3	15	37	-
				FNW	62	6	-	-	-	-	-	5	7	5	39	-
EUNICE*	155	152	12.3			6	-	-	-	7	1	4	7	30	97	-
				MW	66	3	-	-	-	3	-	1	2	13	44	-
				FW	51	1	-	-	-	2	-	2	1	11	34	-
				MNW	19	1	-	-	-	2	-	-	3	4	9	-
				FNW	16	1	-	-	-	-	1	1	1	2	10	-
ST MARTIN	164	321	7.2			15	3	2	1	17	12	11	14	56	190	-
				MW	122	1	-	1	-	13	5	3	10	25	64	-
				FW	90	4	3	-	-	1	2	3	1	15	61	-
				MNW	61	7	-	-	1	1	2	2	1	10	37	-
				FNW	48	3	-	1	-	2	3	3	2	6	28	-
ST MARY	370	461	6.9			13	5	4	5	15	29	27	52	71	240	-
				MW	187	3	4	1	1	10	13	12	26	36	81	-
				FW	113	2	-	1	-	-	4	6	6	14	80	-
				MNW	91	3	-	1	-	4	9	6	14	12	42	-
				FNW	70	5	1	1	4	1	3	3	6	9	37	-
MORGAN CITY*	145	118	7.3			5	1	1	-	2	5	5	13	18	68	-
				MW	57	1	1	1	-	1	2	2	9	11	29	-
				FW	37	2	-	-	-	-	2	1	-	4	28	-
				MNW	12	1	-	-	-	-	1	-	3	2	5	-
				FNW	12	1	-	-	-	1	-	2	1	1	6	-
ST TAMMANY	775	842	6.6			25	2	3	2	23	29	42	65	146	505	-
				MW	412	12	-	2	1	15	12	27	40	79	224	-
				FW	298	9	-	-	-	5	9	7	14	44	210	-
				MNW	76	-	-	1	1	3	3	7	7	14	40	-
				FNW	56	4	2	-	-	-	5	1	4	9	31	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
SLIDELL*	291	200	7.3			5	-	-	1	8	5	13	14	37	117	-
				MW	106	4	-	-	-	7	1	12	9	22	51	-
				FW	71	1	-	-	-	-	3	1	3	12	51	-
				MNW	16	-	-	-	1	1	-	-	2	2	10	-
				FNW	7	-	-	-	-	-	1	-	-	1	5	-
TANGIPAHOA	793	855	9.7			25	8	3	3	39	31	22	59	125	540	-
				MW	339	9	1	1	2	22	12	9	20	59	204	-
				FW	248	3	2	1	-	4	4	4	12	25	193	-
				MNW	143	5	3	1	-	10	8	6	18	26	66	-
				FNW	125	8	2	-	1	3	7	3	9	15	77	-
HAMMOND*	62	151	9.6			2	2	-	-	8	7	4	9	21	98	-
				MW	41	-	-	-	-	3	1	2	2	5	28	-
				FW	39	-	1	-	-	-	1	1	1	4	31	-
				MNW	33	2	1	-	-	5	1	-	3	7	14	-
				FNW	38	-	-	-	-	-	4	1	3	5	25	-
TENSAS	77	119	14.4			3	-	-	1	1	-	4	6	15	89	-
				MW	24	-	-	-	-	-	-	3	3	3	15	-
				FW	14	-	-	-	-	-	-	-	-	5	9	-
				MNW	45	1	-	-	-	1	-	1	2	5	35	-
				FNW	36	2	-	-	1	-	-	-	1	2	30	-
TERREBONNE	704	658	6.4			25	6	3	1	30	25	33	54	110	371	-
				MW	305	9	1	1	1	19	17	16	30	61	150	-
				FW	218	9	3	2	-	4	4	6	11	25	154	-
				MNW	86	3	2	-	-	6	1	9	9	16	40	-
				FNW	49	4	-	-	-	1	3	2	4	8	27	-
HOUMA*	340	310	9.2			10	2	1	-	11	11	14	20	55	186	-
				MW	137	3	-	1	-	4	8	5	11	29	76	-
				FW	93	3	1	-	-	2	2	2	3	12	60	-
				MNW	53	2	1	-	-	4	-	5	4	11	26	-
				FNW	27	2	-	-	-	1	1	2	2	3	16	-
UNION	148	216	9.9			2	1	1	-	3	4	3	12	25	165	-
				MW	87	1	1	-	-	1	1	-	3	15	65	-
				FW	72	-	-	1	-	1	-	2	4	2	62	-
				MNW	32	-	-	-	-	-	2	-	5	4	21	-
				FNW	25	1	-	-	-	1	1	1	-	4	17	-
VERMILION	391	434	8.3			12	2	3	3	13	10	15	28	67	281	-
				MW	202	5	1	1	2	9	6	6	12	35	125	-
				FW	169	3	-	2	1	3	3	7	7	18	125	-
				MNW	39	2	1	-	-	1	1	2	8	9	15	-
				FNW	24	2	-	-	-	-	-	-	1	5	16	-
ABBEVILLE*	164	132	10.6			5	-	-	1	3	2	3	7	22	89	-
				MW	55	2	-	-	1	2	2	1	1	6	40	-
				FW	42	-	-	-	-	1	-	2	1	6	32	-
				MNW	14	1	-	-	-	-	-	-	4	6	5	-
				FNW	19	2	-	-	-	-	-	-	1	4	12	-
VERNON	194	276	4.5			13	3	2	1	11	3	8	24	41	170	-
				MW	121	6	1	1	-	4	1	4	10	24	70	-
				FW	121	2	1	-	-	2	1	3	8	13	91	-
				MNW	16	2	1	-	1	5	-	1	3	-	3	-
				FNW	18	3	-	1	-	-	1	-	3	4	6	-

(CONTINUED)

TABLE XV-A
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
WASHINGTON	440	540	11.8			14	1	2	3	19	17	20	42	88	333	1
				MW	205	7	1	2	1	9	8	8	20	36	113	-
				FW	177	2	-	-	1	4	3	3	11	24	129	-
				NNW	92	2	-	-	1	5	6	5	8	20	44	1
				FNW	66	3	-	-	-	1	-	4	3	8	47	-
BOGALUSA*	270	245	14.5			4	-	1	2	6	7	13	17	41	154	-
				MW	94	2	-	1	1	4	5	4	6	16	55	-
				FW	76	-	-	-	1	2	1	2	5	12	53	-
				NNW	44	2	-	-	-	-	1	4	4	11	22	-
				FNW	31	-	-	-	-	-	-	3	2	2	24	-
WEBSTER	420	515	11.4			9	1	-	2	10	12	17	25	74	365	-
				MW	182	1	-	-	1	5	2	8	10	34	121	-
				FW	163	2	1	-	1	-	4	1	6	17	131	-
				NNW	91	6	-	-	-	1	5	7	4	11	57	-
				FNW	79	-	-	-	-	4	1	1	5	12	56	-
MINDEN*	233	217	14.5			2	1	-	-	3	4	5	11	32	159	-
				MW	60	-	-	-	-	1	-	1	3	11	44	-
				FW	65	1	1	-	-	-	1	-	2	7	53	-
				NNW	45	1	-	-	-	1	3	3	4	6	27	-
				FNW	47	-	-	-	-	1	-	1	2	8	35	-
W BATON ROUGE	69	169	8.4			5	5	1	1	11	5	8	12	19	102	-
				MW	53	3	3	1	-	7	1	1	4	6	27	-
				FW	28	-	-	-	-	-	-	-	1	3	24	-
				NNW	48	1	1	-	1	3	3	5	4	5	25	-
				FNW	40	1	1	-	-	1	1	2	3	5	26	-
WEST CARROLL	79	138	10.4			1	-	1	2	1	5	1	9	19	99	-
				MW	64	-	-	1	2	1	4	-	5	8	43	-
				FW	53	-	-	-	-	-	1	1	4	7	40	-
				NNW	11	-	-	-	-	-	-	-	-	2	9	-
				FNW	10	1	-	-	-	-	-	-	-	2	7	-
W FELICIANA	57	63	4.7			3	-	-	-	1	1	3	3	12	40	-
				MW	15	1	-	-	-	-	1	1	-	4	8	-
				FW	7	-	-	-	-	-	-	-	-	2	5	-
				NNW	21	1	-	-	-	1	-	2	1	3	13	-
				FNW	20	1	-	-	-	-	-	-	2	3	14	-
WINN	152	181	10.3			3	1	2	-	4	2	4	10	32	123	-
				MW	71	1	-	-	-	3	1	1	6	13	46	-
				FW	59	-	-	-	-	-	-	2	2	10	45	-
				NNW	27	1	1	2	-	-	-	1	2	9	11	-
				FNW	24	1	-	-	-	1	1	-	-	-	21	-
UNKNOWN***	-	23				-	-	-	-	2	6	3	3	5	2	2
				MW	11	-	-	-	-	-	4	2	3	1	-	1
				FW	2	-	-	-	-	-	-	1	-	-	1	-
				NNW	10	-	-	-	-	2	2	-	-	4	1	1
				FNW	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	848	1116				50	4	5	4	74	90	76	123	199	491	-
				MW	628	21	2	3	3	47	57	55	86	131	223	-
				FW	306	15	1	2	1	14	7	10	23	42	191	-
				NNW	123	8	1	-	-	7	23	7	8	19	50	-
				FNW	59	6	-	-	-	6	3	4	6	7	27	-

* CITIES INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENCE

TABLE XV-B
DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY STATE PLANNING DISTRICT, 1983

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	36602	36334	8.2			1108	209	120	128	1023	1170	1343	2570	5679	22962	22
				MW	13159	282	68	39	51	473	465	507	1050	2374	7843	7
				FW	11290	207	40	24	24	149	195	257	514	1392	8484	4
				NNW	6444	338	64	29	35	281	365	357	615	1095	3259	6
				FNW	5441	281	37	28	18	120	145	222	391	818	3376	5
SPD 1	11267	10545	8.3			315	48	26	31	268	366	445	808	1786	6439	13
				MW	3621	61	9	6	8	97	129	166	302	732	2106	5
				FW	3329	51	8	6	8	33	54	73	155	400	2539	2
				NNW	1976	111	20	5	11	95	136	136	208	372	881	1
				FNW	1619	92	11	9	4	43	47	70	143	282	913	5
SPD 2	5575	5714	7.5			179	48	24	19	189	228	228	433	938	3426	2
				MW	1993	55	9	8	6	90	78	92	170	360	1125	-
				FW	1672	33	10	2	2	26	42	31	81	232	1213	-
				NNW	1090	46	19	10	7	52	76	63	109	196	510	2
				FNW	959	45	10	4	4	21	32	42	73	150	578	-
SPD 3	1873	2120	6.7			95	15	13	6	90	92	95	164	347	1203	-
				MW	895	23	7	3	4	54	53	38	80	173	460	-
				FW	628	20	4	6	-	15	12	20	30	82	439	-
				NNW	336	26	3	1	1	16	19	28	34	47	161	-
				FNW	261	26	1	3	1	5	8	9	20	45	143	-
SPD 4	4230	4440	7.6			161	27	22	18	145	143	176	334	674	2740	-
				MW	[illegible]	46	16	8	8	88	67	71	150	314	1047	-
				FW	[illegible]	33	5	6	2	22	25	42	64	164	1025	-
				NNW	[illegible]	50	5	5	3	26	36	35	76	113	342	-
				FNW	[illegible]	32	1	3	5	9	15	28	44	83	326	-
SPD 5	2214	2225	8.2			57	10	7	10	50	81	63	154	373	1420	-
				MW	911	20	4	4	5	29	34	23	71	168	553	-
				FW	775	21	4	1	2	7	22	20	35	101	562	-
				NNW	309	11	-	-	3	12	16	13	36	60	158	-
				FNW	230	5	2	2	-	2	9	7	12	44	147	-
SPD 6	2830	2818	8.5			81	14	6	15	69	63	96	177	400	1888	1
				MW	1110	28	8	1	7	36	27	36	73	186	708	-
				FW	926	14	2	1	4	13	10	24	41	105	711	1
				NNW	403	15	4	2	4	16	19	17	36	69	221	-
				FNW	379	24	-	2	-	4	7	19	27	48	248	-
SPD 7	5733	5363	9.3			143	29	13	14	147	129	149	304	743	3690	2
				MW	1737	31	8	4	6	50	46	44	123	286	1138	1
				FW	1655	25	4	1	3	25	20	29	64	195	1288	1
				NNW	1064	54	8	5	2	46	46	48	72	154	629	-
				FNW	907	33	9	3	3	26	17	28	45	108	635	-
SPD 8	2880	3086	9.5			77	18	9	15	63	62	88	193	405	2154	2
				MW	1066	18	7	5	7	29	27	35	79	154	706	-
				FW	915	10	3	1	3	8	10	17	44	113	706	-
				NNW	565	25	5	1	4	16	15	17	44	80	356	2
				FNW	540	24	3	2	1	10	10	19	27	58	386	-

UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN SPD RESIDENCE DATA

TABLE XV-C

DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY HEALTH SERVICE AREA, 1983

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENC	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNK
TOTAL	36602	36334	8.2			1108	209	120	128	1023	1170	1343	2570	5679	22962	22
				MW	13159	282	68	39	51	473	465	507	1050	2374	7843	7
				FW	11290	207	40	24	24	149	195	257	514	1392	8484	4
				NNW	6444	338	64	29	35	281	365	357	615	1095	3259	6
				FNW	5441	281	37	28	18	120	145	222	391	818	3376	5
HSA 1	13140	12665	8.0			410	63	39	37	358	458	540	972	2133	7642	13
				MW	4516	84	16	9	12	151	182	204	382	905	2566	5
				FW	3957	71	12	12	8	48	66	93	185	482	2978	2
				NNW	2312	137	23	6	12	111	155	164	242	419	1042	1
				FNW	1880	118	12	12	5	48	55	79	163	327	1056	5
HSA 2	12019	12379	7.6			397	85	53	47	384	452	467	921	1985	7586	2
				MW	4719	121	29	20	19	207	179	186	391	842	2725	-
				FW	3835	87	19	9	6	55	89	93	180	497	2800	-
				NNW	2090	107	24	15	13	90	128	111	221	369	1010	2
				FNW	1735	82	13	9	9	32	56	77	129	277	1051	-
HSA 3	11443	11267	9.1			301	61	28	44	279	254	333	674	1556	7732	5
				MW	3913	77	23	10	20	115	100	115	274	626	2552	1
				FW	3496	49	9	3	10	46	40	70	149	413	2705	2
				NNW	2932	94	17	8	10	78	80	82	152	303	1206	2
				FNW	1826	81	12	7	4	40	34	66	99	214	1269	-

UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN HSA RESIDENCE DATA

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
TOTAL	36602	1141	199	119	121	396	648	1203	1363	2594	5726	23072	20
ACADIA	397	7	2	-	1	4	7	8	12	21	44	291	-
ACADIA-ST. LANDRY HOSPITAL	19	-	-	-	-	-	-	-	1	1	-	17	-
AMERICAN LEGION HOSPITAL	88	3	-	-	-	-	-	1	2	5	11	66	-
RAYNE BRANCH HOSPITAL	59	-	-	-	-	2	-	-	-	1	5	51	-
NURSING HOME	63	-	-	-	-	-	-	-	-	-	3	60	-
OUT OF HOSPITAL	168	4	2	-	1	2	7	7	9	14	25	97	-
ALLEN	182	2	1	-	1	1	5	3	3	9	26	131	-
ALLEN PARISH HOSPITAL	34	-	-	-	-	-	2	-	-	1	4	27	-
HUMANA HOSPITAL, OAKDALE	67	-	-	-	1	-	-	-	1	1	9	55	-
NURSING HOME	19	-	-	-	-	-	-	-	-	-	-	19	-
OUT OF HOSPITAL	62	2	1	-	-	1	3	3	2	7	13	[illegible]	-
ASCENSION	274	8	1	1	1	3	3	15	9	18	39	176	-
EAST ASCENSION GENERAL HOSPITAL	44	-	-	-	-	1	-	-	-	2	4	37	-
PREVOST MEMORIAL HOSPITAL	60	-	-	-	-	-	-	1	1	[illegible]	3	54	-
NURSING HOME	29	-	-	-	-	-	-	-	-	-	2	27	-
OUT OF HOSPITAL	141	8	1	1	1	2	3	14	[illegible]	15	30	58	-
ASSUMPTION	138	4	-	-	-	4	7	[illegible]	5	9	12	90	-
ASSUMPTION GENERAL HOSPITAL	31	-	-	-	-	-	-	-	3	3	1	24	-
NURSING HOME	25	-	-	-	-	-	-	-	-	-	2	23	-
OUT OF HOSPITAL	82	4	-	-	-	4	7	7	2	6	9	43	-
AVOYELLES	363	6	2	-	1	3	2	6	16	14	35	278	-
BUNKIE GENERAL HOSPITAL	68	-	-	-	-	-	-	-	1	2	2	63	-
HUMANA HOSPITAL-MARKSVILLE	58	-	-	-	-	-	-	-	1	3	5	49	-
NURSING HOME	100	-	-	-	-	-	-	-	-	1	5	94	-
OUT OF HOSPITAL	137	6	2	-	1	3	2	6	14	8	23	72	-
BEAUREGARD	235	4	-	-	-	3	3	8	8	17	26	166	-
BEAUREGARD MEMORIAL HOSPITAL	114	1	-	-	-	-	-	-	1	4	15	93	-
MERRYVILLE GENERAL HOSPITAL	14	-	-	-	-	-	-	-	-	1	1	12	-
NURSING HOME	23	-	-	-	-	-	-	-	-	2	1	20	-
OUT OF HOSPITAL	84	3	-	-	-	3	3	8	7	10	9	41	-
BIENVILLE	138	2	1	1	1	2	1	1	7	9	11	102	-
BIENVILLE GENERAL HOSPITAL	48	-	-	-	-	-	-	-	1	3	1	43	-
NURSING HOME	18	-	-	-	-	-	-	-	-	-	-	18	-
OUT OF HOSPITAL	72	2	1	1	1	2	1	1	6	6	10	41	-
BOSSIER	424	8	4	2	2	12	14	19	7	24	55	276	1
U S AIR FORCE BASE HOSPITAL	22	3	-	-	-	-	-	-	1	3	4	11	-
BOSSIER MEDICAL CENTER	118	-	1	-	-	1	4	3	2	7	9	91	-
RIVERSIDE COMMUNITY HOSPITAL	34	-	-	-	-	-	-	-	-	1	5	27	1
NURSING HOME	78	-	-	-	-	-	-	-	-	1	3	74	-
OUT OF HOSPITAL	172	5	3	2	2	11	10	16	4	12	34	73	-
CADDO	3393	159	16	8	8	25	50	86	119	242	559	2120	1
L.S.U. MEDICAL CENTER	605	95	7	2	3	9	14	27	38	54	118	238	-
HIGHLAND HOSPITAL	128	-	-	-	-	-	-	2	6	9	28	83	-
NORTH CADDO MEMORIAL HOSPITAL	33	-	-	-	-	-	-	-	-	1	2	30	-
DOCTORS HOSPITAL OF CADDO	75	-	-	1	-	-	1	1	1	5	13	53	-
PHYSICIANS AND SURGEONS HOSPITAL	119	-	-	-	-	1	1	-	3	5	9	100	-
T. E. SCHUMPERT HOSPITAL	567	30	2	2	-	1	5	8	19	36	94	369	1
SOUTH PARK HOSPITAL	30	-	-	-	-	-	-	-	1	1	2	26	-
VETERANS ADMINISTRATION MEDICAL CENTER	336	-	-	-	-	-	-	3	7	43	113	170	-
WILLIS KNIGHTON MEDICAL CENTER	337	23	1	-	2	2	4	5	10	22	45	223	-
NURSING HOME	313	-	-	-	-	1	-	1	-	4	12	295	-
OUT OF HOSPITAL	850	11	6	3	3	11	25	39	34	62	123	533	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
CALCASIEU	1460	31	6	5	9	9	22	55	44	104	265	910	-
DEQUINCY GENERAL HOSPITAL	21	1	-	-	-	-	-	-	-	1	1	18	-
DR. WALTER OLIN MOSS REGIONAL HOSPITAL	117	11	-	1	-	-	2	5	10	12	29	47	-
LAKE CHARLES MEMORIAL HOSPITAL	280	4	-	2	2	1	2	11	7	18	50	183	-
ST. PATRICKS HOSPITAL	291	4	-	-	2	1	1	6	4	19	58	196	-
WEST CALCASIEU-CAMERON HOSPITAL	144	4	-	-	-	-	1	1	5	5	21	107	-
NURSING HOME	178	-	-	-	-	-	-	-	1	3	13	161	-
OUT OF HOSPITAL	429	7	6	2	5	7	16	32	17	46	93	198	-
CALDWELL	78	1	-	-	-	1	2	1	2	7	2	62	-
CALDWELL MEMORIAL HOSPITAL	21	-	-	-	-	-	-	-	-	1	1	19	-
CITIZENS MEDICAL HOSPITAL	18	-	-	-	-	-	-	-	-	1	1	16	-
NURSING HOME	15	-	-	-	-	-	-	-	-	-	-	15	-
OUT OF HOSPITAL	24	1	-	-	-	1	2	1	2	5	-	12	-
CAMERON	45	-	-	1	-	3	3	6	2	3	7	20	-
SOUTH CAMERON MEMORIAL HOSPITAL	8	-	-	-	-	-	-	-	-	-	-	8	-
NURSING HOME	1	-	-	-	-	-	-	-	-	-	-	1	-
OUT OF HOSPITAL	36	-	-	1	-	3	3	6	2	3	7	11	-
CATAHOULA	115	-	-	-	2	1	4	2	6	5	7	88	-
CATAHOULA PARISH HOSPITAL	66	-	-	-	-	-	-	-	-	2	4	60	-
NURSING HOME	16	-	-	-	-	-	-	-	1	-	-	15	-
OUT OF HOSPITAL	33	-	-	-	2	1	4	2	5	3	3	13	-
CLAIBORNE	170	-	3	1	-	1	1	3	2	8	19	132	-
HOMER MEMORIAL HOSPITAL	57	-	-	-	-	-	-	-	-	3	6	48	-
NORTH CLAIBORNE HOSPITAL	22	-	-	-	-	-	-	-	-	-	3	19	-
NURSING HOME	19	-	-	-	-	-	-	-	-	-	2	17	-
OUT OF HOSPITAL	72	-	3	1	-	1	1	3	2	5	8	48	-
CONCORDIA	143	4	-	-	2	3	2	2	4	14	21	91	-
CONCORDIA PARISH HOSPITAL	62	1	-	-	-	1	-	-	3	3	12	42	-
NURSING HOME	5	-	-	-	-	-	-	-	-	-	-	5	-
OUT OF HOSPITAL	76	3	-	-	2	2	2	2	1	11	9	44	-
DESOTO	205	2	-	1	-	2	3	9	3	8	18	159	-
DESOTO GENERAL HOSPITAL	80	-	-	-	-	-	1	-	1	-	3	75	-
NURSING HOME	12	-	-	-	-	-	-	-	-	-	-	12	-
OUT OF HOSPITAL	113	2	-	1	-	2	2	9	2	8	15	72	-
EAST BATON ROUGE	3063	124	21	15	8	24	47	127	128	244	526	1798	1
BATON ROUGE GENERAL HOSPITAL	582	1	4	2	2	1	6	11	20	33	105	396	1
DOCTORS MEMORIAL HOSPITAL	47	-	-	-	-	-	-	2	-	4	7	34	-
EARL K. LONG MEMORIAL HOSPITAL	279	38	2	1	2	2	6	19	21	40	72	76	-
LAKE MEMORIAL HOSPITAL	136	-	-	1	-	-	-	-	3	9	15	108	-
OUR LADY OF THE LAKE MEDICAL CENTER	775	1	3	2	-	2	5	15	26	65	141	515	-
WOMANS HOSPITAL	65	65	-	-	-	-	-	-	-	-	-	-	-
NURSING HOME	237	-	-	-	-	-	-	1	2	7	15	212	-
OUT OF HOSPITAL	942	19	12	9	4	19	30	79	56	86	171	457	-
EAST CARROLL	95	3	-	-	-	1	-	6	5	2	13	65	-
EAST CARROLL PARISH HOSPITAL	33	2	-	-	-	-	-	1	2	1	3	24	-
NURSING HOME	10	-	-	-	-	-	-	-	-	-	1	9	-
OUT OF HOSPITAL	52	1	-	-	-	1	-	5	3	1	9	32	-
EAST FELICIANA	142	-	-	-	-	-	3	3	5	7	20	104	-
EAST FELICIANA MEDICAL CENTER	19	-	-	-	-	-	-	-	-	-	3	16	-
EAST LOUISIANA STATE HOSPITAL	4	-	-	-	-	-	-	1	-	-	-	3	-
JACKSON SPECIAL HOSPITAL	1	-	-	-	-	-	-	-	1	-	-	-	-
NURSING HOME	87	-	-	-	-	-	-	1	3	5	13	65	-
OUT OF HOSPITAL	31	-	-	-	-	-	3	1	1	2	4	20	-
EVANGELINE	308	8	2	1	1	5	5	9	13	18	39	207	-
HUMANA HOSPITAL-VILLE PLATTE	74	1	-	-	-	1	-	1	-	4	6	61	-
SAVOY MEMORIAL HOSPITAL	93	1	-	-	-	-	-	-	4	6	17	65	-
NURSING HOME	35	-	-	-	-	-	-	-	-	-	3	32	-
OUT OF HOSPITAL	106	6	2	1	1	4	5	8	9	8	13	49	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
FRANKLIN	169	-	1	-	1	1	2	1	2	6	16	139	-
FRANKLIN PARISH HOSPITAL	84	-	1	-	-	-	-	1	-	2	8	72	-
NURSING HOME	29	-	-	-	-	-	-	-	1	-	3	25	-
OUT OF HOSPITAL	56	-	-	-	1	1	2	-	1	4	5	42	-
GRANT	64	1	1	1	-	2	1	1	2	4	6	45	-
NURSING HOME	23	-	-	-	-	-	-	-	-	-	1	22	-
OUT OF HOSPITAL	41	1	1	1	-	2	1	1	2	4	5	23	-
IBERIA	476	12	2	4	3	2	11	12	18	33	75	304	-
DAUTERIVE HOSPITAL INC.	116	5	-	-	-	-	-	1	5	4	13	88	-
IBERIA GENERAL HOSP AND MEDICAL CENTER	103	4	-	-	-	-	-	1	1	6	23	68	-
NURSING HOME	43	-	-	-	-	-	-	-	-	3	2	38	-
OUT OF HOSPITAL	214	3	2	4	3	2	11	10	12	20	37	110	-
IBERVILLE	226	-	3	1	-	1	9	10	6	16	41	139	-
U. S. PUBLIC HEALTH SERVICE HOSPITAL	5	-	-	-	-	-	-	-	-	1	2	2	-
RHODES SPEDALE GENERAL HOSPITAL	80	-	2	-	-	-	-	1	-	3	11	63	-
NURSING HOME	21	-	-	-	-	-	-	1	-	-	2	18	-
OUT OF HOSPITAL	120	-	1	1	-	1	9	8	6	12	26	56	-
JACKSON	155	1	-	-	-	1	4	3	3	7	21	115	-
JACKSON PARISH HOSPITAL	60	-	-	-	-	-	-	-	-	1	9	50	-
NURSING HOME	22	-	-	-	-	-	-	-	-	-	3	19	-
OUT OF HOSPITAL	73	1	-	-	-	1	4	3	3	6	9	46	-
JEFFERSON	2774	121	26	11	13	30	36	100	120	215	469	1632	2
EAST JEFFERSON GENERAL HOSPITAL	523	1	-	1	2	1	2	10	12	45	112	337	-
OCHSNER FOUNDATION HOSPITAL	467	75	12	3	5	5	6	13	14	31	83	220	-
LAKESIDE HOSPITAL	57	30	-	-	-	-	-	-	-	1	5	21	-
BONNABEL HOSPITAL	109	-	-	-	-	-	-	-	2	1	10	96	-
MEADOWCREST HOSPITAL	32	1	-	-	-	-	-	-	-	2	6	23	-
WEST JEFFERSON GENERAL HOSPITAL	428	1	1	-	2	3	5	8	14	37	58	299	-
NURSING HOME	114	-	-	-	-	-	-	-	-	1	-	113	-
OUT OF HOSPITAL	1044	13	13	6	4	21	23	69	78	97	195	523	2
JEFFERSON DAVIS	292	3	2	1	1	6	3	9	7	16	33	211	-
JENNINGS AMERICAN LEGION HOSPITAL	89	-	-	1	-	1	-	1	3	6	13	64	-
WELSH GENERAL HOSPITAL	40	-	-	-	-	-	-	1	-	2	1	36	-
NURSING HOME	59	-	-	-	-	-	-	-	-	-	1	58	-
OUT OF HOSPITAL	104	3	2	-	1	5	3	7	4	8	18	53	-
LAFAYETTE	1413	94	10	4	4	29	26	50	67	114	229	786	-
UNIVERSITY MEDICAL CENTER	265	52	2	1	2	9	4	8	18	34	59	76	-
LAFAYETTE GENERAL HOSPITAL	298	22	-	-	-	7	2	5	9	22	41	182	-
OUR LADY OF LOURDES HOSPITAL	386	-	1	2	1	3	4	6	18	16	69	266	-
WOMANS HOSPITAL OF ACADIANA	13	13	-	-	-	-	-	-	-	-	-	-	-
NURSING HOME	98	-	-	-	-	-	-	-	2	1	10	77	-
OUT OF HOSPITAL	369	7	7	1	1	10	16	31	20	41	50	185	-
LAFOURCHE	511	7	4	3	2	6	15	23	12	38	94	307	-
LADY OF THE SEA HOSPITAL	49	1	-	-	-	-	-	-	1	4	5	38	-
ST. ANNE HOSPITAL	66	1	-	-	-	-	-	2	-	4	10	49	-
THIBODAUX GENERAL HOSPITAL	139	1	-	-	-	-	1	2	4	8	19	95	-
NURSING HOME	51	-	-	-	-	-	-	-	-	1	6	44	-
OUT OF HOSPITAL	215	4	4	3	2	6	14	19	7	21	54	81	-
LASALLE	145	3	-	-	1	1	1	2	3	6	13	114	1
HARDTNER MEDICAL CENTER	32	1	-	-	-	-	-	1	-	1	3	25	1
LASALLE GENERAL HOSPITAL	55	-	-	-	-	-	-	-	1	1	2	51	-
NURSING HOME	9	-	-	-	-	-	-	-	-	1	1	7	-
OUT OF HOSPITAL	49	2	-	-	1	1	1	1	2	3	7	31	-
LINCOLN	330	5	1	2	-	1	4	4	6	17	25	265	-
LINCOLN GENERAL HOSPITAL	204	3	-	-	-	-	1	1	4	8	13	174	-
NURSING HOME	41	-	-	-	-	-	-	-	-	-	-	41	-
OUT OF HOSPITAL	85	2	1	2	-	1	3	3	2	9	12	50	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
LIVINGSTON	275	1	5	1	1	8	4	7	10	17	32	189	-
DIXON MEMORIAL HOSPITAL	120	-	1	-	-	-	-	-	1	6	8	112	-
NURSING HOME	16	-	-	-	-	-	-	-	-	-	1	15	-
OUT OF HOSPITAL	131	1	4	1	1	8	4	7	9	11	23	62	-
MADISON	122	4	2	-	-	1	4	4	4	11	10	82	-
MADISON PARISH HOSPITAL	35	-	-	-	-	-	-	-	1	1	1	32	-
NURSING HOME	27	-	-	-	-	-	-	-	-	-	3	24	-
OUT OF HOSPITAL	60	4	2	-	-	1	4	4	3	10	6	26	-
MOREHOUSE	290	6	-	-	-	-	4	6	3	12	32	227	-
MOREHOUSE GENERAL HOSPITAL	135	3	-	-	-	-	1	1	-	5	17	108	-
NURSING HOME	63	-	-	-	-	-	1	-	-	1	1	60	-
OUT OF HOSPITAL	92	3	-	-	-	-	2	5	3	6	14	59	-
NATCHITOCHES	297	4	-	1	1	4	5	9	8	10	32	223	-
NATCHITOCHES PARISH HOSPITAL	121	3	-	-	-	-	-	1	1	1	12	103	-
NURSING HOME	56	-	-	-	-	-	-	-	1	3	3	49	-
OUT OF HOSPITAL	120	1	-	1	1	4	5	8	6	6	17	71	-
ORLEANS	7225	312	28	24	25	72	125	252	335	585	1269	4186	12
JO ELLEN SMITH MEMORIAL HOSPITAL	232	3	-	1	1	1	-	3	13	13	32	163	2
SOUTHERN BAPTIST HOSPITAL	539	50	2	2	3	1	2	6	16	28	72	357	-
CHARITY HOSPITAL OF NEW ORLEANS	1158	171	7	4	6	18	28	69	87	163	243	361	1
CHILDRENS HOSPITAL	25	8	5	4	4	3	1	-	-	-	-	-	-
DEPAUL HOSP AND COMM MENTAL HEALTH CEN	1	-	-	-	-	-	-	-	-	-	-	1	-
UNITED MEDICAL CENTER	98	2	-	-	-	1	1	-	5	4	16	69	-
EYE AND EAR INSTITUTE OF LOUISIANA	3	-	-	-	-	-	-	-	-	-	1	2	-
F. EDWARD HEBERT HOSPITAL	18	2	-	-	-	-	-	-	1	-	-	15	-
FLINT GOODRIDGE HOSP OF DILLARD UNIV	48	2	-	-	-	-	-	1	-	-	3	42	-
HOTEL DIEU HOSPITAL	352	5	1	-	-	3	2	3	13	25	56	244	-
PENDLETON MEMORIAL METHODIST HOSPITAL	232	5	-	-	-	2	2	3	4	9	43	164	-
MERCY HOSPITAL	307	-	-	-	-	-	1	2	9	14	48	233	-
MONTELEPRE MEMORIAL HOSPITAL	49	-	-	-	-	-	-	1	-	2	8	38	-
NEW ORLEANS GENERAL HOSPITAL	65	-	-	-	-	-	1	1	2	2	17	42	-
ST. CHARLES GENERAL HOSPITAL	143	-	-	-	-	-	-	-	1	7	18	117	-
TOURO INFIRMARY	505	3	-	-	-	1	1	3	9	27	57	404	-
TULANE MEDICAL CENTER HOSPITAL	256	37	3	6	3	4	5	12	16	23	39	108	-
VETERANS ADMINISTRATION HOSPITAL	496	-	-	-	-	-	-	4	13	46	196	237	-
NURSING HOME	377	-	-	-	-	-	-	1	-	6	15	352	3
OUT OF HOSPITAL	2321	24	10	7	8	38	81	143	146	216	405	1237	6
OUACHITA	1397	43	10	4	9	11	21	29	46	102	213	909	-
E. A. CONWAY HOSPITAL	209	14	-	1	1	1	2	3	13	22	55	97	-
GLENWOOD HOSPITAL	185	-	1	-	-	2	2	2	2	9	31	136	-
NORTH MONROE COMMUNITY HOSPITAL	14	-	-	-	-	-	-	-	-	-	2	12	-
ST. FRANCIS HOSPITAL	478	16	3	-	5	2	5	6	10	39	69	323	-
STERLINGTON GENERAL HOSPITAL	29	-	-	-	-	-	-	-	-	-	1	28	-
NURSING HOME	125	-	-	-	-	-	-	1	1	1	7	115	-
OUT OF HOSPITAL	357	13	6	3	3	6	12	17	20	31	48	198	-
PLAQUEMINES	104	-	-	1	1	5	9	19	9	15	12	33	-
PLAQUEMINES PARISH GENERAL HOSPITAL	9	-	-	-	-	-	-	-	-	-	-	9	-
OUT OF HOSPITAL	95	-	-	1	1	5	9	19	9	15	12	24	-
POINTE COUPEE	181	1	2	-	-	2	1	1	7	6	21	140	-
POINTE COUPEE GENERAL HOSPITAL	101	-	1	-	-	-	-	1	3	1	10	85	-
NURSING HOME	20	-	-	-	-	-	-	-	-	1	1	18	-
OUT OF HOSPITAL	60	1	1	-	-	2	1	-	4	4	10	37	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
RAPIDES	1654	42	7	2	5	16	24	40	55	117	303	1043	-
RAPIDES GENERAL HOSPITAL	345	8	1	-	1	1	2	6	5	19	45	257	-
CENTRAL LOUISIANA STATE HOSPITAL	2	-	-	-	-	-	-	-	1	-	1	-	-
WOODVIEW REGIONAL HOSPITAL	23	-	-	-	-	-	-	1	-	2	2	18	-
ENGLAND AIR FORCE BASE HOSPITAL	8	-	-	-	-	-	-	-	1	5	2	-	-
HUEY P. LONG CHARITY HOSPITAL	182	14	3	2	1	2	8	4	8	20	35	85	-
ST. FRANCIS CABRINI HOSPITAL	304	12	-	-	-	6	3	2	7	15	41	218	-
PINECREST STATE SCHOOL	12	-	1	-	-	1	-	1	3	1	-	5	-
VETERANS ADMINISTRATION MEDICAL CENTER	275	-	-	-	-	-	-	1	5	21	101	147	-
NURSING HOME	120	-	-	-	-	-	-	-	-	1	3	116	-
OUT OF HOSPITAL	383	8	2	-	3	6	11	25	25	33	73	197	-
RED RIVER	154	1	1	-	-	4	1	5	5	3	20	114	-
L. S. HUCKABAY MEMORIAL HOSPITAL	71	-	-	-	-	-	-	1	-	-	9	61	-
NURSING HOME	27	-	-	-	-	-	-	1	-	-	1	25	-
OUT OF HOSPITAL	56	1	1	-	-	4	1	3	5	3	10	28	-
RICHLAND	270	6	2	-	-	-	2	2	2	9	35	212	-
RICHLAND PARISH HOSPITAL - URBAN	50	-	-	-	-	-	-	-	-	-	9	41	-
RICHLAND PARISH HOSPITAL - RURAL	103	1	-	-	-	-	-	-	-	3	12	87	-
NURSING HOME	47	-	-	-	-	-	-	-	-	-	2	45	-
OUT OF HOSPITAL	70	5	2	-	-	-	2	2	2	6	12	39	-
SABINE	202	-	2	1	-	3	4	3	5	8	26	150	-
SABINE MEDICAL CENTER	87	-	1	-	-	-	-	-	2	3	7	74	-
PLEASANT HILL GENERAL HOSPITAL	21	-	-	-	-	-	-	-	-	-	3	18	-
NURSING HOME	20	-	-	-	-	-	-	-	-	-	3	17	-
OUT OF HOSPITAL	74	-	1	1	-	3	4	3	3	5	13	41	-
ST.BERNARD	389	1	1	1	-	4	4	12	20	30	81	234	1
CHALMETTE GENERAL HOSPITAL	121	-	-	1	-	-	-	2	4	9	21	83	1
DE LA RONDE HOSPITAL	71	-	-	-	-	-	-	1	1	6	15	48	-
NURSING HOME	30	-	-	-	-	-	-	-	-	-	1	29	-
OUT OF HOSPITAL	167	1	1	-	-	4	4	9	15	15	44	74	-
ST.CHARLES	160	1	1	1	-	1	2	14	8	16	22	94	-
ST. CHARLES PARISH HOSPITAL	62	-	-	-	-	-	-	2	3	6	9	42	-
NURSING HOME	17	-	-	-	-	-	-	-	-	1	1	15	-
OUT OF HOSPITAL	81	1	1	1	-	1	2	12	5	9	12	37	-
ST. HELENA	55	1	-	-	-	3	1	5	1	1	8	35	-
ST. HELENA PARISH HOSPITAL	21	1	-	-	-	-	-	-	-	-	2	18	-
OUT OF HOSPITAL	34	-	-	-	-	3	1	5	1	1	6	17	-
ST. JAMES	137	7	1	-	-	5	2	6	6	8	14	88	-
ST. JAMES PARISH HOSPITAL	36	1	-	-	-	-	-	-	1	-	3	31	-
WEST ST. JAMES PARISH HOSPITAL	12	-	-	-	-	-	-	-	-	1	1	10	-
NURSING HOME	16	-	-	-	-	-	-	-	-	-	-	16	-
OUT OF HOSPITAL	73	6	1	-	-	5	2	6	5	7	10	31	-
ST. JOHN	223	3	1	-	1	2	5	19	11	16	27	138	-
RIVER PARISHES MEDICAL CENTER	72	-	-	-	-	-	1	1	1	5	13	51	-
NURSING HOME	36	-	-	-	-	-	-	-	-	-	-	36	-
OUT OF HOSPITAL	115	3	1	-	1	2	4	18	10	11	14	51	-
ST. LANDRY	711	9	1	2	-	4	14	13	19	45	94	510	-
MOOSA MEMORIAL HOSPITAL	77	1	-	1	-	-	-	-	-	2	12	61	-
OPELOUSAS GENERAL HOSPITAL	162	1	-	-	-	2	-	-	2	7	18	132	-
DOCTORS HOSPITAL OF ST. LANDRY	74	-	-	-	-	-	-	1	1	4	8	60	-
ST. LUKE HOSPITAL OF ST. LANDRY	30	-	-	-	-	-	-	-	-	2	3	25	-
NURSING HOME	80	-	-	-	-	-	-	-	1	1	3	75	-
OUT OF HOSPITAL	288	7	1	1	-	2	14	12	15	29	50	157	-
ST. MARTIN	164	4	2	1	1	5	6	4	2	10	24	105	-
GARY MEMORIAL HOSPITAL	26	1	-	-	-	-	-	-	-	-	1	24	-
ST. MARTIN INFIRMARY	10	-	-	-	-	-	-	-	-	-	-	10	-
NURSING HOME	20	-	-	-	-	-	-	-	-	1	1	18	-
OUT OF HOSPITAL	108	3	2	1	1	5	6	4	2	9	22	53	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ST. MARY	370	5	2	2	4	4	10	29	18	38	55	203	-
FAIRVIEW HOSPITAL	15	-	-	-	1	-	-	-	1	1	2	10	-
FRANKLIN FOUNDATION HOSPITAL	74	1	-	-	-	-	-	-	2	6	12	53	-
LAKEWOOD HOSPITAL	87	3	-	-	-	-	-	4	2	8	11	59	-
NURSING HOME	15	-	-	-	-	-	-	-	-	-	1	14	-
OUT OF HOSPITAL	179	1	2	2	3	4	10	25	13	23	29	67	-
ST. TAMMANY	775	4	2	2	1	7	20	26	31	50	118	514	-
HIGHLAND PARK HOSPITAL	48	-	-	-	-	-	-	-	1	3	10	34	-
ST. TAMMANY PARISH HOSPITAL	184	1	-	-	-	-	-	1	1	7	19	155	-
SLIDELL MEMORIAL HOSPITAL	172	-	-	-	-	-	1	3	1	8	30	129	-
NURSING HOME	43	-	-	-	-	-	-	-	-	-	4	39	-
OUT OF HOSPITAL	328	3	2	2	1	7	19	22	28	32	55	157	-
TANGIPAHOA	793	15	8	3	1	15	22	21	20	53	115	520	-
HAMMOND STATE HOSPITAL	2	-	1	-	-	-	-	1	-	-	-	-	-
HOOD MEMORIAL HOSPITAL	62	-	-	-	-	-	-	-	-	4	4	54	-
LALLIE KEMP CHARITY HOSPITAL	109	3	-	-	-	-	1	3	3	12	26	61	-
E. S. PIKE MEMORIAL HOSPITAL	35	-	-	-	-	-	-	-	1	-	-	34	-
SEVENTH WARD GENERAL HOSPITAL	236	4	-	-	-	-	3	1	5	5	22	196	-
WEST PARK HOSPITAL	6	-	-	-	-	-	-	-	-	1	-	5	-
NURSING HOME	49	-	-	-	-	-	-	-	-	3	2	44	-
OUT OF HOSPITAL	294	8	7	3	1	15	18	16	11	28	61	126	-
TENSAS	77	2	-	-	-	1	-	1	4	3	10	56	-
TENSAS MEMORIAL HOSPITAL	32	-	-	-	-	-	-	-	-	1	3	28	-
NURSING HOME	6	-	-	-	-	-	-	-	-	-	-	6	-
OUT OF HOSPITAL	39	2	-	-	-	1	-	1	4	2	7	22	-
TERREBONNE	704	23	4	3	1	14	15	33	36	55	122	398	-
SOUTH LOUISIANA MEDICAL CENTER	188	13	-	-	-	2	2	6	8	25	38	94	-
TERREBONNE PARISH GENERAL HOSPITAL	170	3	1	-	-	1	2	3	4	7	37	112	-
NURSING HOME	46	-	-	-	-	-	-	-	-	-	5	41	-
OUT OF HOSPITAL	300	7	3	3	1	11	11	24	24	23	42	151	-
UNION	148	-	1	1	1	1	3	1	-	4	15	121	-
TRI-WARD GENERAL HOSPITAL	35	-	-	-	-	-	-	-	-	2	2	31	-
UNION GENERAL HOSPITAL	36	-	-	-	-	-	-	-	-	-	2	34	-
NURSING HOME	25	-	-	-	-	-	-	-	-	-	-	25	-
OUT OF HOSPITAL	52	-	1	1	1	1	3	1	-	2	11	31	-
VERMILION	391	7	1	1	3	4	9	10	13	26	54	263	-
ABROM KAPLAN MEMORIAL HOSPITAL	54	-	1	-	-	-	-	1	-	1	7	44	-
ABBEVILLE GENERAL HOSPITAL	109	3	-	-	-	-	1	1	1	4	13	86	-
ERATH GENERAL HOSPITAL	34	-	-	-	-	-	-	-	1	-	4	29	-
GUEYDAN MEMORIAL HOSPITAL	5	-	-	-	-	-	-	-	-	-	1	4	-
NURSING HOME	20	-	-	-	-	-	-	-	-	-	2	18	-
OUT OF HOSPITAL	169	4	-	1	3	4	8	8	11	21	27	82	-
VERNON	194	7	3	2	-	2	10	5	7	20	28	110	-
LEESVILLE GENERAL HOSPITAL	8	-	-	-	-	-	-	-	-	1	1	6	-
BAYNE JONES ARMY COMMUNITY HOSPITAL	23	3	-	-	-	-	2	-	1	4	8	5	-
BYRD MEMORIAL HOSPITAL	61	-	-	-	-	-	-	1	-	2	6	52	-
NURSING HOME	8	-	-	-	-	-	-	-	-	-	-	8	-
OUT OF HOSPITAL	94	4	3	2	-	2	8	4	6	13	13	39	-
WASHINGTON	440	5	1	1	1	4	8	16	12	30	71	290	1
BOGALUSA COMMUNITY MEDICAL CENTER	101	-	-	-	-	-	-	1	1	4	10	85	-
RIVERSIDE MEDICAL CENTER	74	2	-	-	-	-	-	3	-	2	14	53	-
WASHINGTON-ST. TAMMANY HOSPITAL	72	3	-	-	-	-	-	-	3	7	16	43	-
NURSING HOME	29	-	-	-	-	-	-	-	-	1	1	27	-
OUT OF HOSPITAL	164	-	1	1	1	4	8	12	8	16	30	82	1
WEBSTER	420	5	-	-	1	1	7	10	10	16	49	321	-
HUMANA HOSPITAL-MINDEN	107	-	-	-	-	-	1	2	2	4	10	88	-
HUMANA HOSPITAL-SPRINGHILL	83	-	-	-	-	-	-	-	-	-	8	75	-
NURSING HOME	79	-	-	-	-	-	-	-	-	-	5	74	-
OUT OF HOSPITAL	151	5	-	-	1	1	6	8	8	12	26	84	-

(CONTINUED)

TABLE XVI
DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1983

HOSPITAL OR INSTITUTION	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
WEST BATON ROUGE	69	-	1	-	1	-	5	4	3	6	8	41	-
NURSING HOME	16	-	-	-	-	-	-	-	-	-	2	14	-
OUT OF HOSPITAL	53	-	1	-	1	-	5	4	3	6	6	27	-
WEST CARROLL	79	-	-	1	1	1	-	2	1	4	6	63	-
WEST CARROLL PARISH HOSPITAL	30	-	-	1	-	-	-	-	1	3	3	22	-
NURSING HOME	20	-	-	-	-	-	-	-	-	-	-	20	-
OUT OF HOSPITAL	29	-	-	-	1	1	-	2	-	1	3	21	-
WEST FELICIANA	57	1	-	-	-	2	3	3	4	6	10	28	-
ANGOLA GENERAL HOSPITAL	3	-	-	-	-	-	1	-	-	1	-	1	-
WEST FELICIANA PARISH HOSPITAL	21	-	-	-	-	-	-	-	2	-	3	16	-
NURSING HOME	8	-	-	-	-	-	-	-	-	-	2	6	-
OUT OF HOSPITAL	25	1	-	-	-	2	2	3	2	5	5	5	-
WINN	152	1	1	2	-	3	2	1	2	7	24	109	-
HUMANA HOSPITAL-WINN PARISH	88	-	-	-	-	-	-	-	-	4	7	77	-
NURSING HOME	19	-	-	-	-	-	1	-	-	1	4	13	-
OUT OF HOSPITAL	45	1	1	2	-	3	1	1	2	2	13	19	-

TABLE XVII
PRINCIPAL CAUSES OF DEATH, BY PARISH OF RESIDENCE
LOUISIANA, 1983

PARISH	TOTAL		Disease of Heart (390 - 398, 402, 404 - 429)		Malignant Neoplasms (140 - 208)		Cerebrovascular Disease (430 - 438)		Accidents and Adverse Effects (800 - 949)		Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	
	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*	NUMB.	RATE*
TOTAL	36334	818.7	13232	298.2	7656	172.5	2820	63.5	2110	47.5	1028	23.2
ACADIA	543	914.6	171	288.0	135	227.4	52	87.6	31	52.2	15	25.3
ALLEN	207	952.2	93	427.8	31	142.6	21	96.6	8	36.8	7	32.2
ASCENSION	373	682.9	123	225.2	80	146.5	31	56.8	26	47.6	10	18.3
ASSUMPTION	206	859.9	70	292.2	40	167.0	20	83.5	19	79.3	6	25.0
AVOYELLES	451	1055.8	193	451.8	81	189.6	33	77.3	21	49.2	15	35.1
BEAUREGARD	291	932.5	94	301.2	66	211.5	28	89.7	19	60.9	9	28.8
BIENVILLE	221	1356.8	87	534.1	53	325.4	25	153.5	13	79.8	5	30.7
BOSSIER	524	593.0	182	206.0	111	125.6	34	38.5	46	52.1	19	21.5
CADDO	2491	951.4	1035	395.3	535	204.3	168	64.2	118	45.1	55	21.0
CALCASIEU	1349	763.2	484	273.8	311	175.9	96	54.3	79	44.7	55	31.1
CALDWELL	94	858.7	44	401.9	12	109.6	7	63.9	7	63.9	1	9.1
CAMERON	63	621.4	23	226.8	12	118.4	5	49.3	4	39.5	1	9.9
CATAHOULA	118	957.3	45	365.1	24	194.7	17	137.9	8	64.9	1	8.1
CLAIBORNE	245	1333.9	107	582.6	45	245.0	24	130.7	14	76.2	6	32.7
CONCORDIA	219	928.9	103	436.9	42	178.1	17	72.1	13	55.1	4	17.0
DESOTO	289	1071.6	90	333.7	65	241.0	42	155.7	13	48.2	3	11.1
E BATON ROUGE	2513	645.2	851	218.5	560	143.8	165	42.4	158	40.6	68	17.5
EAST CARROLL	118	1011.1	36	308.5	23	197.1	9	77.1	8	68.5	3	25.7
E FELICIANA	111	556.7	47	235.7	19	95.3	9	45.1	11	55.2	-	-
EVANGELINE	342	995.1	125	363.7	53	154.2	41	119.3	27	78.6	12	34.9
FRANKLIN	245	999.6	88	359.1	59	240.7	35	142.8	18	73.4	4	16.3
GRANT	167	947.7	62	351.9	32	181.6	11	62.4	10	56.8	3	17.0
IBERIA	545	786.9	168	242.6	139	200.7	38	54.9	37	53.4	12	17.3
IBERVILLE	341	1033.9	129	391.1	65	197.1	35	106.1	23	69.7	14	42.4
JACKSON	222	1282.6	82	473.7	38	219.5	24	138.7	6	34.7	8	46.2
JEFFERSON	2996	628.2	1059	222.1	677	142.0	234	49.1	148	31.0	80	16.8
JEFF DAVIS	315	954.1	103	312.0	61	184.8	32	96.9	9	27.3	15	45.4
LAFAYETTE	948	558.7	328	193.3	205	120.8	69	40.7	61	35.9	30	17.7
LAFOURCHE	547	619.1	200	226.4	131	148.3	31	35.1	51	57.7	14	15.8
LASALLE	174	983.2	77	435.1	34	192.1	19	107.4	5	28.3	7	39.6
LINCOLN	302	721.7	87	207.9	64	152.9	33	78.9	14	33.5	10	23.9
LIVINGSTON	422	635.1	152	228.7	76	114.4	23	34.6	38	57.2	13	19.6
MADISON	162	1019.3	65	409.0	30	188.8	13	81.8	14	88.1	6	37.8
MOREHOUSE	335	952.2	128	363.8	62	176.2	35	99.5	11	31.3	9	25.6
NATCHITOCHES	389	953.3	158	387.2	80	196.1	41	100.5	17	41.7	8	19.6
ORLEANS	6026	1062.7	2132	376.0	1278	225.4	447	78.8	234	41.3	147	25.9
OUACHITA	1185	832.7	506	355.6	245	172.2	78	54.8	63	44.3	34	23.9
PLAQUEMINES	183	683.4	63	235.3	46	171.8	3	11.2	17	63.5	5	18.7
POINTE COUPEE	241	960.5	86	342.8	48	191.3	29	115.6	12	47.8	7	27.9
RAPIDES	1232	890.5	464	335.4	246	177.8	98	70.8	63	45.5	58	41.9
RED RIVER	131	1178.7	62	557.9	17	153.0	11	99.0	8	72.0	4	36.0
RICHLAND	252	1106.0	103	452.1	54	237.0	22	96.6	8	35.1	9	39.5
SABINE	256	943.3	95	350.0	48	176.9	16	59.0	17	62.6	10	36.8
ST BERNARD	498	732.9	210	309.1	108	158.9	26	38.3	30	44.2	20	29.4
ST CHARLES	268	652.0	101	245.7	51	124.1	17	41.4	26	63.3	6	14.6
ST HELENA	86	844.3	40	392.7	11	108.0	8	78.5	5	49.1	1	9.8
ST JAMES	206	937.6	57	259.4	49	223.0	15	68.3	14	63.7	2	9.1
ST JOHN	235	623.9	95	252.2	43	114.2	26	69.0	21	55.8	2	5.3
ST LANDRY	846	963.6	314	357.6	171	194.8	78	88.8	50	56.9	29	33.0
ST MARTIN	321	722.1	118	265.4	65	146.2	24	54.0	32	72.0	8	18.0
ST MARY	461	688.6	155	231.5	101	150.9	33	49.3	42	62.7	13	19.4
ST TAMMANY	842	657.1	275	214.6	198	154.5	74	57.8	58	45.3	25	19.5
TANGIPAHOA	855	973.1	225	256.1	144	163.9	73	83.1	68	77.4	19	21.6
TENSAS	119	1443.5	55	667.2	20	242.6	10	121.3	6	72.8	3	36.4
TERREBONNE	658	644.9	213	208.7	149	146.0	43	42.1	57	55.9	18	17.6
UNION	216	993.8	90	414.1	47	216.3	11	50.6	10	46.0	5	23.6
VERMILION	434	827.5	171	326.1	94	179.2	36	68.6	31	59.1	17	32.4
VERNON	276	450.4	95	155.0	54	88.1	16	26.1	15	24.5	7	11.4
WASHINGTON	540	1179.9	193	421.7	91	198.8	36	78.7	48	104.9	23	50.3
WEBSTER	515	1139.3	215	475.6	113	250.0	35	77.4	26	57.5	10	22.1
W BATON ROUGE	169	838.0	58	287.6	34	168.6	8	39.7	19	94.2	3	14.9
WEST CARROLL	138	1040.2	58	437.2	30	226.1	13	98.0	6	45.2	3	22.6
W FELICIANA	63	474.8	17	128.1	15	113.0	4	30.1	1	7.5	2	15.1
WINN	181	1029.9	73	415.4	33	187.8	13	74.0	11	62.6	8	45.5
UNKNOWN ***	23		4		2		-		7		2	
OUT OF STATE**	1116		328		217		55		196		23	

(CONTINUED)

* RATE PER 100,000 POPULATION

** NOT INCLUDED IN STATE TOTALS

*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENT

TABLE XVII
PRINCIPAL CAUSES OF DEATH, BY PARISH OF RESIDENCE
LOUISIANA, 1983

PARISH	Diabetes Mellitus (250)	Pneumonia and Influenza (480 - 487)	Homicide and Legal Intervention (960 - 978)	Atherosclerosis (440)	Suicide (950 - 959)	Certain Conditions Originating In Perinatal Period (760 - 779)	Nephritis, Nephrotic Syndrome, and Nephrosis (580 - 589)	Chronic Liver Disease and Cirrhosis (571)	Septicemia (038)	Congenital Anomalies (740 - 759)	Benign Neoplasms, Carcinoma in Situ, Neoplasms of Uncertain Behavior/Unspecified Nature (210-239)	All Other Causes
	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.	NUMB.
TOTAL	845	740	672	598	582	523	510	422	386	307	137	3766
ACADIA	13	16	8	11	9	14	5	5	2	1	4	51
ALLEN	8	5	1	1	3	-	2	2	3	2	-	20
ASCENSION	8	11	9	4	4	4	12	5	4	6	3	33
ASSUMPTION	3	7	8	4	1	4	2	1	2	4	-	15
AVOYELLES	11	7	4	20	13	2	8	-	1	5	-	37
BEAUREGARD	1	8	7	13	3	4	4	3	2	2	1	27
BIENVILLE	5	2	1	3	3	2	2	-	3	-	-	17
BOSSIER	7	4	5	1	12	15	3	8	6	7	4	60
CADDO	47	51	48	9	29	34	38	28	32	20	11	233
CALCASIEU	27	20	11	15	37	8	10	13	15	10	6	152
CALDWELL	2	4	-	1	1	4	1	2	-	1	-	11
CAMERON	2	1	3	-	-	1	5	1	-	2	1	2
CATAHOULA	2	5	-	-	1	1	1	2	-	-	-	11
CLAIBORNE	5	3	2	3	1	2	2	2	4	2	-	23
CONCORDIA	4	2	1	1	1	2	2	1	3	-	1	22
DESOTO	7	5	2	8	8	6	9	-	1	-	2	28
E BATON ROUGE	50	56	71	49	42	45	33	24	24	29	13	275
EAST CARROLL	7	3	-	11	2	3	3	-	-	-	-	10
E FELICIANA	3	2	3	3	-	-	1	-	2	-	1	10
EVANGELINE	6	8	3	2	11	5	9	2	2	2	-	34
FRANKLIN	5	4	3	-	1	1	1	1	2	2	-	21
GRANT	8	7	1	-	1	4	4	-	1	-	-	25
IBERIA	10	5	8	26	9	13	2	12	7	11	1	47
IBERVILLE	5	5	5	4	3	5	5	3	5	-	1	34
JACKSON	9	9	6	4	4	2	4	2	3	1	3	17
JEFFERSON	84	47	44	26	80	45	41	46	21	26	18	320
JEFF DAVIS	9	12	8	9	1	3	3	2	2	2	1	43
LAFAYETTE	12	17	13	9	25	14	12	10	14	15	5	109
LAFOURCHE	13	8	5	5	7	15	3	2	2	5	2	53
LASALLE	2	1	1	1	3	2	3	1	3	-	1	14
LINCOLN	5	11	-	3	3	7	9	3	7	2	-	44
LIVINGSTON	12	12	6	11	8	3	4	3	6	5	2	48
MADISON	1	-	4	-	-	1	6	2	1	4	-	15
MOREHOUSE	14	8	5	8	3	6	6	3	2	4	-	31
NATCHITOCHES	10	8	6	4	3	2	5	9	2	4	2	30
ORLEANS	179	117	210	47	54	102	93	103	93	51	18	721
OUACHITA	18	23	10	13	17	12	15	15	14	7	1	114
PLAQUEMINES	4	3	4	2	6	3	1	3	3	1	-	19
POINTE COUPEE	11	7	1	3	2	2	8	2	2	1	3	17
RAPIDES	37	32	22	4	11	13	15	14	11	14	4	126
RED RIVER	5	2	2	3	-	1	4	1	-	-	-	11
RICHLAND	7	13	2	-	2	3	2	3	1	2	2	19
SABINE	6	5	8	4	4	4	5	3	4	1	-	26
ST BERNARD	6	5	3	4	11	6	7	5	3	1	2	51
ST CHARLES	6	3	3	5	3	6	3	6	1	1	2	28
ST HELENA	1	1	1	1	1	-	-	1	-	-	-	15
ST JAMES	9	4	1	4	1	7	5	-	2	2	-	34
ST JOHN	3	4	4	2	3	3	2	2	7	1	1	16
ST LANDRY	20	21	7	12	25	13	7	4	6	6	2	81
ST MARTIN	5	12	2	3	4	7	4	1	2	3	1	30
ST MARY	13	7	11	8	11	7	6	8	3	3	-	40
ST TAMMANY	10	15	13	21	19	11	10	16	7	10	4	76
TANGIPAHOA	12	17	17	140	12	9	16	6	13	8	2	74
TENSAS	2	2	-	1	-	2	3	1	1	-	2	11
TERREBONNE	13	11	13	13	20	9	12	8	7	4	3	65
UNION	8	9	3	-	1	2	3	4	1	-	1	21
VERMILION	12	6	3	1	10	4	9	3	7	3	-	27
VERNON	9	3	5	6	7	7	1	2	3	2	2	42
WASHINGTON	7	19	2	18	10	7	6	6	7	5	2	60
WEBSTER	13	6	11	7	7	2	5	2	2	4	1	56
W BATON ROUGE	3	7	1	5	3	4	4	2	-	2	-	16
WEST CARROLL	3	4	3	-	1	-	2	-	-	-	-	15
W FELICIANA	4	1	1	2	-	1	1	1	1	1	-	11
WINN	2	7	4	-	4	1	1	2	1	-	1	20
UNKNOWN***	-	-	5	-	1	-	-	-	-	-	-	4
OUT OF STATE**	13	21	32	13	22	28	13	12	13	9	2	119

** NOT INCLUDED IN STATE TOTALS
*** PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENT

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
TOTAL	36334	818.7			1108	209	248	1023	1170	1343	2570	5679	8694	9103	5165	22
			WM	13159	282	68	90	473	465	507	1050	2374	3463	3101	1279	7
			WF	11290	207	40	48	149	195	257	514	1392	2439	3440	2605	4
			NWM	6444	338	64	64	281	365	357	615	1095	1498	1261	500	6
			NWF	5441	281	37	46	120	145	222	391	818	1294	1301	781	5
SHIGELLOSIS AND AMEBIASIS-(004,006)	1	0.0			-	-	-	-	-	-	1	-	-	-	-	-
			WM	1	-	-	-	-	-	-	1	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS-(007-009)	8	0.2			7	-	-	-	-	-	-	-	-	1	-	-
			WM	3	3	-	-	-	-	-	-	-	-	-	-	-
			WF	3	2	-	-	-	-	-	-	-	-	1	-	-
			NWM	2	2	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS-(010-018)	54	1.2			-	-	-	-	2	4	10	9	17	9	3	-
			WM	18	-	-	-	-	-	-	5	3	5	4	1	-
			WF	6	-	-	-	-	-	1	1	1	3	-	-	-
			NWM	24	-	-	-	-	1	2	4	5	7	4	1	-
			NWF	6	-	-	-	-	1	1	-	-	2	1	1	-
WHOOPING COUGH-(033)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT, SCARLATINA AND ERYSIPELAS-(034-035)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION-(036)	7	0.2			1	4	1	-	-	-	-	-	1	-	-	-
			WM	2	-	2	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	3	1	1	-	-	-	-	-	-	1	-	-	-
			NWF	2	-	1	1	-	-	-	-	-	-	-	-	-
SEPTICEMIA-(038)	386	8.7			17	4	2	7	5	10	20	51	84	127	59	-
			WM	102	7	2	-	2	2	3	6	16	21	29	14	-
			WF	124	1	-	-	2	-	2	3	12	29	45	30	-
			NWM	68	3	1	-	1	2	1	6	8	15	26	5	-
			NWF	92	6	1	2	2	1	4	5	15	19	27	10	-
ACUTE POLIOMYELITIS-(045)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES-(055)	-	-			-	-	-	-	-	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRAL HEPATITIS-(070)	19	0.4			1	-	-	2	4	2	4	1	2	1	2	-
			WM	5	-	-	-	-	-	1	1	1	1	-	1	-
			WF	4	-	-	-	-	1	-	2	-	-	1	-	-
			NWM	8	1	-	-	1	2	1	1	-	1	-	1	-
			NWF	2	-	-	-	1	1	-	-	-	-	-	-	-
SYPHILIS-(090-097)	4	0.1			-	-	-	-	-	-	-	-	1	2	1	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	2	-	-	-	-	-	-	-	-	1	1	-	-
			NWF	2	-	-	-	-	-	-	-	-	-	1	1	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ALL OTHER INFECTIOUS AND PARASITIC DISEASES-(REMAINDER OF 001-139)	101	2.3			10	2	6	3	8	6	13	13	22	12	6	-
			WM	31	2	-	1	2	4	2	4	5	5	5	1	-
			WF	32	2	2	3	1	2	-	3	6	7	4	2	-
			NWM	21	4	-	2	-	-	1	3	-	7	2	2	-
			NWF	17	2	-	-	-	2	3	3	2	3	1	1	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(140-208)	7656	172.5			2	8	35	37	101	293	709	1824	2373	1721	548	5
			WM	2975	-	4	14	14	29	88	265	762	985	647	167	-
			WF	2391	-	1	11	8	32	90	212	529	684	578	245	1
			NWM	1289	1	1	7	7	13	48	136	309	417	279	68	3
			NWF	1001	1	2	3	8	27	67	96	224	287	217	68	1
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY AND PHARYNX-(140-149)	159	3.6			-	-	1	-	1	3	17	53	47	25	12	-
			WM	73	-	-	-	-	-	1	3	26	26	14	3	-
			WF	37	-	-	1	-	1	-	3	8	9	7	8	-
			NWM	33	-	-	-	-	-	1	9	9	10	3	1	-
			NWF	16	-	-	-	-	-	1	2	10	2	1	-	-
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM-(150-159)	1828	41.2			-	-	-	1	19	42	158	398	543	491	174	2
			WM	642	-	-	-	-	7	12	59	160	202	152	50	-
			WF	565	-	-	-	-	4	8	44	96	143	188	81	1
			NWM	328	-	-	-	1	6	11	36	87	113	64	10	-
			NWF	293	-	-	-	-	2	11	19	55	85	87	33	1
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS-(160-165)	2321	52.3			-	-	2	3	4	67	248	709	800	415	72	1
			WM	1216	-	-	2	2	1	31	115	372	433	223	37	-
			WF	465	-	-	-	1	1	12	47	146	162	75	21	-
			NWM	476	-	-	-	-	1	18	64	142	150	90	10	1
			NWF	164	-	-	-	-	1	6	22	49	55	27	4	-
MALIGNANT NEOPLASM OF BREAST-(174-175)	542	12.2			-	-	-	-	16	53	73	122	141	93	44	-
			WM	2	-	-	-	-	-	-	-	2	-	-	-	-
			WF	389	-	-	-	-	8	34	53	85	101	70	38	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	151	-	-	-	-	8	19	20	35	40	23	6	-
MALIGNANT NEOPLASMS OF GENITAL ORGANS-(179-187)	796	17.9			-	-	-	1	11	23	39	139	261	240	81	1
			WM	236	-	-	-	1	3	2	-	27	81	92	30	-
			WF	240	-	-	-	-	1	7	24	67	72	50	19	-
			NWM	192	-	-	-	-	-	-	1	14	70	78	28	1
			NWF	128	-	-	-	-	7	14	14	31	38	20	4	-
MALIGNANT NEOPLASMS OF URINARY ORGANS-(188-189)	263	5.9			-	2	2	2	2	5	16	57	81	75	21	-
			WM	118	-	1	-	-	-	2	12	27	39	27	10	-
			WF	74	-	-	2	-	-	-	3	16	24	24	5	-
			NWM	40	-	-	-	1	1	2	1	8	12	11	4	-
			NWF	31	-	1	-	1	1	1	-	6	6	13	2	-
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES-(170-173,190-199)	1122	25.3			1	4	17	12	24	64	106	249	333	220	91	1
			WM	441	-	3	7	6	9	22	50	107	139	81	17	-
			WF	393	-	1	4	2	7	21	25	80	114	87	52	-
			NWM	146	1	-	4	3	4	11	17	30	45	22	8	1
			NWF	142	-	-	2	1	4	10	14	32	35	30	14	-
LEUKEMIA-(204-208)	258	5.8			-	2	9	9	12	17	22	28	63	68	28	-
			WM	120	-	-	2	4	5	8	11	10	30	36	14	-
			WF	85	-	-	4	3	6	5	7	7	19	23	11	-
			NWM	27	-	1	2	2	-	1	3	8	4	3	3	-
			NWF	26	-	1	1	-	1	3	1	3	10	6	-	-
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATO-POIETIC TISSUES-(200-203)	367	8.3			1	-	4	9	12	19	30	69	104	94	25	-
			WM	127	-	-	3	1	4	10	15	31	35	22	6	-
			WF	143	-	-	-	2	4	3	6	24	40	54	10	-
			NWM	47	-	-	1	-	1	4	5	11	13	8	4	-
			NWF	50	1	-	-	6	3	2	4	3	16	10	5	-
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE-(210-239)	137	3.1			1	-	3	4	8	8	11	21	41	26	14	-
			WM	45	1	-	-	2	4	3	5	8	11	5	6	-
			WF	57	-	-	1	1	3	5	5	6	17	14	5	-
			NWM	10	-	-	1	-	-	-	-	1	5	3	-	-
			NWF	25	-	-	1	1	1	-	1	6	8	4	3	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
DIABETES MELLITUS-(250)	845	19.0			-	1	-	2	17	29	55	150	248	251	92	-
			WM	184	-	-	-	-	3	8	9	37	69	48	19	-
			WF	303	-	-	-	1	3	5	6	42	88	117	41	-
			NWM	128	-	-	-	-	6	5	21	27	36	26	7	-
			NWF	230	-	1	-	1	5	11	19	44	64	60	25	-
NUTRITIONAL DEFICIENCIES-(260-269)	44	1.0			-	-	-	1	-	-	2	4	12	15	9	1
			WM	11	-	-	-	-	-	-	1	1	4	3	2	-
			WF	13	-	-	-	-	-	-	-	-	2	6	5	-
			NWM	15	-	-	-	1	-	-	1	3	4	4	1	1
			NWF	5	-	-	-	-	-	-	-	-	2	2	1	-
ANEMIAS-(280-285)	78	1.8			3	4	2	5	3	5	3	7	11	20	15	-
			WM	14	-	-	-	-	-	-	-	3	4	3	4	-
			WF	30	2	-	-	1	-	2	2	-	4	13	6	-
			NWM	17	-	2	1	2	-	1	1	2	2	4	2	-
			NWF	17	1	2	1	2	3	2	-	2	1	-	3	-
MENINGITIS-(320-322)	38	0.9			17	4	2	3	1	1	1	3	4	2	-	-
			WM	7	4	2	-	1	-	-	-	-	-	-	-	-
			WF	10	1	1	1	1	-	1	-	2	2	1	-	-
			NWM	12	6	1	1	-	1	-	1	1	1	-	-	-
			NWF	9	6	-	-	1	-	-	-	-	1	1	-	-
MAJOR CARDIOVASCULAR DISEASES (390-448)	17066	384.6			35	11	9	44	115	350	1018	2492	4279	5256	3451	6
			WM	5899	7	6	4	12	42	139	440	1075	1684	1706	781	3
			WF	5734	5	1	1	7	12	54	144	507	1148	2061	1794	-
			NWM	2687	11	3	2	14	45	89	259	518	731	692	322	1
			NWF	2746	12	1	2	11	16	68	175	392	716	797	554	2
DISEASES OF HEART (390-398,402,404-429)	13232	298.2			32	11	7	37	89	266	829	2053	3393	3973	2537	5
			WM	4008	6	6	3	10	32	123	394	924	1389	1319	599	3
			WF	4298	4	1	1	6	9	32	107	410	963	1549	1276	-
			NWM	2068	10	3	2	12	36	66	194	408	577	516	244	-
			NWF	2858	12	1	1	9	12	45	134	311	524	589	418	2
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE-(390-398)	50	1.1			-	-	1	2	5	7	2	9	16	6	2	-
			WM	9	-	-	1	-	1	-	1	3	2	1	-	-
			WF	18	-	-	-	-	1	2	-	3	8	3	1	-
			NWM	5	-	-	-	2	1	-	-	-	1	-	1	-
			NWF	18	-	-	-	-	2	5	1	3	5	2	-	-
HYPERTENSIVE HEART DISEASE-(402)	669	15.1			-	-	-	-	-	16	56	118	212	177	90	-
			WM	127	-	-	-	-	-	-	8	23	44	38	14	-
			WF	141	-	-	-	-	-	-	6	11	37	49	38	-
			NWM	175	-	-	-	-	-	5	18	40	66	29	17	-
			NWF	226	-	-	-	-	-	11	24	44	65	61	21	-
HYPERTENSIVE HEART AND RENAL DISEASE-(404)	75	1.7			-	-	-	-	1	3	5	8	16	31	11	-
			WM	8	-	-	-	-	-	1	-	-	2	4	1	-
			WF	21	-	-	-	-	1	-	-	-	4	13	3	-
			NWM	19	-	-	-	-	-	1	4	2	4	6	2	-
			NWF	27	-	-	-	-	-	1	1	6	6	8	5	-
ISCHEMIC HEART DISEASE-(410-414)	8592	193.6			-	-	-	6	41	164	576	1387	2267	2588	1559	4
			WM	3492	-	-	-	2	19	97	324	702	1034	918	393	3
			WF	2827	-	-	-	3	4	23	67	278	627	1020	805	-
			NWM	1182	-	-	-	-	16	31	117	250	322	309	137	-
			NWF	1091	-	-	-	1	2	13	68	157	284	341	224	1
ACUTE MYOCARDIAL INFARCTION-(410)	4846	109.2			-	-	-	4	34	126	415	941	1429	1334	561	2
			WM	2129	-	-	-	1	16	79	240	482	656	507	147	1
			WF	1473	-	-	-	2	3	18	56	191	412	507	284	-
			NWM	683	-	-	-	-	13	17	81	164	193	158	57	-
			NWF	561	-	-	-	1	2	12	38	104	168	162	73	1
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE-(411)	19	0.4			-	-	-	-	1	2	5	4	5	1	1	-
			WM	5	-	-	-	-	-	1	1	1	2	-	-	-
			WF	4	-	-	-	-	-	1	1	1	1	-	-	-
			NWM	5	-	-	-	-	1	-	2	-	1	1	-	-
			NWF	5	-	-	-	-	-	-	1	2	1	-	1	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ANGINA PECTORIS-(413)	13	0.3			-	-	-	-	1	-	-	2	6	2	2	-
			WM	3	-	-	-	-	-	-	-	1	2	-	-	-
			WF	5	-	-	-	-	-	-	-	1	1	1	2	-
			NWM	4	-	-	-	-	1	-	-	-	2	1	-	-
			NWF	1	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE-(412,414)	3714	83.7			-	-	-	2	5	36	156	440	827	1251	995	2
			WM	1355	-	-	-	1	3	17	83	218	374	411	246	2
			WF	1345	-	-	-	1	1	4	10	85	213	512	519	-
			NWM	490	-	-	-	-	1	14	34	86	126	149	80	-
			NWF	524	-	-	-	-	-	1	29	51	114	179	150	-
OTHER DISEASES OF ENDOCARDIUM-(424)	133	3.0			-	1	-	3	2	2	6	15	39	43	22	-
			WM	42	-	1	-	-	-	1	3	8	12	14	3	-
			WF	55	-	-	-	-	-	1	1	5	14	23	11	-
			NWM	18	-	-	-	2	2	-	-	1	7	4	2	-
			NWF	18	-	-	-	1	-	-	2	1	6	2	6	-
ALL OTHER FORMS OF HEART DISEASE-(415-423,425-429)	3713	83.7			32	10	6	26	40	74	184	516	843	1128	853	1
			WM	1130	6	5	2	8	12	24	58	188	295	344	188	-
			WF	1236	4	1	1	3	3	6	33	113	213	441	418	-
			NWM	669	10	3	2	8	17	29	55	115	177	168	85	-
			NWF	678	12	1	1	7	8	15	38	100	158	175	162	1
HYPERTENSION WITH OR WITHOUT RENAL DISEASE-(401,403)	131	3.0			-	-	-	-	1	6	8	20	32	38	25	1
			WM	38	-	-	-	-	-	-	1	4	7	12	6	-
			WF	41	-	-	-	-	-	2	-	4	10	14	11	-
			NWM	26	-	-	-	-	-	2	6	6	4	6	1	1
			NWF	34	-	-	-	-	1	2	1	6	11	6	7	-
CEREBROVASCULAR DISEASE-(430-438)	2820	63.5			3	-	1	7	23	70	135	304	664	948	665	-
			WM	720	1	-	1	2	8	12	25	96	194	259	122	-
			WF	1100	1	-	-	1	3	19	31	71	189	399	386	-
			NWM	470	1	-	-	2	9	19	43	85	130	124	57	-
			NWF	530	-	-	-	2	3	20	36	52	151	166	100	-
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE-(431-432)	312	7.0			2	-	-	2	13	25	42	56	69	73	30	-
			WM	79	1	-	-	1	6	3	5	16	19	25	3	-
			WF	108	1	-	-	-	3	6	6	18	23	30	21	-
			NWM	68	-	-	-	-	3	8	21	12	14	7	3	-
			NWF	57	-	-	-	1	1	8	10	10	13	11	3	-
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES-(434.0,434.9)	440	9.9			1	-	-	-	-	4	10	41	92	168	124	-
			WM	188	-	-	-	-	-	1	4	14	23	43	23	-
			WF	188	-	-	-	-	-	1	2	13	22	76	74	-
			NWM	71	1	-	-	-	-	1	3	10	27	21	8	-
			NWF	73	-	-	-	-	-	1	1	4	20	28	19	-
CEREBRAL EMBOLISM-(434.1)	7	0.2			-	-	-	-	-	-	-	1	2	2	2	-
			WM	2	-	-	-	-	-	-	-	1	-	1	-	-
			WF	3	-	-	-	-	-	-	-	-	1	1	1	-
			NWM	1	-	-	-	-	-	-	-	-	-	-	1	-
			NWF	1	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER AND LATE EFFECTS OF CEREBROVASULAR DISEASE-(430,433,435-438)	2061	46.4			-	-	1	5	10	41	83	206	501	705	509	-
			WM	531	-	-	1	1	2	8	16	65	152	190	96	-
			WF	801	-	-	-	1	-	12	23	40	143	292	290	-
			NWM	330	-	-	-	2	6	10	19	63	89	96	45	-
			NWF	399	-	-	-	1	2	11	25	38	117	127	78	-
ATHEROSCLEROSIS-(440)	598	13.5			-	-	-	-	-	6	32	67	105	197	191	-
			WM	285	-	-	-	-	-	3	12	33	40	73	44	-
			WF	221	-	-	-	-	-	-	4	13	33	64	107	-
			NWM	86	-	-	-	-	-	2	12	11	14	31	16	-
			NWF	86	-	-	-	-	-	1	4	10	18	29	24	-
OTHER DISEASES OF ARTERIES ARTERIOLES, AND CAPILLARIES-(441-448)	285	6.4			-	-	1	-	2	2	14	48	85	100	33	-
			WM	136	-	-	-	-	2	1	8	18	54	43	10	-
			WF	74	-	-	-	-	-	1	2	9	13	35	14	-
			NWM	37	-	-	-	-	-	-	4	8	6	15	4	-
			NWF	38	-	-	1	-	-	-	-	13	12	7	5	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ACUTE BRONCHITIS, AND BRONCHIOLITIS-(466)	13	0.3			3	-	-	-	-	-	-	1	4	2	3	-
			WM	4	-	-	-	-	-	-	-	-	1	1	2	-
			WF	4	1	-	-	-	-	-	-	1	1	-	1	-
			NWM	3	1	-	-	-	-	-	-	-	2	-	-	-
			NWF	2	1	-	-	-	-	-	-	-	-	1	-	-
PNEUMONIA AND INFLUENZA-(480-487)	740	16.7			41	8	5	4	7	20	28	77	121	204	225	-
			WM	279	8	3	1	1	-	3	9	31	64	84	75	-
			WF	237	7	1	1	2	2	3	4	12	19	67	119	-
			NWM	135	16	3	1	-	3	9	9	18	26	35	15	-
			NWF	89	10	1	2	1	2	5	6	16	12	18	16	-
PNEUMONIA-(480-486)	728	16.4			41	7	5	4	7	20	28	76	118	201	221	-
			WM	274	8	2	1	1	-	3	9	30	62	84	74	-
			WF	231	7	1	1	2	2	3	4	12	19	64	116	-
			NWM	134	16	3	1	-	3	9	9	18	25	35	15	-
			NWF	89	10	1	2	1	2	5	6	16	12	18	16	-
INFLUENZA (487)	12	0.3			-	1	-	-	-	-	-	1	3	3	4	-
			WM	5	-	1	-	-	-	-	-	1	2	-	1	-
			WF	6	-	-	-	-	-	-	-	-	-	3	3	-
			NWM	1	-	-	-	-	-	-	-	-	1	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS-(490-496)	1028	23.2			1	-	3	4	9	17	35	169	369	329	92	-
			WM	536	-	-	-	-	2	1	17	80	195	188	53	-
			WF	294	-	-	-	1	1	5	7	50	111	101	18	-
			NWM	135	1	-	2	1	3	7	3	23	52	28	15	-
			NWF	63	-	-	1	2	3	4	8	16	11	12	6	-
BRONCHITIS, CHRONIC AND UNSPECIFIED-(490-491)	60	1.4			1	-	-	1	1	-	4	5	23	18	7	-
			WM	38	-	-	-	-	-	-	4	3	15	13	3	-
			WF	13	-	-	-	1	-	-	-	2	4	5	1	-
			NWM	8	1	-	-	-	-	-	-	-	4	-	3	-
			NWF	1	-	-	-	-	1	-	-	-	-	-	-	-
EMPHYSEMA-(492)	190	4.3			-	-	-	-	-	3	7	31	81	56	12	-
			WM	106	-	-	-	-	-	-	3	20	39	35	9	-
			WF	47	-	-	-	-	-	-	1	5	26	14	1	-
			NWM	29	-	-	-	-	-	2	2	4	15	4	2	-
			NWF	8	-	-	-	-	-	1	1	2	1	3	-	-
ASTHMA-(493)	91	2.1			-	-	3	2	5	8	6	20	17	24	6	-
			WM	21	-	-	-	-	1	-	2	5	4	8	1	-
			WF	33	-	-	-	-	1	2	-	7	6	13	4	-
			NWM	17	-	-	2	-	2	4	-	3	3	2	1	-
			NWF	20	-	-	1	2	1	2	4	5	4	1	-	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS-(494-496)	687	15.5			-	-	-	1	3	6	18	113	248	231	67	-
			WM	371	-	-	-	-	1	1	8	52	137	132	40	-
			WF	201	-	-	-	-	-	3	6	36	75	69	12	-
			NWM	81	-	-	-	1	1	1	1	16	30	22	9	-
			NWF	34	-	-	-	-	1	1	3	9	6	8	6	-
ULCER OF STOMACH AND DUODENUM-(531-533)	161	2.3			-	-	-	1	-	5	13	16	19	32	15	-
			WM	38	-	-	-	-	-	-	6	7	12	9	4	-
			WF	31	-	-	-	-	-	-	1	4	3	17	6	-
			NWM	19	-	-	-	-	-	4	4	4	2	4	1	-
			NWF	13	-	-	-	1	-	1	2	1	2	2	4	-
APPENDICITIS-(540-543)	16	0.4			-	1	1	2	1	1	1	1	3	3	2	-
			WM	2	-	1	-	-	-	-	-	-	-	1	-	-
			WF	7	-	-	-	1	1	-	-	-	2	1	2	-
			NWM	6	-	-	1	1	-	1	1	-	1	1	-	-
			NWF	1	-	-	-	-	-	-	-	1	-	-	-	-
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	87	2.0			2	1	1	-	-	-	5	15	14	34	14	1
			WM	18	-	-	1	-	-	-	2	1	5	5	3	1
			WF	34	-	-	-	-	-	-	1	8	2	15	8	-
			NWM	16	-	1	-	-	-	-	-	4	4	6	1	-
			NWF	19	2	-	-	-	-	-	2	2	3	8	2	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
CHRONIC LIVER DISEASE AND CIRRHOSIS-(571)	422	9.5			-	1	-	5	18	50	92	121	83	48	8	1
			WM	203	-	-	-	2	5	22	46	60	46	20	1	1
			WF	104	-	-	-	1	2	4	16	36	24	16	5	-
			NWM	76	-	1	-	1	5	18	24	19	6	2	-	-
			NWF	39	-	-	-	1	6	6	6	6	7	5	2	-
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER-(574-575)	58	1.3			-	1	-	-	1	1	5	5	13	17	15	-
			WM	20	-	-	-	-	-	1	2	3	7	4	3	-
			WF	19	-	-	-	-	-	-	1	1	3	7	7	-
			NWM	10	-	1	-	-	1	-	1	-	1	4	2	-
			NWF	9	-	-	-	-	-	-	1	1	2	2	3	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS-(580-589)	510	11.5			15	1	-	6	8	7	26	63	126	157	100	1
			WM	125	5	-	-	-	2	1	5	15	28	49	20	-
			WF	161	3	1	-	-	1	1	6	17	25	56	51	-
			NWM	110	2	-	-	2	1	2	9	14	34	32	13	1
			NWF	114	5	-	-	4	4	3	6	17	39	20	16	-
RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE-(584-586, 588-589)	449	10.1			15	1	-	5	8	7	22	60	107	138	86	-
			WM	106	5	-	-	-	2	1	4	15	22	43	14	-
			WF	143	3	1	-	-	1	1	4	16	22	50	45	-
			NWM	93	2	-	-	1	1	2	8	14	27	25	13	-
			NWF	107	5	-	-	4	4	3	6	15	36	20	14	-
OTHER NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS-(580-583,587)	61	1.4			-	-	-	1	-	-	4	3	19	19	14	1
			WM	19	-	-	-	-	-	-	1	-	6	6	6	-
			WF	18	-	-	-	-	-	-	2	1	3	6	6	-
			NWM	17	-	-	-	1	-	-	1	-	7	7	-	1
			NWF	7	-	-	-	-	-	-	-	2	3	-	2	-
INFECTIONS OF KIDNEY-(590)	46	1.0			-	-	-	-	-	1	1	4	12	16	12	-
			WM	6	-	-	-	-	-	-	-	-	1	2	3	-
			WF	27	-	-	-	-	-	-	1	1	10	11	4	-
			NWM	8	-	-	-	-	-	-	-	1	1	2	4	-
			NWF	5	-	-	-	-	-	1	-	2	-	1	1	-
HYPERPLASIA OF PROSTATE-(600)	10	0.2			-	-	-	-	-	-	-	-	1	8	1	-
			WM	6	-	-	-	-	-	-	-	-	-	5	1	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	4	-	-	-	-	-	-	-	-	1	3	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM-(630-676)	6	0.1			-	-	-	4	2	-	-	-	-	-	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	2	-	-	-	1	1	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	4	-	-	-	3	1	-	-	-	-	-	-	-
CONGENITAL ANOMALIES-(740-759)	307	6.9			231	16	10	12	8	6	5	5	6	6	2	-
			WM	98	72	5	3	6	3	1	2	1	3	1	1	-
			WF	88	65	5	1	1	3	1	2	3	3	3	1	-
			NWM	59	45	2	4	2	1	3	1	-	-	1	-	-
			NWF	62	49	4	2	3	1	1	-	1	-	1	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD-(760-779)	523	11.8			523	-	-	-	-	-	-	-	-	-	-	-
			WM	122	122	-	-	-	-	-	-	-	-	-	-	-
			WF	84	84	-	-	-	-	-	-	-	-	-	-	-
			NWM	182	182	-	-	-	-	-	-	-	-	-	-	-
			NWF	135	135	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS,SIGNS AND ILL-DEFINED CONDITIONS-(780-799)	321	7.2			79	3	-	2	6	12	25	35	52	51	56	-
			WM	100	22	-	-	-	1	6	11	13	18	16	13	-
			WF	91	12	-	-	1	1	4	3	10	16	18	26	-
			NWM	74	27	2	-	1	2	1	6	7	11	9	8	-
			NWF	56	18	1	-	-	2	1	5	5	7	8	9	-
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)	2110	47.5			38	111	131	512	405	210	170	148	169	142	73	1
			WM	1034	7	34	52	305	229	116	87	71	65	47	20	1
			WF	393	5	22	23	67	59	31	26	30	43	50	37	-
			NWM	502	12	36	37	114	99	58	47	36	35	23	5	-
			NWF	181	14	19	19	26	18	5	10	11	26	22	11	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
RAILWAY ACCIDENTS- (E800-E807)	6	0.1			-	-	-	3	2	-	1	-	-	-	-	-
			WM	4	-	-	-	2	2	-	-	-	-	-	-	-
			WF	1	-	-	-	1	-	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	-	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
MOTOR VEHICLE ACCIDENTS- (E810-E825)	980	22.1			4	39	58	340	217	99	73	59	49	39	3	-
			WM	516	1	17	25	202	120	44	40	34	13	19	1	-
			WF	201	1	8	13	58	45	20	15	12	17	11	1	-
			NWM	211	1	12	11	63	46	34	14	10	14	6	-	-
			NWF	52	1	2	9	17	6	1	4	3	5	3	1	-
WATER TRANSPORT ACCIDENTS- (E830-E838)	100	2.3			-	-	4	32	33	12	8	5	4	1	1	-
			WM	65	-	-	3	23	19	10	4	3	2	-	1	-
			WF	6	-	-	-	2	1	1	1	-	1	-	-	-
			NWM	27	-	-	1	7	12	1	3	2	-	1	-	-
			NWF	2	-	-	-	-	1	-	-	-	1	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION IN WATER TRANSPORT ACCIDENT- (E830-E832)	84	1.9			-	-	2	26	30	11	6	4	3	1	1	-
			WM	52	-	-	1	18	16	9	3	2	2	-	1	-
			WF	4	-	-	-	1	1	1	1	-	-	-	-	-
			NWM	26	-	-	1	7	12	1	2	2	-	1	-	-
			NWF	2	-	-	-	-	1	-	-	-	1	-	-	-
OTHER WATER TRANSPORT ACCIDENT- (E831, E833-E838)	16	0.4			-	-	2	6	3	1	2	1	1	-	-	-
			WM	13	-	-	2	5	3	1	1	1	-	-	-	-
			WF	2	-	-	-	1	-	-	-	-	1	-	-	-
			NWM	1	-	-	-	-	-	-	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
AIR AND SPACE TRANSPORT ACCIDENTS-(E840-E845)	19	0.4			-	-	1	-	8	4	4	1	1	-	-	-
			WM	18	-	-	-	-	8	4	4	1	1	-	-	-
			WF	1	-	-	1	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL POISONING- (E850-E869)	71	1.6			-	2	-	15	19	10	9	4	5	5	2	-
			WM	27	-	1	-	4	7	6	4	2	1	2	-	-
			WF	15	-	-	-	3	5	2	3	-	1	1	-	-
			NWM	18	-	-	-	6	5	1	2	1	1	1	1	-
			NWF	11	-	1	-	2	2	1	-	1	2	1	1	-
ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES-(E850-E866)	55	1.2			-	2	-	10	15	9	8	1	5	3	2	-
			WM	22	-	1	-	2	7	5	4	1	1	1	-	-
			WF	14	-	-	-	3	5	2	2	-	1	1	-	-
			NWM	11	-	-	-	4	1	1	2	-	1	1	1	-
			NWF	8	-	1	-	1	2	1	-	-	2	-	1	-
ACCIDENTAL POISONING BY GASES AND VAPOURS- (E867-E869)	16	0.4			-	-	-	5	4	1	1	3	-	2	-	-
			WM	5	-	-	-	2	-	1	-	1	-	1	-	-
			WF	1	-	-	-	-	-	-	1	-	-	-	-	-
			NWM	7	-	-	-	2	4	-	-	1	-	-	-	-
			NWF	3	-	-	-	1	-	-	-	1	-	1	-	-
MISADVENTURE DURING MEDICAL CARE, ABNORMAL REACTION, AND LATE COMPLICATIONS- (E870-E879)	44	1.0			2	2	-	-	1	2	3	4	13	10	7	-
			WM	6	1	-	-	-	1	-	-	-	3	-	1	-
			WF	22	-	1	-	-	-	-	1	3	5	7	5	-
			NWM	8	1	1	-	-	-	1	1	1	1	1	1	-
			NWF	8	-	-	-	-	-	1	1	-	4	2	-	-
ACCIDENTAL FALLS- (E880-E888)	166	3.7			2	2	2	11	12	9	13	14	30	29	41	1
			WM	68	-	1	-	8	5	2	4	8	14	13	12	1
			WF	54	-	-	-	-	3	2	2	2	10	11	24	-
			NWM	30	1	1	1	2	4	5	7	3	4	1	1	-
			NWF	14	1	-	1	1	-	-	-	1	2	4	4	-
ACCIDENTS CAUSED BY FIRES AND FLAMES-(E890-E899)	149	3.4			6	27	18	12	21	14	5	12	12	15	7	-
			WM	39	-	2	2	5	7	8	2	2	7	3	1	-
			WF	22	-	3	4	2	-	3	-	5	2	3	-	-
			NWM	42	2	11	4	2	9	2	2	3	-	6	1	-
			NWF	46	4	11	8	3	5	1	1	2	3	3	5	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
ACCIDENTAL DROWNING AND SUBMERSION (EXCLUDING IN TRANSPORT)-(E910)	168	3.8			1	17	28	42	41	13	11	9	4	2	-	-
			WM	73	1	6	8	18	23	6	5	3	1	2	-	-
			WF	17	-	7	2	1	4	1	1	1	-	-	-	-
			NWM	70	-	4	17	21	13	5	4	4	2	-	-	-
			NWF	8	-	-	1	2	1	1	1	1	1	-	-	-
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)	95	2.1			10	7	2	-	6	11	9	14	17	13	6	-
			WM	37	1	1	1	-	4	9	4	5	8	2	2	-
			WF	22	2	-	-	-	1	1	2	3	3	7	3	-
			NWM	25	4	3	1	-	-	1	3	5	3	4	1	-
			NWF	11	3	3	-	-	1	-	-	1	3	-	-	-
ACCIDENT CAUSED BY FIREARM MISSILE-(E922)	73	1.6			-	7	10	21	13	10	5	4	3	-	-	-
			WM	55	-	2	10	16	9	9	3	3	3	-	-	-
			WF	5	-	3	-	-	-	1	-	1	-	-	-	-
			NWM	12	-	2	-	5	3	-	2	-	-	-	-	-
			NWF	1	-	-	-	-	1	-	-	-	-	-	-	-
ACCIDENT CAUSED BY EXPLOSIVE MATERIAL-(E923)	6	0.1			-	-	-	1	1	2	1	-	1	-	-	-
			WM	6	-	-	-	1	1	2	1	-	1	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT-(E925)	30	0.7			2	-	1	5	8	9	2	2	1	-	-	-
			WM	26	1	-	-	4	8	8	2	2	1	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	3	-	-	1	1	-	1	-	-	-	-	-	-
			NWF	1	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E826-E829, E846-E848,E900-E909,E913-E921,E924, E926-E929)	200	4.5			11	8	7	30	23	15	25	20	28	27	6	-
			WM	94	2	4	3	22	15	8	14	8	10	6	2	-
			WF	27	2	-	3	-	-	-	1	3	4	10	4	-
			NWM	54	3	2	1	7	7	7	8	7	9	3	-	-
			NWF	25	4	2	-	1	1	-	2	2	5	8	-	-
DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE-(E930-E949)	3	0.1			-	-	-	-	-	-	1	-	1	1	-	-
			WM	-	-	-	-	-	-	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	-	-	-	1	-	-	-
			NWF	2	-	-	-	-	-	-	1	-	-	1	-	-
SUICIDE-(E950-E959)	582	13.1			-	-	5	113	128	91	69	80	63	26	7	-
			WM	383	-	-	2	73	75	61	40	56	47	22	7	-
			WF	125	-	-	1	24	29	19	22	16	11	3	-	-
			NWM	58	-	-	-	8	22	10	5	8	4	1	-	-
			NWF	16	-	-	2	8	2	1	2	-	1	-	-	-
SUICIDE BY POISONING BY SOLID AND LIQUID SUBSTANCES-(E950)	44	1.0			-	-	-	10	15	7	6	3	1	2	-	-
			WM	15	-	-	-	2	7	3	2	-	-	1	-	-
			WF	20	-	-	-	2	6	4	3	3	1	1	-	-
			NWM	3	-	-	-	1	2	-	-	-	-	-	-	-
			NWF	6	-	-	-	5	-	-	1	-	-	-	-	-
SUICIDE BY POISONING BY GASES AND VAPORS-(E951-E952)	13	0.3			-	-	-	3	3	2	3	2	-	-	-	-
			WM	8	-	-	-	2	1	2	2	1	-	-	-	-
			WF	5	-	-	-	1	2	-	1	1	-	-	-	-
			NWM	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION-(E953)	49	1.1			-	-	2	12	5	12	4	4	6	2	2	-
			WM	34	-	-	-	9	3	11	3	2	3	1	2	-
			WF	7	-	-	-	1	1	-	-	2	2	1	-	-
			NWM	6	-	-	-	2	1	1	1	-	1	-	-	-
			NWF	2	-	-	2	-	-	-	-	-	-	-	-	-
SUICIDE BY FIREARMS AND EXPLOSIVES-(E955)	449	10.1			-	-	3	84	99	69	48	66	54	21	5	-
			WM	313	-	-	2	57	62	45	30	50	43	19	5	-
			WF	86	-	-	1	20	19	15	14	9	7	1	-	-
			NWM	43	-	-	-	5	16	8	3	7	3	1	-	-
			NWF	7	-	-	-	2	2	1	1	-	1	-	-	-

(CONTINUED)

TABLE XVIII
DEATHS (EXCLUSIVE OF STILLBIRTHS) SHOWN BY SELECTED CAUSES, SEX, RACE, AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE UNDER 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	UNK
SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELFINFLICTED INJURY-(E954, E956-E959)	27	0.6			-	-	-	4	6	1	8	5	2	1	-	-
			WM	13	-	-	-	3	2	-	3	3	1	1	-	-
			WF	7	-	-	-	-	1	-	4	1	1	-	-	-
			NWM	6	-	-	-	-	3	1	1	1	-	-	-	-
			NWF	1	-	-	-	1	-	-	-	-	-	-	-	-
HOMICIDE AND LEGAL INTERVENTION-(E960-E978)	672	15.1			1	10	5	187	212	112	73	41	21	6	3	1
			WM	163	-	2	1	33	46	29	27	17	7	1	-	-
			WF	62	-	1	1	14	16	9	12	4	1	2	2	-
			NWM	362	1	6	3	110	128	69	26	15	10	2	1	-
			NWF	85	-	1	-	30	22	14	8	5	3	1	-	1
ASSAULT BY FIREARMS AND EXPLOSIVES-(E965)	471	10.6			-	3	3	134	158	85	48	26	11	1	1	1
			WM	118	-	2	-	24	38	24	14	11	4	1	-	-
			WF	38	-	1	1	6	10	6	10	3	-	-	1	-
			NWM	266	-	-	2	86	99	45	18	11	5	-	-	-
			NWF	49	-	-	-	18	11	10	6	1	2	-	-	1
ASSAULT BY CUTTING AND PIERCING INSTRUMENT-(E966)	120	2.7			-	-	2	38	39	17	10	7	4	2	1	-
			WM	22	-	-	1	7	4	3	4	2	1	-	-	-
			WF	10	-	-	-	4	2	2	-	1	-	1	-	-
			NWM	70	-	-	1	22	25	11	5	2	2	1	1	-
			NWF	18	-	-	-	5	8	1	1	2	1	-	-	-
ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY ANOTHER PERSON-(E960-E964, E967-E969)	74	1.7			1	7	-	14	12	10	14	7	5	3	1	-
			WM	20	-	-	-	1	3	2	8	4	2	-	-	-
			WF	14	-	-	-	4	4	1	2	-	1	1	1	-
			NWM	22	1	6	-	2	2	4	3	1	2	1	-	-
			NWF	18	-	1	-	7	3	3	1	2	-	1	-	-
LEGAL INTERVENTION-(E970-E978)	7	0.2			-	-	-	1	3	-	1	1	1	-	-	-
			WM	3	-	-	-	1	1	-	1	-	-	-	-	-
			WF	-	-	-	-	-	-	-	-	-	-	-	-	-
			NWM	4	-	-	-	-	2	-	-	1	1	-	-	-
			NWF	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER EXTERNAL CAUSES-(E980-E999)	22	0.5			-	-	1	5	9	-	1	2	1	2	-	1
			WM	11	-	-	1	3	2	-	1	1	-	2	-	1
			WF	6	-	-	-	2	3	-	-	1	-	-	-	-
			NWM	4	-	-	-	-	3	-	-	-	1	-	-	-
			NWF	1	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER DISEASES-(RESIDUAL)	2316	52.2			80	18	26	58	92	102	174	321	522	582	337	4
			WM	714	22	7	10	17	16	22	58	107	184	194	77	-
			WF	814	17	5	4	12	23	20	34	93	181	232	190	3
			NWM	395	22	3	2	15	27	36	46	72	79	67	26	-
			NWF	393	19	3	10	14	26	24	36	49	78	89	44	1

* RATE PER 100,000 POPULATION

TABLE XIX
ACCIDENTAL DEATHS OCCURRING IN LOUISIANA BY TYPE OF ACCIDENT
SHOWN BY GEOGRAPHIC LOCATION WHERE ACCIDENT OCCURRED
LOUISIANA, 1983

PARISH AND CITIES OVER 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
TOTAL	2128	969	24	330	133	362	310
ACADIA	18	6	-	5	1	5	1
CROWLEY*	5	1	-	1	-	3	-
ALLEN	8	3	-	-	-	2	3
ASCENSION	32	23	-	2	2	2	3
ASSUMPTION	24	16	-	1	1	4	2
AVOYELLES	15	6	-	2	-	4	3
BEAUREGARD	15	10	-	-	1	4	-
DE RIDDER*	1	1	-	-	-	-	-
BIENVILLE	14	7	-	4	-	3	-
BOSSIER	45	11	-	16	5	9	4
BOSSIER CITY*	19	4	-	3	4	5	3
CADDO	106	39	1	17	3	12	34
SHREVEPORT*	75	18	-	15	2	8	32
CALCASIEU	77	36	-	11	7	12	11
LAKE CHARLES*	38	18	-	7	2	6	5
SULPHUR*	8	3	-	1	1	-	3
CALDWELL	9	3	-	-	-	6	-
CAMERON	14	4	1	-	6	2	1
CATAHOULA	9	4	-	2	1	2	-
CLAIBORNE	11	3	-	5	-	3	-
CONCORDIA	13	3	1	-	3	5	1
DESOTO	14	7	1	1	1	3	1
E BATON ROUGE	126	58	1	27	5	13	22
BATON ROUGE*	103	41	1	26	3	11	21
BAKER*	-	-	-	-	-	-	-
EAST CARROLL	11	4	-	2	1	3	1
E FELICIANA	15	9	-	2	-	1	3
EVANGELINE	29	11	-	7	-	7	4
FRANKLIN	10	4	1	4	-	-	1
GRANT	9	8	-	1	-	-	-
IBERIA	38	22	1	3	3	9	-
NEW IBERIA*	10	7	-	2	-	1	-
IBERVILLE	25	10	1	2	3	4	5
JACKSON	10	5	1	1	1	2	-
JEFFERSON	112	43	-	27	7	21	14
KENNER*	9	3	-	3	1	1	1
GRETNA*	8	4	-	4	-	-	-
HARAHAN*	3	-	-	1	2	-	-
WESTWEGO*	1	1	-	-	-	-	-
JEFF DAVIS	20	13	1	1	-	4	1
JENNINGS*	1	1	-	-	-	-	-
LAFAYETTE	61	39	1	6	1	2	12
LAFAYETTE*	41	21	1	5	1	1	12
LAFOURCHE	62	40	-	6	3	11	2
THIBODAUX*	7	5	-	-	-	1	1
LASALLE	9	4	-	-	1	4	-
LINCOLN	15	9	-	4	-	1	1
RUSTON*	6	3	-	2	-	-	1
LIVINGSTON	31	19	-	4	-	8	-
MADISON	14	7	-	3	1	2	1
TALLULAH*	4	1	-	2	-	-	1
MOREHOUSE	9	4	-	2	1	2	-
BASTROP*	3	2	-	-	1	-	-
NATCHITOCHES	20	10	1	2	2	2	3
NATCHITOCHES*	4	-	-	1	-	-	3
ORLEANS	267	86	1	41	2	42	95
OUACHITA	53	17	-	11	3	11	11
MONROE*	30	4	-	9	1	8	8
WEST MONROE*	6	1	-	1	1	1	2
PLAQUEMINES	44	11	-	4	18	11	-
POINTE COUPEE	8	2	-	4	-	1	1
RAPIDES	66	27	1	9	1	16	12
ALEXANDRIA*	28	10	-	5	-	4	9
PINEVILLE*	10	5	1	1	-	3	-
RED RIVER	19	14	-	2	2	1	-

(CONTINUED)

TABLE XIX
ACCIDENTAL DEATHS OCCURRING IN LOUISIANA BY TYPE OF ACCIDENT
SHOWN BY GEOGRAPHIC LOCATION WHERE ACCIDENT OCCURRED
LOUISIANA, 1983

PARISH AND CITIES OVER 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
RICHLAND	8	5	-	1	-	1	1
SABINE	15	7	-	2	-	6	-
ST BERNARD	21	9	-	5	2	4	1
ST CHARLES	31	14	2	3	5	5	2
ST HELENA	7	6	-	-	1	-	-
ST JAMES	21	13	-	1	5	2	-
ST JOHN	28	15	-	4	2	5	2
ST LANDRY	49	23	-	9	1	5	11
OPELOUSAS*	6	-	-	1	-	2	3
EUNICE*	9	4	-	2	-	-	3
ST MARTIN	28	13	1	9	2	3	-
ST MARY	49	13	-	13	10	10	3
MORGAN CITY*	7	-	-	3	2	1	1
ST TAMMANY	65	40	-	4	4	10	7
SLIDELL*	16	9	-	1	1	2	3
TANGIPAHOA	62	31	1	11	1	10	8
HAMMOND*	12	6	-	2	1	1	2
TENSAS	7	3	-	-	1	3	-
TERREBONNE	56	30	1	5	3	10	7
HOUMA*	18	6	-	3	1	4	4
UNION	11	5	-	-	1	3	2
VERMILION	37	20	-	4	7	3	3
ABBEVILLE*	4	1	-	1	-	1	1
VERNON	23	9	2	1	2	9	-
WASHINGTON	41	20	1	6	-	8	6
BOGALUSA*	12	5	-	4	-	-	3
WEBSTER	25	11	1	8	-	3	2
MINDEN*	5	[illegible]	-	2	-	1	2
W BATON ROUGE	16	[illegible]	1	1	-	-	1
WEST CARROLL	5	1	-	1	-	3	-
W FELICIANA	6	4	-	-	-	2	-
WINN	10	7	-	1	-	1	1
UNKNOWN ***	-	-	-	-	-	-	-
OUT OF STATE**	26	11	-	2	6	2	5

* NOT INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS
*** PARISH OF ACCIDENT UNKNOWN, ASSUMED LOUISIANA
NOTE: 3 DEATHS DUE TO DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949) EXCLUDED

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	1141	1108	13.4			407	224	54	20	32	371
				MW	282	106	55	15	5	6	95
				FW	207	74	44	13	8	6	62
				NMW	338	126	74	14	3	8	113
				FNW	281	101	51	12	4	12	101
ACADIA	7	19	16.1			10	2	1	1	1	4
				MW	8	4	2	-	-	-	2
				FW	6	3	-	-	1	-	2
				NMW	4	2	-	1	-	1	-
				FNW	1	1	-	-	-	-	-
CROWLEY*	3	1	3.0			1	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				NMW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ALLEN	2	2	5.6			-	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				NMW	-	-	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
ASCENSION	8	18	16.0			3	5	1	-	-	9
				MW	5	-	1	1	-	-	3
				FW	4	1	1	-	-	-	2
				NMW	7	2	2	-	-	-	3
				FNW	2	-	1	-	-	-	1
ASSUMPTION	4	12	26.8			4	3	-	-	-	5
				MW	4	1	1	-	-	-	2
				FW	2	2	-	-	-	-	-
				NMW	2	-	2	-	-	-	-
				FNW	4	1	-	-	-	-	3
AVOYELLES	6	10	13.1			1	2	-	-	1	6
				MW	6	1	1	-	-	-	4
				FW	1	-	1	-	-	-	-
				NMW	1	-	-	-	-	-	1
				FNW	2	-	-	-	-	1	1
BEAUREGARD	4	11	22.0			5	1	1	-	-	4
				MW	4	2	-	-	-	-	2
				FW	6	2	1	1	-	-	2
				NMW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
DE RIDDER*	2	4	21.6			3	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	3	2	-	-	-	-	1
				NMW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
BIENVILLE	2	4	13.6			-	1	-	1	-	2
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				NMW	1	-	-	-	1	-	-
				FNW	2	-	1	-	-	-	1
BOSSIER	8	27	16.9			7	4	5	-	-	11
				MW	10	3	1	2	-	-	4
				FW	6	1	2	1	-	-	2
				NMW	4	2	1	-	-	-	1
				FNW	7	1	-	2	-	-	4
BOSSIER CITY*	4	14	13.2			5	3	1	-	-	5
				MW	7	2	1	1	-	-	3
				FW	4	-	2	-	-	-	2
				NMW	2	2	-	-	-	-	-
				FNW	1	1	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
CADDO	159	66	13.5			27	17	3	2	1	16
				MW	14	6	1	1	1	1	4
				FW	11	6	2	-	-	-	3
				MNW	28	9	11	1	1	-	6
				FNW	13	6	3	1	-	-	3
SHREVEPORT*	158	54	13.3			23	15	3	2	-	11
				MW	10	6	-	1	1	-	2
				FW	7	4	1	-	-	-	2
				MNW	26	7	11	1	1	-	6
				FNW	11	6	3	1	-	-	1
CALCASIEU	31	33	9.6			10	6	1	-	1	15
				MW	13	5	2	-	-	-	6
				FW	10	2	2	1	-	-	5
				MNW	7	3	1	-	-	1	2
				FNW	3	-	1	-	-	-	2
LAKE CHARLES*	23	10	6.7			4	1	-	-	-	5
				MW	3	2	1	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	4	2	-	-	-	-	2
				FNW	2	-	-	-	-	-	2
SULPHUR*	5	2	4.5			1	-	1	-	-	-
				MW	-	-	-	-	-	-	-
				FW	2	1	-	1	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
CALDWELL	1	2	11.6			1	-	-	-	-	1
				MW	2	1	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
CAMERON	-	3	16.1			2	-	-	-	-	1
				MW	1	1	-	-	-	-	-
				FW	2	1	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
CATAHOULA	-	2	9.6			1	-	-	-	-	1
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
CLAIBORNE	-	3	11.7			3	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	2	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
CONCORDIA	4	8	20.2			2	-	-	-	-	6
				MW	1	-	-	-	-	-	1
				FW	2	1	-	-	-	-	1
				MNW	2	1	-	-	-	-	1
				FNW	3	-	-	-	-	-	3
DESOTO	2	8	16.0			4	-	1	-	-	3
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	5	3	-	-	-	-	2
				FNW	3	1	-	1	-	-	1
E BATON ROUGE	124	91	12.6			37	19	2	2	-	31
				MW	18	10	3	-	-	-	5
				FW	20	6	5	-	2	-	7
				MNW	27	8	8	2	-	-	9
				FNW	26	13	3	-	-	-	10

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
BATON ROUGE*	122	77	14.2			30	15	2	2	-	28
				MW	12	7	1	-	-	-	4
				FW	16	6	3	-	2	-	5
				MNW	25	6	8	2	-	-	9
				FNW	24	11	3	-	-	-	10
BAKER*	1	3	10.2			2	-	-	-	-	1
				MW	1	1	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
EAST CARROLL	3	5	20.3			2	2	1	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	4	2	2	-	-	-	-
				FNW	1	-	-	1	-	-	-
E FELICIANA	-	-	-			-	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
EVANGELINE	8	12	18.5			4	2	-	-	-	6
				MW	4	1	1	-	-	-	2
				FW	1	1	-	-	-	-	-
				MNW	4	1	-	-	-	-	3
				FNW	3	1	1	-	-	-	1
FRANKLIN	-	5	12.8			1	2	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	2	1	1	-	-	-	-
				FNW	2	-	-	-	-	-	2
GRANT	1	5	18.9			4	-	-	-	-	1
				MW	2	2	-	-	-	-	-
				FW	2	1	-	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
IBERIA	12	27	18.0			16	5	1	-	1	4
				MW	6	3	3	-	-	-	-
				FW	2	2	-	-	-	-	-
				MNW	14	8	2	1	-	-	3
				FNW	5	3	-	-	-	1	1
NEW IBERIA*	12	16	22.1			10	-	1	-	1	4
				MW	2	2	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	9	5	-	1	-	-	3
				FNW	4	2	-	-	-	1	1
IBERVILLE	-	6	8.8			4	1	1	-	-	-
				MW	2	1	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	1	-	-	-
				FNW	3	3	-	-	-	-	-
JACKSON	1	4	14.4			2	1	-	-	-	1
				MW	2	-	1	-	-	-	1
				FW	2	2	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
JEFFERSON	121	96	12.0			36	17	9	-	2	32
				MW	27	10	4	4	-	-	9
				FW	29	12	9	3	-	1	4
				MNW	26	7	4	1	-	1	13
				FNW	14	7	-	1	-	-	6

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
KENNER*	1	9	7.5			1	4	1	-	1	2
				MW	1	-	1	-	-	-	-
				FW	1	1	-	-	-	-	-
				NMW	5	-	3	-	-	1	1
				FNW	2	-	-	1	-	-	1
GRETNA*	2	11	14.7			4	1	-	-	-	6
				MW	2	-	-	-	-	-	2
				FW	4	2	1	-	-	-	1
				NMW	3	1	-	-	-	-	2
				FNW	2	1	-	-	-	-	1
HARAHAN*	-	1	21.3			-	1	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				NMW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
WESTWEGO*	-	3	9.8			1	-	1	-	-	1
				MW	1	1	-	-	-	-	-
				FW	1	-	-	1	-	-	-
				NMW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
JEFF DAVIS	3	8	12.7			3	-	-	1	-	4
				MW	2	-	-	-	-	-	2
				FW	2	2	-	-	-	-	-
				NMW	3	1	-	-	1	-	1
				FNW	1	-	-	-	-	-	1
JENNINGS*	2	3	13.2			1	-	-	-	-	2
				MW	1	-	-	-	-	-	1
				FW	1	1	-	-	-	-	-
				NMW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
LAFAYETTE	94	39	11.4			12	9	3	-	1	14
				MW	16	4	4	1	-	1	6
				FW	8	3	2	-	-	-	3
				NMW	9	4	2	-	-	-	3
				FNW	6	1	1	2	-	-	2
LAFAYETTE*	92	20	11.7			7	6	-	-	-	7
				MW	5	1	2	-	-	-	2
				FW	2	1	1	-	-	-	-
				NMW	9	4	2	-	-	-	3
				FNW	4	1	1	-	-	-	2
LAFOURCHE	7	24	13.8			7	11	-	-	1	5
				MW	4	-	3	-	-	-	1
				FW	6	2	4	-	-	-	-
				NMW	9	3	4	-	-	-	2
				FNW	5	2	-	-	-	1	2
THIBODAUX*	4	7	20.5			3	1	-	-	-	3
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				NMW	3	2	1	-	-	-	-
				FNW	3	1	-	-	-	-	2
LASALLE	3	2	7.9			2	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				NMW	1	1	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
LINCOLN	5	10	16.1			5	-	-	1	-	4
				MW	2	1	-	-	1	-	-
				FW	1	-	-	-	-	-	1
				NMW	4	2	-	-	-	-	2
				FNW	3	2	-	-	-	-	1

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
RUSTON*	5	4	13.2			1	-	-	1	-	2
				MW	1	-	-	-	1	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	1	-	-	-	-	1
				FNW	1	-	-	-	-	-	1
LIVINGSTON	1	12	9.5			5	1	1	-	1	4
				MW	6	4	1	-	-	-	1
				FW	4	1	-	1	-	1	1
				MNW	2	-	-	-	-	-	2
				FNW	-	-	-	-	-	-	-
MADISON	4	8	28.0			2	1	-	-	-	5
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	4	2	1	-	-	-	1
				FNW	3	-	-	-	-	-	3
TALLULAH*	3	7	30.3			2	1	-	-	-	4
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	4	2	1	-	-	-	1
				FNW	2	-	-	-	-	-	2
MOREHOUSE	6	15	24.6			3	4	-	1	1	6
				MW	4	1	1	-	1	-	1
				FW	1	-	-	-	-	1	-
				MNW	6	2	2	-	-	-	2
				FNW	4	-	1	-	-	-	3
BASTROP*	4	9	31.0			2	3	-	-	1	3
				MW	2	-	1	-	-	-	1
				FW	1	-	-	-	-	1	-
				MNW	4	2	1	-	-	-	1
				FNW	2	-	1	-	-	-	1
NATCHITOCHES	4	7	10.7			2	2	-	-	-	3
				MW	1	-	1	-	-	-	-
				FW	3	2	-	-	-	-	1
				MNW	3	-	1	-	-	-	2
				FNW	-	-	-	-	-	-	-
NATCHITOCHES*	4	2	5.9			-	-	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	-	-	-	-	-	2
				FNW	-	-	-	-	-	-	-
ORLEANS	312	182	17.5			73	44	10	1	6	48
				MW	19	12	2	2	-	-	3
				FW	6	2	1	1	-	-	2
				MNW	83	28	21	4	-	4	26
				FNW	74	31	20	3	1	2	17
OUACHITA	43	25	10.5			11	1	1	-	2	10
				MW	5	1	-	-	-	1	3
				FW	6	2	1	-	-	1	2
				MNW	6	5	-	-	-	-	1
				FNW	8	3	-	1	-	-	4
MONROE*	39	13	10.9			6	-	-	-	1	6
				MW	1	-	-	-	-	-	1
				FW	1	-	-	-	-	1	-
				MNW	6	5	-	-	-	-	1
				FNW	5	1	-	-	-	-	4
WEST MONROE*	3	7	23.9			4	1	-	-	1	1
				MW	3	1	-	-	-	1	1
				FW	3	2	1	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	1	-	-	-	-	-

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
PLAQUEMINES	-	4	6.9			2	-	-	-	-	2
				MW	1	-	-	-	-	-	1
				FW	3	2	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
POINTE COUPEE	1	4	8.5			2	1	-	-	-	1
				MW	3	2	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
RAPIDES	42	38	14.7			7	12	-	-	4	15
				MW	11	5	4	-	-	1	1
				FW	7	2	1	-	-	-	4
				MNW	6	-	3	-	-	-	3
				FNW	14	-	4	-	-	3	7
ALEXANDRIA*	27	25	20.6			4	7	-	-	3	11
				MW	5	2	1	-	-	1	1
				FW	5	2	1	-	-	-	2
				MNW	4	-	2	-	-	-	2
				FNW	11	-	3	-	-	2	6
PINEVILLE*	15	5	15.2			1	2	-	-	1	1
				MW	3	1	2	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	1	-
RED RIVER	1	3	15.4			-	1	-	-	-	2
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	2	-	1	-	-	-	1
RICHLAND	6	7	16.8			2	3	-	-	-	2
				MW	3	2	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	-	2	-	-	-	-
				FNW	2	-	-	-	-	-	2
SABINE	-	6	14.4			2	3	-	-	-	1
				MW	1	-	1	-	-	-	-
				FW	2	-	2	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	2	2	-	-	-	-	-
ST BERNARD	1	8	7.4			3	2	1	1	-	1
				MW	2	1	1	-	-	-	-
				FW	4	-	1	1	1	-	1
				MNW	2	2	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST CHARLES	1	10	11.3			4	2	-	1	1	2
				MW	1	-	1	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	3	1	-	-	-	1	1
				FNW	5	2	1	-	1	-	1
ST HELENA	1	1	6.2			-	-	-	-	-	1
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
ST JAMES	7	17	37.1			7	3	1	-	-	6
				MW	2	-	1	-	-	-	1
				FW	1	-	-	1	-	-	-
				MNW	7	3	1	-	-	-	3
				FNW	7	4	1	-	-	-	2

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
ST JOHN	3	7	7.4			1	1	-	-	1	4
				MW	3	-	-	-	-	1	2
				FW	1	-	-	-	-	-	1
				MNW	2	-	1	-	-	-	1
				FNW	1	1	-	-	-	-	-
ST LANDRY	9	24	13.5			9	4	1	2	-	8
				MW	3	1	-	1	-	-	1
				FW	7	4	1	-	1	-	1
				MNW	7	2	1	-	-	-	4
				FNW	7	2	2	-	1	-	2
OPELOUSAS*	4	11	23.4			3	3	-	2	-	3
				MW	-	-	-	-	-	-	-
				FW	3	1	-	-	1	-	1
				MNW	2	-	1	-	-	-	1
				FNW	6	2	2	-	1	-	1
EUNICE*	4	6	21.7			2	-	1	-	-	3
				MW	3	1	-	1	-	-	1
				FW	1	1	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	-	-	-	-	-	1
ST MARTIN	4	15	16.3			7	2	1	1	-	4
				MW	1	-	1	-	-	-	-
				FW	4	2	1	-	-	-	1
				MNW	7	3	-	1	-	-	3
				FNW	3	2	-	-	1	-	-
ST MARY	5	13	9.2			6	2	1	-	1	3
				MW	3	-	-	1	-	1	1
				FW	2	-	-	-	-	-	2
				MNW	3	3	-	-	-	-	-
				FNW	5	3	2	-	-	-	-
MORGAN CITY*	4	5	14.0			2	-	1	-	-	2
				MW	1	-	-	1	-	-	-
				FW	2	-	-	-	-	-	2
				MNW	1	1	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
ST TAMMANY	4	25	11.4			6	9	2	-	1	7
				MW	12	5	3	-	-	-	4
				FW	9	-	5	2	-	-	2
				MNW	-	-	-	-	-	-	-
				FNW	4	1	1	-	-	1	1
SLIDELL*	-	5	10.1			2	1	-	-	-	2
				MW	4	2	-	-	-	-	2
				FW	1	-	1	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
TANGIPAHOA	15	25	13.9			5	2	-	2	2	14
				MW	9	3	2	-	1	-	3
				FW	3	1	-	-	1	1	-
				MNW	5	1	-	-	-	-	4
				FNW	8	-	-	-	-	1	7
HAMMOND*	1	2	6.1			-	-	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	-	-	-	-	-	2
				FNW	-	-	-	-	-	-	-
TENSAS	2	3	17.5			1	-	-	-	1	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	2	-	-	-	-	1	1

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS UNDER 1	1-6	7-13	14-20	21-27	28-365
TERREBONNE	23	25	11.5			6	1	2	1	2	13
				MW	9	1	-	1	1	-	6
				FW	9	2	-	1	-	1	5
				MNW	3	2	-	-	-	-	1
				FNW	4	1	1	-	-	1	1
HOUMA*	3	10	11.3			3	1	-	-	-	6
				MW	3	1	-	-	-	-	2
				FW	3	-	-	-	-	-	3
				MNW	2	1	-	-	-	-	1
				FNW	2	1	1	-	-	-	-
UNION	-	2	5.8			-	2	-	-	-	-
				MW	1	-	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
VERMILION	7	12	12.0			6	1	-	-	-	5
				MW	5	4	-	-	-	-	1
				FW	3	1	-	-	-	-	2
				MNW	2	1	-	-	-	-	1
				FNW	2	-	1	-	-	-	1
ABBEVILLE*	5	5	16.2			1	1	-	-	-	3
				MW	2	1	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	2	-	1	-	-	-	1
VERNON	7	13	8.0			5	3	-	-	-	5
				MW	6	2	1	-	-	-	3
				FW	2	1	-	-	-	-	1
				MNW	2	2	-	-	-	-	-
				FNW	3	-	2	-	-	-	1
WASHINGTON	5	14	16.9			8	3	1	-	-	2
				MW	7	3	2	1	-	-	1
				FW	2	1	1	-	-	-	-
				MNW	2	1	-	-	-	-	1
				FNW	3	3	-	-	-	-	-
BOGALUSA*	3	4	15.3			2	-	-	-	-	2
				MW	2	1	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	2	1	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
WEBSTER	5	9	12.9			2	-	2	2	-	3
				MW	1	1	-	-	-	-	-
				FW	2	-	-	-	2	-	-
				MNW	6	1	-	2	-	-	3
				FNW	-	-	-	-	-	-	-
MINDEN*	-	2	7.9			1	-	-	1	-	-
				MW	-	-	-	-	-	-	-
				FW	1	-	-	-	1	-	-
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
W BATON ROUGE	-	5	12.1			3	2	-	-	-	-
				MW	3	2	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	1	-	-	-	-
				FNW	1	1	-	-	-	-	-
WEST CARROLL	-	1	5.0			-	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	1

(CONTINUED)

TABLE XX-A
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
W FELICIANA	1	3	17.5			2	-	-	-	-	1
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
WINN	1	3	10.7			-	1	-	-	-	2
				MW	1	-	1	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	-	-	-	-	-	1
OUT OF STATE**	17	50				8	18	3	4	2	15
				MW	21	1	9	-	1	2	8
				FW	15	2	8	2	1	-	2
				MNW	8	4	1	-	-	-	3
				FNW	6	1	-	1	2	-	2

*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

TABLE XX-B
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1983

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	1141	1108	13.4			407	224	54	20	32	371
				MW	282	106	55	15	5	6	95
				FW	207	74	44	13	8	6	62
				MNW	338	126	74	14	3	8	113
				FNW	281	101	51	12	4	12	101
SPD 1	438	315	14.1			120	72	22	2	9	90
				MW	61	28	10	6	-	-	17
				FW	51	16	16	7	1	1	10
				MNW	111	37	25	5	-	5	39
				FNW	92	39	21	4	1	3	24
SPD 2	156	179	12.3			69	34	6	4	3	63
				MW	55	25	11	2	1	-	16
				FW	33	10	7	1	3	2	10
				MNW	46	13	11	3	-	-	19
				FNW	45	21	5	-	-	1	18
SPD 3	45	95	14.3			29	21	3	2	5	35
				MW	23	2	6	1	1	1	12
				FW	20	7	4	2	-	1	6
				MNW	26	9	8	-	-	1	8
				FNW	26	11	3	-	1	2	9
SPD 4	146	161	13.6			70	27	8	4	4	48
				MW	46	17	11	3	-	2	13
				FW	33	16	4	-	2	-	11
				MNW	50	24	5	3	-	1	17
				FNW	32	13	7	2	2	1	7
SPD 5	40	57	11.2			20	8	2	1	1	25
				MW	20	8	2	-	-	-	10
				FW	21	7	3	2	-	-	9
				MNW	11	5	1	-	1	1	3
				FNW	5	-	2	-	-	-	3
SPD 6	64	81	12.7			22	18	-	-	5	36
				MW	28	10	7	-	-	1	10
				FW	14	5	2	-	-	-	7
				MNW	15	6	3	-	-	-	6
				FNW	24	1	6	-	-	4	13
SPD 7	186	143	14.1			52	28	11	6	1	45
				MW	31	11	4	3	2	1	10
				FW	25	9	6	1	2	-	7
				MNW	54	19	13	3	2	-	17
				FNW	33	13	5	4	-	-	11
SPD 8	66	77	14.0			25	16	2	1	4	29
				MW	18	5	4	-	1	1	7
				FW	10	4	2	-	-	2	2
				MNW	25	13	8	-	-	-	4
				FNW	24	3	2	2	-	1	16
HSA 1	483	410	14.2			149	93	25	4	14	125
				MW	84	30	16	7	1	1	29
				FW	71	23	20	9	1	2	16
				MNW	137	46	33	5	-	6	47
				FNW	118	50	24	4	2	5	33
HSA 2	342	397	12.6			159	69	16	9	8	136
				MW	121	50	24	5	1	2	39
				FW	87	33	14	3	5	2	30
				MNW	107	42	17	6	1	2	39
				FNW	82	34	14	2	2	2	28
HSA 3	316	301	13.7			99	62	13	7	10	110
				MW	77	26	15	3	3	3	27
				FW	49	18	10	1	2	2	16
				MNW	94	38	24	3	2	-	27
				FNW	81	17	13	6	-	5	40

TABLE XXI
INFANT MORTALITY RATES BY PLACE OF RESIDENCE SHOWN BY AGE OF DEATH AND RACE
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1983

REGION	RACE	AGE AT DEATH IN DAYS						COMBINED RATES*			
		UNDER 1	1-6	7-13	14-20	21-27	28-364	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
TOTAL		4.9	2.7	0.7	0.2	0.4	4.5	7.7	8.9	16.8	13.4
	W	3.6	2.0	0.6	0.3	0.2	3.1	5.6	6.6	12.2	9.8
	NW	7.0	3.9	0.8	0.2	0.6	6.6	10.9	12.5	24.0	19.1
SPD 1		5.4	3.2	1.0	0.1	0.4	4.0	8.6	10.1	18.6	14.1
	W	3.7	2.2	1.1	0.1	0.1	2.3	5.9	7.2	14.1	9.5
	NW	7.3	4.4	0.9	0.1	0.8	6.0	11.7	13.4	23.7	19.4
SPD 2		4.7	2.3	0.4	0.3	0.2	4.3	7.1	8.0	13.5	12.3
	W	4.0	2.0	0.3	0.5	0.2	2.9	6.0	7.0	10.5	10.0
	NW	6.0	2.8	0.5	-	0.2	6.5	8.8	9.5	18.3	16.0
SPD 3		4.4	3.2	0.5	0.3	0.8	5.3	7.5	9.0	16.7	14.3
	W	1.9	2.1	0.6	0.2	0.4	3.9	4.1	5.4	9.8	9.2
	NW	10.1	5.5	-	0.5	1.5	8.6	15.6	17.7	32.7	26.2
SPD 4		5.9	2.3	0.7	0.3	0.3	4.0	8.2	9.5	19.1	13.6
	W	4.1	1.8	0.4	0.2	0.2	3.0	5.9	6.8	12.8	9.7
	NW	9.9	3.2	1.3	0.5	0.5	6.4	13.1	15.5	32.4	21.9
SPD 5		3.9	1.6	0.4	0.2	0.2	4.9	5.5	6.3	12.8	11.2
	W	3.9	1.3	0.5	-	-	5.0	5.2	5.8	10.4	10.7
	NW	3.9	2.3	-	0.8	0.8	4.6	6.2	7.7	19.8	12.4
SPD 6		3.5	2.8	-	-	0.8	5.7	6.3	7.1	14.8	12.7
	W	3.6	2.1	-	-	0.2	4.1	5.7	6.0	11.4	10.0
	NW	3.2	4.1	-	-	1.8	8.7	7.3	9.2	21.3	17.9
SPD 7		5.1	2.8	1.1	0.6	0.1	4.5	7.9	9.7	17.3	14.1
	W	3.5	1.8	0.7	0.7	0.2	3.0	5.3	6.8	12.2	9.8
	NW	7.3	4.1	1.6	0.5	-	6.3	11.3	13.4	23.9	19.7
SPD 8		4.5	2.9	0.4	0.2	0.7	5.3	7.5	8.7	18.3	14.0
	W	3.1	2.0	-	0.3	1.0	3.1	5.1	6.5	14.5	9.5
	NW	6.2	3.9	0.8	-	0.4	7.8	10.1	11.3	22.7	19.1
HSA 1		5.2	3.2	0.9	0.1	0.5	4.3	8.4	9.9	18.2	14.2
	W	3.2	2.2	1.0	0.1	0.2	2.7	5.4	6.7	12.9	9.4
	NW	7.7	4.6	0.7	0.2	0.9	6.4	12.3	14.1	25.2	20.5
HSA 2		5.0	2.2	0.5	0.3	0.3	4.3	7.2	8.3	15.5	12.6
	W	4.0	1.8	0.4	0.3	0.2	3.3	5.8	6.7	11.4	10.0
	NW	7.1	2.9	0.7	0.3	0.4	6.2	10.0	11.4	23.4	17.6
HSA 3		4.5	2.8	0.6	0.3	0.5	5.0	7.3	8.7	16.9	13.7
	W	3.4	1.9	0.3	0.4	0.4	3.4	5.4	6.5	12.5	9.8
	NW	6.0	4.0	1.0	0.2	0.5	7.3	10.1	11.8	23.0	19.1

*PERINATAL RATE PER 1000 DELIVERIES,ALL OTHER RATES PER 1000 LIVE BIRTHS
RATES MAY NOT BE ADDITIVE DUE TO ROUNDING

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	1108	1344.4			407	224	54	20	32	371
			WM	282	106	55	15	5	6	95
			WF	207	74	44	13	8	6	62
			NWM	338	126	74	14	3	8	113
			NWF	281	101	51	12	4	12	101
CERTAIN INTESTINAL INFECTIONS-(008-009)	7	8.5			-	-	-	-	-	7
			WM	3	-	-	-	-	-	3
			WF	2	-	-	-	-	-	2
			NWM	2	-	-	-	-	-	2
			NWF	-	-	-	-	-	-	-
WHOOPING COUGH-(033)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION-(036)	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
SEPTICEMIA-(038)	17	20.6			-	-	-	-	-	17
			WM	7	-	-	-	-	-	7
			WF	1	-	-	-	-	-	1
			NWM	3	-	-	-	-	-	3
			NWF	6	-	-	-	-	-	6
VIRAL DISEASES-(045-079)	8	9.7			-	-	-	-	-	8
			WM	2	-	-	-	-	-	2
			WF	1	-	-	-	-	-	1
			NWM	3	-	-	-	-	-	3
			NWF	2	-	-	-	-	-	2
CONGENITAL SYPHILIS-(090)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
REMAINDER OF INFECTIOUS AND PARASITIC DISEASES-(001-007,010-032,034-035,037,039-041,080-088,091-139)	3	3.6			-	-	1	-	-	2
			WM	-	-	-	-	-	-	-
			WF	1	-	-	-	-	-	1
			NWM	2	-	-	1	-	-	1
			NWF	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(140-208)	2	2.4			-	1	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	1	-	-	-	-
			NWF	1	-	-	-	-	-	1
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE-(210-239)	1	1.2			-	-	-	-	-	1
			WM	1	-	-	-	-	-	1
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
DISEASES OF THYMUS GLAND-(254)	1	1.2			-	-	-	-	-	1
			WM	1	-	-	-	-	-	1
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
CYSTIC FIBROSIS-(277.0)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS-(280-289)	6	7.3			1	-	-	-	-	5
			WM	2	1	-	-	-	-	1
			WF	2	-	-	-	-	-	2
			NWM	1	-	-	-	-	-	1
			NWF	1	-	-	-	-	-	1

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
MENINGITIS-(320-322)	17	20.6			-	2	1	1	1	12
			WM	4	-	-	-	-	1	3
			WF	1	-	-	-	1	-	-
			NWM	6	-	2	-	-	-	4
			NWF	6	-	-	1	-	-	5
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-(323-389)	20	24.3			-	-	-	-	-	20
			WM	7	-	-	-	-	-	7
			WF	3	-	-	-	-	-	3
			NWM	6	-	-	-	-	-	6
			NWF	4	-	-	-	-	-	4
ACUTE UPPER RESPIRATORY INFECTIONS-(460-465)	3	3.6			-	-	-	-	-	3
			WM	2	-	-	-	-	-	2
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
BRONCHITIS AND BRONCHIOLITIS-(466,490-491)	4	4.9			-	-	-	-	-	4
			WM	-	-	-	-	-	-	-
			WF	1	-	-	-	-	-	1
			NWM	2	-	-	-	-	-	2
			NWF	1	-	-	-	-	-	1
PNEUMONIA AND INFLUENZA-(480-487)	41	49.7			-	1	-	-	1	39
			WM	8	-	-	-	-	-	8
			WF	7	-	-	-	-	-	7
			NWM	16	-	-	-	-	1	15
			NWF	10	-	1	-	-	-	9
PNEUMONIA-(480-486)	41	49.7			-	1	-	-	1	39
			WM	8	-	-	-	-	-	8
			WF	7	-	-	-	-	-	7
			NWM	16	-	-	-	-	1	15
			NWF	10	-	1	-	-	-	9
INFLUENZA-(487)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM-(470-478,492-519)	24	29.1			1	1	1	1	-	20
			WM	3	-	-	-	-	-	3
			WF	8	1	-	1	-	-	6
			NWM	5	-	1	-	-	-	4
			NWF	8	-	-	-	1	-	7
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	2	2.4			-	-	-	-	-	2
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	2	-	-	-	-	-	2
GASTRITIS, DUODENITIS, AND NONINFECTIVE ENTERITIS AND COLITIS-(535,555-558)	6	7.3			-	-	1	-	1	4
			WM	1	-	-	1	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	2	-	-	-	-	-	2
			NWF	3	-	-	-	-	1	2
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM-(520-534, 536-543,562-579)	5	6.1			-	-	-	-	-	5
			WM	3	-	-	-	-	-	3
			WF	1	-	-	-	-	-	1
			NWM	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	1
CONGENITAL ANOMALIES-(740-759)	231	280.3			81	74	15	6	11	44
			WM	72	30	20	5	1	3	13
			WF	65	20	18	6	4	5	12
			NWM	45	18	15	2	-	1	9
			NWF	49	13	21	2	1	2	10
ANENCEPHALUS AND SIMILAR ANOMALIES-(740)	13	15.8			10	3	-	-	-	-
			WM	3	2	1	-	-	-	-
			WF	5	3	2	-	-	-	-
			NWM	3	3	-	-	-	-	-
			NWF	2	2	-	-	-	-	-

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS: UNDER 1	1-6	7-13	14-20	21-27	28-365
SPINA BIFIDA-(741)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
CONGENITAL HYDROCEPHALUS-(742.3)	5	6.1			2	-	-	-	1	2
			WM	1	-	-	-	-	-	1
			WF	1	1	-	-	-	-	-
			NWM	3	1	-	-	-	1	1
			NWF	-	-	-	-	-	-	-
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE-(742.0-742.2,742.4-742.9,743)	7	8.5			4	2	-	-	-	1
			WM	1	1	-	-	-	-	-
			WF	2	1	1	-	-	-	-
			NWM	1	1	-	-	-	-	-
			NWF	3	1	1	-	-	-	1
CONGENITAL ANOMALIES OF HEART-(745-746)	73	88.6			8	25	7	4	4	25
			WM	23	4	5	2	-	2	10
			WF	29	1	8	4	4	2	10
			NWM	10	2	4	1	-	-	3
			NWF	11	1	8	-	-	-	2
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM-(747)	25	30.3			1	20	3	-	1	-
			WM	5	-	5	-	-	-	-
			WF	7	1	4	1	-	1	-
			NWM	7	-	6	1	-	-	-
			NWF	6	-	5	1	-	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-(748)	31	37.6			16	9	-	-	2	4
			WM	7	4	2	-	-	-	1
			WF	10	6	2	-	-	1	1
			NWM	5	3	2	-	-	-	-
			NWF	9	3	3	-	-	1	2
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-(749-751)	2	2.4			-	1	-	-	-	1
			WM	1	-	1	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	-	-	-	-	-	1
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-(752-753)	10	12.1			7	3	-	-	-	-
			WM	7	5	2	-	-	-	-
			WF	1	1	-	-	-	-	-
			NWM	2	1	1	-	-	-	-
			NWF	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-(754-756)	21	25.5			10	5	3	1	1	1
			WM	11	5	3	1	1	1	-
			WF	5	2	1	1	-	-	1
			NWM	-	-	-	-	-	-	-
			NWF	5	3	1	1	-	-	-
DOWN'S SYNDROME-(758.0)	2	2.4			-	-	-	1	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	1	-	-	-	1	-	-
OTHER CHROMOSOMAL ANOMALIES-(758.1-758.9)	8	9.7			2	1	1	-	2	2
			WM	3	2	-	1	-	-	-
			WF	1	-	-	-	-	1	-
			NWM	-	-	-	-	-	-	-
			NWF	4	-	1	-	-	1	2
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-(744,757,759)	34	41.3			21	5	1	-	-	7
			WM	10	7	1	1	-	-	1
			WF	4	4	-	-	-	-	-
			NWM	13	7	2	-	-	-	4
			NWF	7	3	2	-	-	-	2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	520	630.9			320	130	28	9	13	20
			WM	121	75	31	8	3	1	3
			WF	83	51	23	4	2	-	3
			NWM	182	107	51	9	3	5	7
			NWF	134	87	25	7	1	7	7

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY-(760)	4	4.9			3	-	-	1	-	-
			WM	1	-	-	-	1	-	-
			WF	-	-	-	-	-	-	-
			NWM	2	2	-	-	-	-	-
			NWF	1	1	-	-	-	-	-
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY-(761)	27	32.8			25	2	-	-	-	-
			WM	5	4	1	-	-	-	-
			WF	6	6	-	-	-	-	-
			NWM	6	5	1	-	-	-	-
			NWF	10	10	-	-	-	-	-
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES-(762)	14	17.0			13	1	-	-	-	-
			WM	6	6	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	4	3	1	-	-	-	-
			NWF	4	4	-	-	-	-	-
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY-(763)	5	6.1			3	1	1	-	-	-
			WM	1	1	-	-	-	-	-
			WF	1	1	-	-	-	-	-
			NWM	2	1	1	-	-	-	-
			NWF	1	-	-	1	-	-	-
SLOW FETAL GROWTH AND FETAL MALNUTRITION-(764)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT-(765)	98	109.2			76	9	1	-	1	3
			WM	14	14	-	-	-	-	-
			WF	13	11	1	-	-	-	1
			NWM	44	37	5	1	-	-	1
			NWF	19	14	3	-	-	1	1
DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT-(766)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
BIRTH TRAUMA-(767)	22	26.7			9	10	1	-	2	-
			WM	7	3	3	1	-	-	-
			WF	4	1	3	-	-	-	-
			NWM	4	1	2	-	-	1	-
			NWF	7	4	2	-	-	1	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA-(768)	23	27.9			9	2	10	-	-	2
			WM	4	2	-	-	-	-	2
			WF	6	2	1	3	-	-	-
			NWM	5	2	-	3	-	-	-
			NWF	8	3	1	4	-	-	-
FETAL DISTRESS IN LIVEBORN INFANT-(768.2-768.4)	3	3.6			2	-	-	-	-	1
			WM	1	-	-	-	-	-	1
			WF	1	1	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	1	1	-	-	-	-	-
BIRTH ASPHYXIA-(768.5-768.9)	20	24.3			7	2	10	-	-	1
			WM	3	2	-	-	-	-	1
			WF	5	1	1	3	-	-	-
			NWM	5	2	-	3	-	-	-
			NWF	7	2	1	4	-	-	-
RESPIRATORY DISTRESS SYNDROME-(769)	76	92.2			36	31	6	1	-	2
			WM	27	11	9	5	1	-	1
			WF	14	5	8	1	-	-	-
			NWM	18	8	9	-	-	-	1
			NWF	17	12	5	-	-	-	-
OTHER RESPIRATORY CONDITIONS OF NEWBORN-(770)	91	110.4			46	26	2	1	4	12
			WM	19	11	6	1	-	1	-
			WF	12	6	3	-	1	-	2
			NWM	31	17	9	1	-	-	4
			NWF	29	12	8	-	-	3	6

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD-(771)	22	26.7			6	11	1	2	1	1
			WM	5	2	3	-	-	-	-
			WF	4	-	3	-	1	-	-
			NWM	12	4	4	1	1	1	1
			NWF	1	-	1	-	-	-	-
NEONATAL HEMORRHAGE-(772)	18	21.8			3	15	-	-	-	-
			WM	4	1	3	-	-	-	-
			WF	2	-	2	-	-	-	-
			NWM	11	1	10	-	-	-	-
			NWF	1	1	-	-	-	-	-
HEMOLYTIC DISEASE OF NEWBORN,DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE-(773-774)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
SYNDROME OF "INFANT OF A DIABETIC MOTHER" AND NEONATAL DIABETES MELLITUS-(775.0-775.1)	1	1.2			1	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	1	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
HEMORRHAGIC DISEASE OF NEWBORN-(776.0)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGIMATING IN THE PERINATAL PERIOD-(775.2-775.9,776.1-779)	127	154.1			90	22	6	4	5	-
			WM	28	20	6	1	1	-	-
			WF	21	19	2	-	-	-	-
			NWM	42	25	9	3	2	3	-
			NWF	36	26	5	2	1	2	-
SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS-(780-799)	79	95.9			1	2	3	-	3	70
			WM	22	-	-	-	-	-	22
			WF	12	-	1	-	-	1	10
			NWM	27	1	1	1	-	1	23
			NWF	18	-	-	2	-	1	15
SUDDEN INFANT DEATH SYNDROME-(798.0)	74	89.8			-	2	3	-	3	66
			WM	20	-	-	-	-	-	20
			WF	12	-	1	-	-	1	10
			NWM	26	-	1	1	-	1	23
			NWF	16	-	-	2	-	1	13
SYMPTOMS, SIGNS AND ALL OTHER ILL-DEFINED CONDITIONS-(780-797,798.1-799)	5	6.1			1	-	-	-	-	4
			WM	2	-	-	-	-	-	2
			WF	-	-	-	-	-	-	-
			NWM	1	1	-	-	-	-	-
			NWF	2	-	-	-	-	-	2
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)	38	46.1			-	-	-	-	-	38
			WM	7	-	-	-	-	-	7
			WF	5	-	-	-	-	-	5
			NWM	12	-	-	-	-	-	12
			NWF	14	-	-	-	-	-	14
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)	10	12.1			-	-	-	-	-	10
			WM	1	-	-	-	-	-	1
			WF	2	-	-	-	-	-	2
			NWM	4	-	-	-	-	-	4
			NWF	3	-	-	-	-	-	3
ACCIDENTAL MECHANICAL SUFFOCATION-(E913)	5	6.1			-	-	-	-	-	5
			WM	1	-	-	-	-	-	1
			WF	1	-	-	-	-	-	1
			NWM	1	-	-	-	-	-	1
			NWF	2	-	-	-	-	-	2
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS-(E800-E910, E914-E949)	23	27.9			-	-	-	-	-	23
			WM	5	-	-	-	-	-	5
			WF	2	-	-	-	-	-	2
			NWM	7	-	-	-	-	-	7
			NWF	9	-	-	-	-	-	9

(CONTINUED)

TABLE XXII
INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE*	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
HOMICIDE-(E960-E969)	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
CHILD BATTERING AND OTHER MALTREATMENT-(E967)	1	1.2			-	-	-	-	-	1
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	1	-	-	-	-	-	1
			NWF	-	-	-	-	-	-	-
OTHER HOMICIDE-(E960-E966,E968-E969)	-	-			-	-	-	-	-	-
			WM	-	-	-	-	-	-	-
			WF	-	-	-	-	-	-	-
			NWM	-	-	-	-	-	-	-
			NWF	-	-	-	-	-	-	-
ALL OTHER CAUSES-(RESIDUAL)	71	86.1			3	13	4	3	2	46
			WM	16	-	4	1	1	1	9
			WF	14	2	2	2	1	-	7
			NWM	20	-	3	1	-	-	16
			NWF	21	1	4	-	1	1	14

* RATE PER 100,000 LIVE BIRTHS

TABLE XXIII
MATERNAL DEATHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE AND RACE OF MOTHER
LOUISIANA, 1983

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE PER 100,000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	9	6	7.3		6	-	1	3	2	-	-	-	-	-
				W	2	-	1	-	1	-	-	-	-	-
				NW	4	-	-	3	1	-	-	-	-	-
CADDO	2	-	-		-	-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
EAST BATON ROUGE	1	1	13.8		1	-	-	-	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
IBERIA	-	1	66.7		1	-	-	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
JEFFERSON	2	-	-		-	-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	1	-	-		-	-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
ORLEANS	2	1	9.6		1	-	-	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
ST JOHN	-	1	106.4		1	-	1	-	-	-	-	-	-	-
				W	1	-	1	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	1	1	55.7		1	-	-	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
WEBSTER	-	1	143.7		1	-	-	-	1	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
OUT OF STATE**	-	3			3	-	-	2	-	1	-	-	-	-
				W	2	-	-	2	-	-	-	-	-	-
				NW	1	-	-	-	-	1	-	-	-	-

** NOT INCLUDED IN STATE TOTALS

TABLE XXIV
MATERNAL DEATHS BY CAUSE, RACE AND AGE
LOUISIANA RESIDENTS, 1983

CAUSE OF DEATH	TOTAL	RATE*	RACE	TOTAL BY RACE	AGE LT 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	UN
TOTAL	6	7.3	W	2	-	1	-	1	-	-	-	-	-
			NW	4	-	-	3	1	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME-(630-638)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
ECTOPIC PREGNANCY-(633)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
SPONTANEOUS ABORTION-(634)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
LEGALLY INDUCED ABORTION-(635)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
ILLEGALLY INDUCED ABORTION-(636)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
OTHER PREGNANCY WITH ABORTIVE OUTCOME-(630-632,637-638)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
DIRECT OBSTETRIC CAUSES-(640-646,651-676)	6	7.3	W	2	-	1	-	1	-	-	-	-	-
			NW	4	-	-	3	1	-	-	-	-	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH-(640-641,666)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
TOXEMIA OF PREGNANCY-(642.4-642.9,643)	1	1.2	W	1	-	1	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
OBSTRUCTED LABOR-(660)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF THE PUERPERIUM-(670-676)	2	2.4	W	-	-	-	-	-	-	-	-	-	-
			NW	2	-	-	1	1	-	-	-	-	-
OTHER DIRECT OBSTETRIC CAUSES-642.0-642.3, 644-646,651-659,661-665,667-669)	3	3.6	W	1	-	-	-	1	-	-	-	-	-
			NW	2	-	-	2	-	-	-	-	-	-
INDIRECT OBSTETRIC CAUSES-(647-648)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
DELIVERY IN A COMPLETELY NORMAL CASE-(650)	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-

* RATE PER 100,000 LIVE BIRTHS

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1983

PARISH AND CITIES OVER 10,000	ACTINOMYCOSIS	AIDS	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BLASTOMYCOSIS	BOTULISM	BOTULISM (INFANT)	BRUCELLOSIS (UNDULANT FEVER)	CAT SCRATCH FEVER	CHANCROID	CHOLERA	COCCIDIOIDOMYCOSIS	CRYPTOCOCCOSIS
TOTAL	-	19	8	-	178	-	-	-	1	-	1	-	-	1
ACADIA	-	-	1	-	3	-	-	-	-	-	-	-	-	-
CROWLEY*	-	-	-	-	2	-	-	-	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DE RIDDER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	2	-	-	-	-	-	-	-	-	-
BOSSIER	-	-	-	-	17	-	-	-	1	-	-	-	-	-
BOSSIER CITY*	-	-	-	-	9	-	-	-	-	-	-	-	-	-
CADDO	-	2	-	-	44	-	-	-	-	-	-	-	-	-
SHREVEPORT*	-	2	-	-	41	-	-	-	-	-	-	-	-	-
CALCASIEU	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAKE CHARLES*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SULPHUR*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	1	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E BATON ROUGE	-	-	-	-	4	-	-	-	-	-	-	-	-	-
BATON ROUGE*	-	-	-	-	4	-	-	-	-	-	-	-	-	-
BAKER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NEW IBERIA*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	-	-	-	-	1	-	-	-	-	-	-	-	-	-
JEFFERSON	-	4	1	-	13	-	-	-	-	-	-	-	-	-
KENNER*	-	-	-	-	5	-	-	-	-	-	-	-	-	-
GRETNA*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
MARAHAN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
JEFF DAVIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JENNINGS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	-	-	-	-	9	-	-	-	-	-	-	-	-	-
LAFAYETTE*	-	-	-	-	8	-	-	-	-	-	-	-	-	-
LAFOURCHE	-	-	1	-	4	-	-	-	-	-	-	-	-	-
THIBODAUX*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
LASALLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	1	-	-	-	-	-	-	-	-	-
RUSTON*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BASTROP*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES	-	1	-	-	2	-	-	-	-	-	-	-	-	-
NATCHITOCHES*	-	-	-	-	2	-	-	-	-	-	-	-	-	-
ORLEANS	-	11	2	-	37	-	-	-	-	-	-	-	-	1
OUACHITA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONROE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST MONROE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	-	-	1	-	1	-	-	-	-	-	-	-	-	-
ALEXANDRIA*	-	-	1	-	1	-	-	-	-	-	-	-	-	-
PINEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ST BERNARD	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST CHARLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	-	-	-	-	1	-	-	-	-	-	-	-	-	-
ST JOHN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST LANDRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OPELOUSAS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EUNICE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	-	-	-	-	10	-	-	-	-	-	-	-	-	-
ST MARY	-	-	-	-	5	-	-	-	-	-	1	-	-	-
MORGAN CITY*	-	-	-	-	2	-	-	-	-	-	-	-	-	-
ST TAMMANY	-	-	-	-	2	-	-	-	-	-	-	-	-	-
SLIDELL*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
TANGIPAHOA	-	-	-	-	1	-	-	-	-	-	-	-	-	-
HAMMOND*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	-	-	-	16	-	-	-	-	-	-	-	-	-
HOUMA*	-	-	-	-	10	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	-	-	-	-	2	-	-	-	-	-	-	-	-	-
ABBEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	-	-	1	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOGALUSA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	-	-	1	-	1	-	-	-	-	-	-	-	-	-
MINDEN*	-	-	-	-	1	-	-	-	-	-	-	-	-	-
W BATON ROUGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL	-	-	-	-	1	-	-	-	-	-	-	-	-	-
W FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)
1

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1983

PARISH AND CITIES OVER 10,000	DENGUE	DIPHTHERIA	ECHINOCOCCOSIS (HYDATID DISEASE)	ENCEPHALITIS, ARTHROPOD-BORNE	ENCEPHALITIS, POST INFECTIOUS	ENCEPHALITIS, OTHER AND UNSPECIFIED	FOOD POISONING	GLANDERS	GONORRHEA	GRANULOMA INGUINALE	HAEMOPHILUS TYPE B MENINGITIS	HEPATITIS, TYPE A	HEPATITIS, TYPE B	HEPATITIS, NON A, NON B
TOTAL	-	-	-	-	-	23	-	-	23472	-	13	600	353	38
ACADIA									151			52	19	4
CROWLEY*									88			12	5	1
ALLEN									18			1	-	
ASCENSION									72			7	1	
ASSUMPTION									108			-	2	
AVOYELLES									49			1	-	
BEAUREGARD									100			3	1	
DE RIDDER*									82			1	-	
BIENVILLE									28			-	-	
BOSSIER						1			294			-	6	1
BOSSIER CITY*									259			-	4	1
CADDO						10			2241		1	27	10	2
SHREVEPORT*						7			2158		1	25	9	2
CALCASIEU									1242		3	33	16	
LAKE CHARLES*									1089		2	11	11	
SULPHUR*									45			9	-	
CALDWELL									42			-	-	
CAMERON						1			16			-	1	
CATAHOULA									20			-	1	
CLAIBORNE									57			1	-	
CONCORDIA									65			-	3	1
DESOTO									25			-	1	
E BATON ROUGE						1			1394			3	10	
BATON ROUGE*						1			1321			3	10	
BAKER*									4			-	-	
EAST CARROLL									57			3	1	
E FELICIANA									48			-	1	
EVANGELINE									15			1	-	1
FRANKLIN									81			-	-	
GRANT									14			-	-	
IBERIA									162		1	70	8	3
NEW IBERIA*									81		1	20	5	2
IBERVILLE									66			3	-	
JACKSON									30			1	-	
JEFFERSON						1			1370		1	48	2	7
KENNER*									233			8	6	
GRETNA*									35		1	4	3	2
MARAHAN*									4			1	1	1
WESTWEGO*									28			3	2	
JEFF DAVIS									101			17	4	1
JENNINGS*									75			6	3	
LAFAYETTE						2			641			89	30	6
LAFAYETTE*						2			518			48	23	6
LAFOURCHE									236			4	4	
THIBODAUX*									151			-	3	
LASALLE									3			-	-	
LINCOLN									113			2	2	
RUSTON*									68			1	2	
LIVINGSTON									28			4	2	
MADISON									150			1	-	
TALLULAH*									134			-	-	
MOREHOUSE									224			11	-	
BASTROP*									170			7	-	
NATCHITOCHES									47			3	2	
NATCHITOCHES*									38			3	1	
ORLEANS						1			9284		2	11	82	3
OUACHITA									1291			40	3	
MONROE*									1129			14	1	
WEST MONROE*									122			21	-	
PLAQUEMINES									21			2	2	
POINTE COUPEE									30			-	-	
RAPIDES									974			3	11	
ALEXANDRIA*									748			-	8	
PINEVILLE*									85			3	1	
RED RIVER									14			-	-	
RICHLAND									106			4	1	
SABINE						1			16			-	-	
ST BERNARD									37			6	10	
ST CHARLES									88			1	3	
ST HELENA									20			-	-	
ST JAMES									83		1	2	-	
ST JOHN									68			2	4	
ST LANDRY									291			7	9	1
OPELOUSAS*									201			3	6	
EUNICE*									12			3	-	
ST MARTIN									101			20	-	
ST MARY						1			175			11	8	2
MORGAN CITY*						1			37			1	2	
ST TAMMANY									178		1	9	11	
SLIDELL*									98			3	4	
TANGIPAHOA									254			21	10	1
HAMMOND*									141			3	2	
TENSAS									14			-	1	
TERREBONNE						1			408		2	26	14	2
HOUMA*									278		1	11	8	1
UNION									73			-	-	
VERMILION									74		1	10	8	
ABBEVILLE*									63		1	2	4	
VERNON									64			6	1	1
WASHINGTON						1			119			-	1	1
BOGALUSA*						1			74			-	1	
WEBSTER									146			2	-	1
MINDEN*									100			-	-	1
W BATON ROUGE									111			-	2	
WEST CARROLL						2			19			24	4	
W FELICIANA									66			1	1	
WINN									19			-	-	
OUT OF STATE**	-	-	-	-	-	-	-	-	98	-	-	-	-	-

(CONTINUED)
2

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1983

PARISH AND CITIES OVER 10,000	HEPATITIS, TYPE UNSPECIFIED	HISTOPLASMOSIS	INFECTIOUS MONONUCLEOSIS	LEGIONNAIRE'S DISEASE	LEPROSY	LEPTOSPIROSIS (WEIL'S DISEASE)	LISTERIOSIS	LYMPHOCYTIC CHORIOMENINGITIS	LYMPHOPATHIA VENEREUM	MALARIA	MEASLES	MENINGOCOCCAL INFECTIONS	MUMPS	MYCOBACTERIOSIS, ATYPICAL
TOTAL	118	-	-	6	1	6	-	-	4	10	28	58	1	109
ACADIA	5	-	-	-	-	-	-	-	-	-	-	1	-	1
CROWLEY*	3	-	-	-	-	-	-	-	-	-	-	-	-	2
ALLEN	-	-	-	-	-	-	-	-	-	-	-	2	-	-
ASCENSION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	-	-	-	-	1	-	-	-	-	-	-	-	-
AVOYELLES	2	-	-	-	-	1	-	-	-	-	-	1	-	-
BEAUREGARD	1	-	-	-	-	-	-	-	-	-	-	1	-	-
DE RIDDER*	-	-	-	-	-	-	-	-	-	-	-	1	-	4
BIENVILLE	-	-	-	-	-	-	-	-	-	1	-	1	-	1
BOSSIER	2	-	-	-	-	-	-	-	-	1	-	4	-	7
BOSSIER CITY*	1	-	-	1	-	-	-	-	-	-	-	3	-	6
CADDO	7	-	-	1	-	-	-	-	-	-	-	3	-	5
SHREVEPORT*	7	-	-	-	-	-	-	-	-	-	-	2	-	-
CALCASIEU	2	-	-	-	-	-	-	-	-	-	-	-	-	-
LAKE CHARLES*	-	-	-	-	-	-	-	-	-	-	-	-	-	1
SULPHUR*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	1	-	-	-	-	-	-	-	-	-	1
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	1	-	-	-	-	-	-	-	-	-	-	1	-	1
CLAIBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	-	-	-	-	-	-	-	-	-	-	1	-	1
E BATON ROUGE	3	-	-	-	-	-	-	-	-	-	23	2	-	9
BATON ROUGE*	3	-	-	-	-	-	-	-	-	-	23	2	-	8
BAKER*	-	-	-	-	-	-	-	-	-	-	-	-	-	1
EAST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E FELICIANA	-	-	-	-	-	-	-	-	-	-	-	1	-	-
EVANGELINE	3	-	-	-	-	-	-	-	-	-	-	-	-	1
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	1	-	-	-	-	-	-	-	-	-	-	1	-	-
IBERIA	1	-	-	-	-	1	-	-	-	-	-	1	-	-
NEW IBERIA*	-	-	-	-	-	1	-	-	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	1
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	1
JEFFERSON	29	-	-	2	-	1	-	-	1	1	-	8	-	15
KENNER*	6	-	-	1	-	-	-	-	-	-	-	-	-	2
GRETNA*	4	-	-	-	-	-	-	-	-	-	-	4	-	-
HARAHAN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	1	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFF DAVIS	3	-	-	-	-	1	-	-	-	-	-	-	-	-
JENNINGS*	1	-	-	-	-	-	-	-	-	-	-	1	-	1
LAFAYETTE	5	-	-	-	-	-	-	-	-	-	-	1	-	-
LAFAYETTE*	2	-	-	-	-	-	-	-	-	-	-	2	-	-
LAFOURCHE	1	-	-	-	-	-	-	-	-	-	-	1	-	-
THIBODAUX*	-	-	-	-	-	-	-	-	-	-	-	1	-	-
LASALLE	1	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	1	-	-	-	-	-	-	1	-	2
RUSTON*	-	-	-	-	-	-	-	-	-	1	-	-	-	-
LIVINGSTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MADISON	2	-	-	-	-	-	-	-	-	-	-	-	-	1
TALLULAH*	2	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	2	-	-	-	-	-	-	-	-	-	-	1	-	1
BASTROP*	1	-	-	-	-	-	-	-	-	-	-	1	-	-
NATCHITOCHES	1	-	-	-	-	-	-	-	-	-	-	-	-	1
NATCHITOCHES*	16	-	-	1	-	-	-	-	3	4	-	8	-	17
ORLEANS	2	-	-	-	-	-	-	-	-	-	-	2	-	7
OUACHITA	1	-	-	-	-	-	-	-	-	-	-	2	-	5
MONROE*	-	-	-	-	-	-	-	-	-	-	-	2	-	1
WEST MONROE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	-	-	-	-	-	-	-	-	-	-	1	-	1
POINTE COUPEE	4	-	-	-	-	-	-	-	-	1	-	-	-	4
RAPIDES	2	-	-	-	-	-	-	-	-	1	-	1	-	3
ALEXANDRIA*	2	-	-	-	-	-	-	-	-	-	-	-	-	-
PINEVILLE*	-	-	-	-	-	-	-	-	-	-	-	1	-	1
RED RIVER	2	-	-	-	-	-	-	-	-	-	-	-	-	1
RICHLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	1
SABINE	1	-	-	-	-	-	-	-	-	-	-	1	-	2
ST BERNARD	1	-	-	-	-	-	-	-	-	-	-	1	-	-
ST CHARLES	-	-	-	-	-	-	-	-	-	-	-	-	-	1
ST HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	1
ST JAMES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	4	-	-	-	-	-	-	-	-	-	-	4	-	2
ST LANDRY	2	-	-	-	-	-	-	-	-	-	-	3	-	1
OPELOUSAS*	2	-	-	1	-	-	-	-	-	-	-	1	-	-
EUNICE*	4	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	-	-	-	1	-	-	-	-	-	-	-	1	-	1
ST MARY	1	-	-	-	-	-	-	-	-	-	-	1	-	1
MORGAN CITY*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST TAMMANY	3	-	-	-	-	-	-	-	-	-	-	1	-	7
SLIDELL*	-	-	-	-	-	-	-	-	-	-	-	1	-	5
TANGIPAHOA	2	-	-	-	-	-	-	-	-	2	-	1	-	1
HAMMOND*	1	-	-	-	-	1	-	-	-	-	-	1	-	1
TENSAS	1	-	-	-	-	1	-	-	-	-	-	2	-	1
TERREBONNE	-	-	-	-	-	-	-	-	-	-	-	-	-	4
HOUMA*	-	-	-	-	-	-	-	-	-	-	-	1	-	2
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-	3
VERMILION	-	-	-	-	-	-	-	-	-	-	-	1	-	1
ABBEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	-	-	-	-	-	-	-	-	-	-	-	-	-	1
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-	1
BOGALUSA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	2	-	-	-	-	-	-	-	-	-	-	1	-	1
MINDEN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W BATON ROUGE	2	-	-	-	-	-	-	-	-	-	-	-	-	2
WEST CARROLL	1	-	-	-	-	-	-	-	-	-	-	1	-	-
W FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	2
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	1	1	-	-	-

(CONTINUED)
3

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1983

PARISH AND CITIES OVER 10,000	OPHTHALMIA NEONATORUM	PERTUSSIS (WHOOPING COUGH)	PLAGUE	POLIOMYELITIS, PARALYTIC	POLIOMYELITIS NON-PARALYTIC	PSITTACOSIS	Q. FEVER	RABIES IN ANIMALS	RABIES IN MAN	RAT BITE FEVER	RAT BITES	RELAPSING FEVER	RHEUMATIC FEVER	REYES SYNDROME
TOTAL	5	11	-	1	-	1	-	37	-	-	-	1	-	3
ACADIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CROWLEY*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	1	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BEAUREGARD	-	-	-	-	-	-	-	2	-	-	-	-	-	-
DE RIDDER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	-	5	-	-	-	-	-	-
BOSSIER	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER CITY*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CADDO	-	-	-	-	-	1	-	7	-	-	-	-	-	-
SHREVEPORT*	-	-	-	-	-	1	-	6	-	-	-	-	-	-
CALCASIEU	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAKE CHARLES*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SULPHUR*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E BATON ROUGE	-	-	-	1	-	-	-	2	-	-	-	-	-	-
BATON ROUGE*	-	-	-	1	-	-	-	2	-	-	-	-	-	-
BAKER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	-	-	-	-	-	-	-	-	-	-	-	-	-	1
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	-	-	-	-	-	-	2	-	-	-	-	-	-
IBERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW IBERIA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	-	-	-	-	-	-	-	-	-	-	-	1	-	-
KENNER*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRETNA*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARAHAN*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFF DAVIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JENNINGS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THIBODAUX*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASALLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	-	-	-	2	-	-	-	-	-	-
RUSTON*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TALLULAH*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BASTROP*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	3	2	-	-	-	-	-	-	-	-	-	-	-	-
OUACHITA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MONROE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST MONROE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	1	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	-	2	-	-	-	-	-	-	-	-	-	-	-	1
ALEXANDRIA*	-	-	-	-	-	-	-	-	-	-	-	-	-	1
PINEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-	-	1	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	-	-	-	-	-	-	2	-	-	-	-	-	-
ST BERNARD	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST CHARLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JOHN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST LANDRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OPELOUSAS*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EUNICE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARTIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST MARY	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORGAN CITY*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST TAMMANY	-	1	-	-	-	-	-	-	-	-	-	-	-	-
SLIDELL*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMMOND*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	2	-	-	-	-	-	-	-	-	-	-	-	-
HOUMA*	-	2	-	-	-	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	3	-	-	-	-	-	-
VERMILION	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ABBEVILLE*	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	-	-	-	-	-	-	-	2	-	-	-	-	-	1
WASHINGTON	-	1	-	-	-	-	-	-	-	-	-	-	-	-
BOGALUSA*	-	1	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	-	-	-	-	-	-	-	8	-	-	-	-	-	-
MINDEN*	-	-	-	-	-	-	-	2	-	-	-	-	-	-
W BATON ROUGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL	-	1	-	-	-	-	-	-	-	-	-	-	-	-
W FELICIANA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1983

PARISH AND CITIES OVER 10,000	ROCKY MOUNTAIN SPOTTED FEVER	RUBELLA	RUBELLA, CONGENITAL SYNDROME	SALMONELLOSIS (INCLUDES PARATYPHOID FEVER)	SHIGELLOSIS (DYSENTERY-BACILLARY)	SMALLPOX	SYPHILIS	TETANUS	TOXOPLASMOSIS	TRACHOMA	TRICHINOSIS	TUBERCULOSIS, PULMONARY	TUBERCULOSIS, OTHER FORMS	TULAREMIA
TOTAL	2	10	-	249	81	-	3689	4	1	-	2	393	46	6
ACADIA	-	-	-	5	-	-	73	-	-	-	-	6	-	-
CROWLEY*	-	-	-	4	-	-	54	-	-	-	-	3	-	-
ALLEN	-	-	-	1	-	-	3	-	-	-	-	3	-	-
ASCENSION	-	-	-	1	2	-	21	-	-	-	-	2	2	-
ASSUMPTION	-	-	-	1	-	-	8	-	-	-	-	-	-	-
AVOYELLES	-	-	-	-	-	-	26	-	-	-	-	1	-	-
BEAUREGARD	-	-	-	-	-	-	10	-	-	-	-	2	-	-
DE RIDDER*	-	-	-	-	-	-	9	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	16	-	-	-	-	3	2	-
BOSSIER	-	-	-	13	3	-	104	1	-	-	-	1	-	-
BOSSIER CITY*	-	-	-	8	2	-	76	-	-	-	-	29	4	1
CADDO	1	-	-	32	10	-	400	-	1	-	-	25	3	1
SHREVEPORT*	1	-	-	28	9	-	386	-	1	-	-	13	4	-
CALCASIEU	-	-	-	5	3	-	115	-	-	-	-	8	2	-
LAKE CHARLES*	-	-	-	2	3	-	91	-	-	-	-	-	1	-
SULPHUR*	-	-	-	-	-	-	4	-	-	-	-	1	-	-
CALDWELL	-	-	-	1	-	-	1	-	-	-	-	-	-	-
CAMERON	-	-	-	1	-	-	-	-	-	-	-	2	-	-
CATAHOULA	-	-	-	1	-	-	5	-	-	-	-	2	-	-
CLAIBORNE	-	-	-	-	-	-	9	-	-	-	-	2	-	-
CONCORDIA	-	-	-	3	-	-	2	-	-	-	-	2	1	-
DESOTO	-	-	-	-	-	-	25	-	-	-	-	5	-	-
E BATON ROUGE	-	-	-	15	14	-	342	-	-	-	-	19	-	-
BATON ROUGE*	-	-	-	15	13	-	316	-	-	-	-	16	-	-
BAKER*	-	-	-	-	-	-	4	-	-	-	-	1	-	-
EAST CARROLL	-	-	-	-	-	-	18	-	-	-	-	9	2	-
E FELICIANA	-	-	-	2	-	-	19	-	-	-	-	4	-	-
EVANGELINE	-	-	-	-	-	-	17	-	-	-	-	3	1	-
FRANKLIN	-	-	-	-	-	-	1	-	-	-	-	3	-	-
GRANT	-	-	-	1	-	-	3	-	-	-	-	3	-	-
IBERIA	-	-	-	4	-	-	43	-	-	-	-	2	-	-
NEW IBERIA*	-	-	-	2	-	-	15	-	-	-	-	1	-	-
IBERVILLE	-	-	-	-	-	-	21	-	-	-	-	2	-	-
JACKSON	-	-	-	-	-	-	5	-	-	-	-	-	-	-
JEFFERSON	-	-	-	14	10	-	248	1	-	-	-	34	4	-
KENNER*	-	-	-	2	1	-	44	-	-	-	-	4	-	-
GRETNA*	-	-	-	-	2	-	45	-	-	-	-	7	-	-
HARAHAN*	-	-	-	-	-	-	-	-	-	-	-	1	-	-
WESTWEGO*	-	-	-	1	-	-	11	-	-	-	-	2	-	-
JEFF DAVIS	-	-	-	-	-	-	7	-	-	-	-	4	-	-
JENNINGS*	-	-	-	-	-	-	3	-	-	-	-	2	-	-
LAFAYETTE	2	-	-	10	6	-	189	-	-	-	-	8	-	-
LAFAYETTE*	2	-	-	7	6	-	87	-	-	-	-	7	-	1
LAFOURCHE	-	-	-	4	1	-	7	-	-	-	-	2	-	-
THIBODAUX*	-	-	-	3	1	-	4	-	-	-	-	-	-	-
LASALLE	-	-	-	-	-	-	4	-	-	-	1	-	-	-
LINCOLN	-	-	-	1	-	-	20	-	-	-	-	2	-	-
RUSTON*	-	-	-	-	-	-	11	-	-	-	-	1	-	-
LIVINGSTON	-	-	-	5	-	-	6	-	-	-	-	2	-	-
MADISON	-	-	-	-	-	-	34	-	-	-	-	1	-	-
TALLULAH*	-	-	-	-	-	-	31	-	-	-	-	2	-	-
MOREHOUSE	-	-	-	-	-	-	12	-	-	-	-	3	-	-
BASTROP*	-	-	-	-	-	-	8	-	-	-	-	2	-	-
NATCHITOCHES	-	-	-	3	-	-	45	-	-	-	-	2	-	-
NATCHITOCHES*	-	-	-	2	-	-	31	-	-	-	-	2	-	-
ORLEANS	-	-	-	29	7	-	1213	1	-	-	-	84	14	-
OUACHITA	8	-	-	1	-	-	69	-	-	-	-	28	6	2
MONROE*	8	-	-	-	-	-	62	-	-	-	-	21	6	2
WEST MONROE*	-	-	-	1	-	-	6	-	-	-	-	5	-	-
PLAQUEMINES	-	-	-	1	-	-	2	-	-	-	-	1	1	-
POINTE COUPEE	-	-	-	-	-	-	2	-	-	-	-	-	-	-
RAPIDES	1	-	-	6	1	-	70	-	-	-	-	24	1	-
ALEXANDRIA*	1	-	-	2	1	-	46	-	-	-	-	14	1	-
PINEVILLE*	-	-	-	4	-	-	13	-	-	-	-	8	-	-
RED RIVER	-	-	-	-	-	-	15	-	-	-	-	3	1	-
RICHLAND	-	-	-	-	-	-	1	1	-	-	-	3	1	-
SABINE	-	-	-	3	-	-	9	-	-	-	-	4	1	-
ST BERNARD	-	-	-	1	-	-	3	-	-	-	-	3	-	-
ST CHARLES	-	-	-	1	-	-	14	-	-	-	-	1	-	-
ST HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST JAMES	-	-	-	2	1	-	7	-	-	-	-	1	-	-
ST JOHN	-	-	-	5	5	-	23	-	-	-	-	-	-	-
ST LANDRY	-	-	-	6	1	-	83	-	-	-	-	10	-	-
OPELOUSAS*	-	-	-	3	-	-	28	-	-	-	-	4	-	-
EUNICE*	-	-	-	1	-	-	17	-	-	-	-	4	-	-
ST MARTIN	-	-	-	1	-	-	24	-	-	-	-	4	-	-
ST MARY	-	-	-	1	-	-	38	-	-	-	-	12	-	-
MORGAN CITY*	-	-	-	1	-	-	3	-	-	-	-	7	-	-
ST TAMMANY	-	-	-	5	6	-	61	-	-	-	-	4	-	-
SLIDELL*	-	-	-	1	5	-	7	-	-	-	-	-	-	-
TANGIPAHOA	-	-	-	9	4	-	84	-	-	-	-	4	-	-
HAMMOND*	-	-	-	1	2	-	46	-	-	-	-	2	-	-
TENSAS	-	-	-	1	-	-	1	-	-	-	-	2	-	-
TERREBONNE	-	-	-	30	3	-	33	-	-	-	-	8	-	-
HOUMA*	-	-	-	17	3	-	24	-	-	-	-	6	-	-
UNION	-	-	-	-	-	-	11	-	-	-	-	1	-	-
VERMILION	-	-	-	8	4	-	7	-	-	-	-	3	-	-
ABBEVILLE*	-	-	-	1	2	-	3	-	-	-	-	-	-	-
VERNON	-	-	-	1	-	-	38	-	-	-	-	2	-	-
WASHINGTON	-	-	-	4	-	-	13	-	-	-	-	1	-	-
BOGALUSA*	-	-	-	3	-	-	6	-	-	-	-	1	1	-
WEBSTER	-	-	-	7	-	-	56	-	-	-	-	4	-	2
MINDEN*	-	-	-	2	-	-	39	-	-	-	-	1	-	1
W BATON ROUGE	-	-	-	-	-	-	21	-	-	-	-	1	-	-
WEST CARROLL	-	-	-	-	-	-	2	-	-	-	-	2	-	-
W FELICIANA	-	-	-	-	-	-	2	-	-	-	-	-	-	-
WINN	-	-	-	4	-	-	9	-	-	-	1	5	-	-
OUT OF STATE**	-	-	-	1	1	-	2	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXV
REPORTABLE DISEASES BY PARISH OF RESIDENCE
LOUISIANA, 1983

PARISH AND CITIES OVER 10,000	TYPHOID FEVER	TYPHUS FEVER, ENDEMIC	TYPHUS FEVER, EPIDEMIC	UNDERNUTRITION, SEVERE	VISCERAL LARVA MIGRANS	
TOTAL	4	-	-	24	-	-
ACADIA	-	-	-	-	-	-
CROWLEY*	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-
ASCENSION	-	-	-	-	-	-
ASSUMPTION	-	-	-	-	-	-
AVOYELLES	-	-	-	-	-	-
BEAUREGARD	-	-	-	-	-	-
DE RIDDER*	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-
BOSSIER	-	-	-	-	-	-
BOSSIER CITY*	-	-	-	-	-	-
CADDO	-	-	-	2	-	-
SHREVEPORT*	-	-	-	2	-	-
CALCASIEU	-	-	-	1	-	-
LAKE CHARLES*	-	-	-	1	-	-
SULPHUR*	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-
DESOTO	-	-	-	-	-	-
E BATON ROUGE	-	-	-	-	-	-
BATON ROUGE*	-	-	-	-	-	-
BAKER*	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	-	-
E FELICIANA	-	-	-	-	-	-
EVANGELINE	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-
GRANT	-	-	-	-	-	-
IBERIA	-	-	-	-	-	-
NEW IBERIA*	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-
JEFFERSON	-	-	-	1	-	-
KENNER*	-	-	-	-	-	-
GRETNA*	-	-	-	-	-	-
HARAHAN*	-	-	-	-	-	-
WESTWEGO*	-	-	-	-	-	-
JEFF DAVIS	-	-	-	-	-	-
JENNINGS*	-	-	-	-	-	-
LAFAYETTE	-	-	-	-	-	-
LAFAYETTE*	-	-	-	-	-	-
LAFOURCHE	1	-	-	1	-	-
THIBODAUX*	1	-	-	-	-	-
LASALLE	-	-	-	-	-	-
LINCOLN	1	-	-	-	-	-
RUSTON*	1	-	-	-	-	-
LIVINGSTON	-	-	-	2	-	-
MADISON	-	-	-	-	-	-
TALLULAH*	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	-	-
BASTROP*	-	-	-	-	-	-
NATCHITOCHES	-	-	-	-	-	-
NATCHITOCHES*	-	-	-	-	-	-
ORLEANS	1	-	-	-	-	-
OUACHITA	-	-	-	-	-	-
MONROE*	-	-	-	-	-	-
WEST MONROE*	-	-	-	-	-	-
PLAQUEMINES	-	-	-	-	-	-
POINTE COUPEE	-	-	-	-	-	-
RAPIDES	1	-	-	-	-	-
ALEXANDRIA*	1	-	-	-	-	-
PINEVILLE*	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-
SABINE	-	-	-	-	-	-
ST BERNARD	-	-	-	-	-	-
ST CHARLES	-	-	-	1	-	-
ST HELENA	-	-	-	-	-	-
ST JAMES	-	-	-	-	-	-
ST JOHN	-	-	-	-	-	-
ST LANDRY	-	-	-	-	-	-
OPELOUSAS*	-	-	-	-	-	-
EUNICE*	-	-	-	-	-	-
ST MARTIN	-	-	-	-	-	-
ST MARY	-	-	-	-	-	-
MORGAN CITY*	-	-	-	-	-	-
ST TAMMANY	-	-	-	-	-	-
SLIDELL*	-	-	-	-	-	-
TANGIPAHOA	-	-	-	12	-	-
HAMMOND*	-	-	-	3	-	-
TENSAS	-	-	-	-	-	-
TERREBONNE	-	-	-	-	-	-
HOUMA*	-	-	-	-	-	-
UNION	-	-	-	-	-	-
VERMILION	-	-	-	-	-	-
ABBEVILLE*	-	-	-	-	-	-
VERNON	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-
BOGALUSA*	-	-	-	-	-	-
WEBSTER	-	-	-	1	-	-
MINDEN*	-	-	-	1	-	-
W BATON ROUGE	-	-	-	-	-	-
WEST CARROLL	-	-	-	-	-	-
W FELICIANA	-	-	-	-	-	-
WINN	-	-	-	3	-	-
OUT OF STATE**	-	-	-	-	-	-

* CITIES ARE INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
OCCURRING IN LOUISIANA, 1983

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ACTINOMYCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
AIDS	19	0.4	W	9	-	-	-	-	-	-	1	-	-	1	-	7
			NW	10	-	-	-	-	-	-	-	-	-	-	-	10
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
AMEBIASIS	8	0.2	W	7	-	-	-	-	-	1	-	1	1	-	2	2
			NW	1	-	-	-	-	-	-	1	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ANTHRAX	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ASEPTIC MENINGITIS	178	4.0	W	91	8	8	6	6	9	7	16	2	1	2	-	26
			NW	28	4	4	2	1	4	1	4	1	-	-	2	5
			UNK	59	33	4	2	3	1	3	2	-	-	-	-	11
BLASTOMYCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BOTULISM (INFANT)	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS (UNDULANT FEVER)	1	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	1	-	-	-	-	-	-	-	-	1	-	-	-
CAT SCRATCH FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CHANCROID	1	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	-	-	1	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CHOLERA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
COCCIDIOIDOMYCOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
CRYPTOCOCCOSIS	1	0.0	W	1	-	-	-	-	-	-	-	-	-	-	-	1
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
DENGUE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
DIPHTHERIA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ECHINOCOCCOSIS (HYDATID DISEASE)	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
OCCURRING IN LOUISIANA, 1983

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ENCEPHALITIS, ARTHROPOD-BORNE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, POST-INFECTIOUS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ENCEPHALITIS, OTHER AND UNSPECIFIED	23	0.5	W	17	-	-	-	4	1	-	3	1	-	-	1	7
			NW	4	-	-	-	-	-	-	2	1	-	-	-	1
			UNK	2	-	-	-	-	-	-	-	-	-	-	-	2
FOOD POISONING	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
GLANDERS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
GONORRHEA	23570	531.1	W	3837	1	3	-	26	946	1464	943	180	33	9	6	226
			NW	19479	1	16	14	206	5498	7182	4907	601	98	40	27	889
			UNK	254	-	1	-	-	29	28	26	3	-	-	4	163
GRANULOMA INGUINALE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
HAEMOPHILUS TYPE B MENINGITIS	13	0.3	W	6	-	3	-	-	-	-	-	-	-	-	-	3
			NW	4	1	2	-	-	-	-	-	-	-	-	-	1
			UNK	3	1	-	-	-	-	-	-	-	-	-	-	2
HEPATITIS, TYPE A	600	13.5	W	496	-	9	31	33	21	25	49	17	9	6	5	291
			NW	82	-	-	-	1	4	5	12	4	3	-	1	52
			UNK	22	-	-	-	-	1	2	1	-	1	-	-	17
HEPATITIS, TYPE B	353	8.0	W	185	-	2	1	3	15	28	23	12	11	8	3	79
			NW	145	2	1	-	2	6	18	36	17	6	12	12	33
			UNK	23	-	-	-	-	-	2	5	1	1	1	1	12
HEPATITIS, NON A, NON B	38	0.9	W	25	-	-	1	-	-	3	3	1	-	1	-	16
			NW	10	-	-	-	-	-	-	2	2	-	1	-	5
			UNK	3	-	-	-	-	-	-	1	-	-	-	-	2
HEPATITIS, TYPE UNSPECIFIED	118	2.7	W	83	-	1	2	1	5	6	15	1	4	1	-	47
			NW	23	-	-	-	-	1	1	4	2	2	-	1	12
			UNK	12	-	1	-	-	-	1	-	-	-	-	-	10
HISTOPLASMOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
INFECTIOUS MONONUCLEOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEGIONNAIRE'S DISEASE	6	0.1	W	4	-	-	-	-	-	-	1	-	1	-	-	2
			NW	2	-	-	-	-	-	-	-	-	-	2	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPROSY	1	0.0	W	1	-	-	-	-	-	-	-	-	-	-	-	1
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LEPTOSPIROSIS (WEIL'S DISEASE)	6	0.1	W	4	-	-	-	-	-	-	-	2	-	-	-	2
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	2	-	-	-	-	-	-	1	-	-	-	-	1

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
OCCURRING IN LOUISIANA, 1983

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
LISTERIOSIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LYMPHOCYTIC CHORIO-MENINGITIS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
LYMPHOPATHIA VENEREUM	4	0.1	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	4	-	-	-	-	1	2	1	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MALARIA	11	0.2	W	5	-	-	-	-	-	-	3	1	-	-	-	1
			NW	6	-	-	-	-	1	-	1	2	-	-	1	1
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES	29	0.7	W	28	-	-	-	1	3	4	2	-	-		-	18
			NW	1	-	-	-	-	1	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS	58	1.3	W	27	3	9	2	1	1	1	2	1	1	-	1	5
			NW	15	4	-	-	-	-	1	1	-	-	-	-	9
			UNK	16	1	5	1	3	3	-	-	1	-	-	-	2
MUMPS	1	0.0	W	1	-	-	-	-	-	-	-	-	-	-	-	1
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
MYCOBACTERIOSIS, ATYPICAL	109	2.5	W	82	-	1	-	-	-	1	2	5	10	12	24	27
			NW	27	-	-	-	-	-	-	1	2	2	6	6	10
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
OPHTHALMIA NEONATORUM	5	0.1	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	5	3	-	-	-	-	-	-	-	-	-	-	2
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
PERTUSSIS (WHOOPING COUGH)	11	0.2	W	5	2	-	-	-	-	-	-	-	-	-	-	3
			NW	3	-	-	-	-	-	-	-	-	-	-	-	3
			UNK	3	1	-	-	-	-	-	-	-	-	-	-	2
PLAGUE	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS, PARALYTIC	1	0.0	W	1	-	-	-	-	-	-	-	-	-	-	-	1
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
POLIOMYELITIS NON-PARALYTIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
PSITTACOSIS	1	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	-	-	-	-	1	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
Q. FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RABIES IN ANIMALS	37	0.8	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	37	-	-	-	-	-	-	-	-	-	-	-	37
RABIES IN MAN	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
OCCURRING IN LOUISIANA, 1983

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
RAT BITE FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RAT BITES	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RELAPSING FEVER	1	0.0	W	1	-	-	-	-	-	-	-	-	-	-	-	1
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
REYES SYNDROME	3	0.1	W	2	-	-	-	-	-	-	-	-	-	-	-	2
			NW	1	1	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER	2	0.0	W	1	-	-	-	-	-	-	-	-	-	-	-	1
			NW	1	-	-	-	1	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA	10	0.2	W	1	-	-	-	-	-	-	-	-	-	-	-	1
			NW	9	-	-	-	-	3	-	1	-	-	-	-	5
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
RUBELLA, CONGENITAL SYNDROME	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
SALMONELLOSIS (INCLUDES PARATYPHOID FEVER)	250	5.6	W	127	25	24	5	2	5	6	8	5	6	3	4	34
			NW	79	32	9	3	-	2	3	1	3	3	-	2	21
			UNK	44	8	6	3	2	2	2	1	1	-	-	2	17
SHIGELLOSIS (DYSENTERY-BACILLARY)	82	1.8	W	30	1	2	2	1	1	4	3	4	-	-	1	11
			NW	43	-	13	6	-	3	1	1	-	-	-	-	19
			UNK	9	-	1	1	-	-	-	1	-	-	1	-	5
SMALLPOX	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
SYPHILIS	3691	83.2	W	424	-	-	-	-	30	83	173	70	26	7	10	25
			NW	3225	1	-	2	37	588	998	1022	283	94	47	27	126
			UNK	42	-	-	-	-	-	3	6	6	2	4	5	16
TETANUS	4	0.1	W	2	-	-	-	-	-	-	-	-	1	-	1	-
			NW	2	-	-	-	-	-	-	-	-	-	-	1	1
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TOXOPLASMOSIS	1	0.0	W	1	-	-	-	-	-	1	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TRACHOMA	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TRICHINOSIS	2	0.0	W	2	-	-	-	-	-	-	1	-	1	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS, PULMONARY	393	8.9	W	190	-	1	1	-	4	7	15	26	38	29	57	12
			NW	196	-	7	1	2	9	10	31	34	32	23	38	9
			UNK	7	-	-	-	1	-	-	2	-	1	1	2	-

(CONTINUED)

TABLE XXVI
REPORTABLE DISEASES BY RACE AND AGE
OCCURRING IN LOUISIANA, 1983

DISEASE	TOTAL	RATE PER 100,000	RACE	TOTAL BY RACE	AGE IN YEARS											
					UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
TUBERCULOSIS, OTHER FORMS	46	1.0	W	14	-	1	-	-	-	-	2	1	3	3	3	1
			NW	31	-	5	-	-	-	1	6	1	2	1	12	3
			UNK	1	-	-	-	-	-	-	1	-	-	-	-	-
TULAREMIA	6	0.1	W	3	-	-	-	-	-	-	1	-	-	-	1	1
			NW	3	-	-	-	-	-	-	-	1	-	-	1	1
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER	4	0.1	W	3	-	1	-	-	-	-	-	1	-	-	-	1
			NW	1	-	-	-	-	-	-	-	1	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS FEVER, ENDEMIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
TYPHUS FEVER, EPIDEMIC	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
UNDERNUTRITION, SEVERE	24	0.5	W	5	1	-	1	-	-	-	-	-	-	-	-	3
			NW	18	9	8	-	-	-	-	-	-	-	-	-	1
			UNK	1	-	-	-	-	-	-	-	-	-	-	-	1
VISCERAL LARVA MIGRANS	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
YELLOW FEVER	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE XXVII
MARRIAGES, FINAL DIVORCES AND ANNULMENTS GRANTED
LOUISIANA, 1983

PARISH	MARRIAGES		DIVORCES BY PARISH GRANTING DECREE	ANNULMENTS BY PARISH GRANTING DECREE
	BY PARISH OF ISSUE OF LICENSE	BY PARISH OF OCCURRENCE		
TOTAL	43107	43107	16179	14
ACADIA	492	571	133	-
ALLEN	234	225	91 *	- *
ASCENSION	594	582	159	-
ASSUMPTION	193	201	54 *	- *
AVOYELLES	369	375	176 *	- *
BEAUREGARD	349	320	83	-
BIENVILLE	1	74	NR	NR
BOSSIER	652	1101	461	-
CADDO	2523	2068	1426	-
CALCASIEU	2006	1935	1004	-
CALDWELL	141	131	33	-
CAMERON	101	128	30	-
CATAHOULA	108	106	43 *	- *
CLAIBORNE	103	102	56 *	- *
CONCORDIA	203	212	160	-
DESOTO	203	206	NR	NR
E BATON ROUGE	4177	3959	1942 *	6 *
EAST CARROLL	75	89	40 *	- *
E FELICIANA	143	178	72	-
EVANGELINE	349	347	129 *	1 *
FRANKLIN	212	225	113 *	- *
GRANT	129	203	88	-
IBERIA	701	683	259 *	- *
IBERVILLE	238	278	83 *	- *
JACKSON	177	174	80 *	1 *
JEFFERSON	4697	4528	1699	2
JEFF DAVIS	381	376	29	-
LAFAYETTE	1988	1828	NR	NR
LAFOURCHE	873	802	283	-
LASALLE	161	169	91	-
LINCOLN	394	328	NR	NR
LIVINGSTON	710	829	NR	NR
MADISON	119	117	75 *	- *
MOREHOUSE	248	262	28	-
NATCHITOCHES	118	162	232	-
ORLEANS	5389	5318	2026	-
OUACHITA	1448	1341	770	-
PLAQUEMINES	191	271	78	-
POINTE COUPEE	200	211	70 *	- *
RAPIDES	1587	1575	737	-
RED RIVER	148	108	NR	NR
RICHLAND	183	191	82 *	- *
SABINE	181	187	212 *	- *
ST BERNARD	869	1048	334	-
ST CHARLES	401	404	145	-
ST HELENA	136	141	13 *	- *
ST JAMES	174	219	38	-
ST JOHN	266	274	NR	NR
ST LANDRY	815	869	246 *	- *
ST MARTIN	339	365	137	-
ST MARY	758	756	289 *	- *
ST TAMMANY	1200	1276	NR	NR
TANGIPAHOA	860	816	19	-
TENSAS	35	41	23	1
TERREBONNE	1033	1050	691	-
UNION	-	55	36 *	1 *
VERMILION	483	517	176	-
VERNON	719	762	275 *	1 *
WASHINGTON	485	448	195 *	- *
WEBSTER	438	395	212	1
W BATON ROUGE	249	176	62 *	- *
WEST CARROLL	109	119	46	-
W FELICIANA	83	97	NR	NR
WINN	146	133	73 *	- *
UNKNOWN	20	60	41	-
OUT OF STATE	-	10	1	-

* SUMMARY REPORT
'NR' NO DIVORCE OR ANNULMENT DATA REPORTED BY CLERK OF COURT

TABLE XXVIII
MARRIAGES BY MONTH OF OCCURRENCE
LOUISIANA, 1983

MONTH	NUMBER	PERCENT	DAILY AVERAGE
TOTAL	43107	100.0	118
JANUARY	2814	6.5	91
FEBRUARY	2993	6.9	107
MARCH	3233	7.5	104
APRIL	3899	9.0	130
MAY	3814	8.8	123
JUNE	4551	10.6	152
JULY	4216	9.8	136
AUGUST	3741	8.7	121
SEPTEMBER	3303	7.7	110
OCTOBER	3386	7.9	109
NOVEMBER	3289	7.6	110
DECEMBER	3808	8.8	123
UNKNOWN	60	0.1	

TABLE XXIX
MARRIAGES BY RACE OF GROOM AND RACE OF BRIDE
LOUISIANA, 1983

RACE OF GROOM	TOTAL	RACE OF BRIDE							
		WHITE	BLACK	AMERICAN INDIAN	CHINESE	JAPANESE	FILIPINO	OTHER	UNKNOWN
TOTAL	43107	33403	9339	46	14	7	26	234	38
WHITE	33365	33105	105	38	5	6	19	61	26
BLACK	9413	176	9210	3	-	1	3	12	8
AMERICAN INDIAN	49	36	10	3	-	-	-	-	-
CHINESE	19	8	-	-	9	-	-	2	-
JAPANESE	1	-	1	-	-	-	-	-	-
FILIPINO	17	13	-	-	-	-	4	-	-
OTHER	214	44	9	2	-	-	-	159	-
UNKNOWN	29	21	4	-	-	-	-	-	4

TABLE XXX
MARRIAGES BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM
LOUISIANA, 1983

PREVIOUS MARITAL STATUS OF GROOM	TOTAL	PREVIOUS MARITAL STATUS OF BRIDE				
		NEVER MARRIED	WIDOWED	DIVORCED	MARRIAGE ANNULLED	UNKNOWN
TOTAL	43107	26353	1453	12287	34	2980
NEVER MARRIED	25970	21538	230	4063	17	122
WIDOWED	1171	168	523	471	1	8
DIVORCED	12977	4512	694	7689	11	71
MARRIAGE ANNULLED	53	29	1	18	5	-
UNKNOWN	2936	106	5	46	-	2779

TABLE XXXI
MARRIAGES BY AGE OF GROOM AND AGE OF BRIDE
LOUISIANA, 1983

AGE OF GROOM	TOTAL	AGE OF BRIDE															
		UNDER 15	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	43107	72	347	950	1831	3378	3476	3334	3152	3036	2756	2294	2032	1763	1579	1370	1204
LT 15	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9	-	-	4	1	1	1	1	-	-	-	1	-	-	-	-	-
16	68	3	12	22	19	5	3	1	-	2	-	-	-	-	-	1	-
17	353	8	54	89	91	60	26	11	6	3	3	-	1	-	1	-	-
18	1336	18	87	206	308	364	175	76	34	22	11	13	2	5	5	1	2
19	2316	12	79	223	398	597	488	229	88	61	43	29	13	12	5	11	4
20	2835	6	39	147	345	661	586	457	222	121	79	38	38	22	15	11	9
21	3096	4	29	79	217	528	572	537	450	255	128	82	50	39	26	14	14
22	3124	5	22	57	152	355	458	526	473	407	204	123	91	49	44	34	29
23	3027	4	8	32	87	229	330	389	455	465	364	207	128	76	64	35	29
24	2718	4	7	17	68	153	225	264	338	389	346	291	171	84	79	61	63
25	2477	2	2	17	36	109	155	229	267	279	315	282	239	138	108	73	50
26	2246	-	2	10	24	84	105	155	181	235	285	230	234	179	134	90	68
27	1985	2	2	8	23	53	77	114	170	169	209	204	190	176	130	108	73
28	1706	1	-	7	9	36	58	75	106	142	149	157	179	147	146	125	69
29	1506	-	1	7	7	25	46	68	90	95	123	125	117	144	130	92	108
30-34	5228	1	2	13	25	73	112	117	176	240	317	327	344	411	400	415	380
35-39	3105	-	1	3	3	14	28	43	65	91	112	111	137	164	178	163	171
40-44	1869	-	-	3	2	14	11	14	15	27	39	43	40	60	66	74	70
45-49	1261	-	-	-	2	2	6	8	4	12	13	10	20	30	27	33	32
50-54	838	-	-	-	1	3	1	2	2	5	6	5	7	10	9	10	16
55-59	592	-	-	-	-	-	1	4	-	2	4	3	-	4	6	6	8
60-64	467	-	-	1	-	2	-	-	1	1	1	2	1	1	3	4	1
65-69	311	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2
70-74	205	-	-	-	-	1	-	-	1	-	1	2	1	1	-	1	-
75 +	144	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
UNK	284	1	-	5	13	9	12	14	8	12	3	9	7	9	2	6	6

TABLE XXXI (CONTINUED)
MARRIAGES BY AGE OF GROOM AND AGE OF BRIDE
LOUISIANA, 1983

AGE OF BRIDE											AGE OF GROOM
30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 AND OVER	UNKNOWN	
4241	2361	1363	845	502	342	284	185	103	42	265	TOTAL
-	-	-	-	-	-	-	-	-	-	-	LT 15
-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	17
3	-	1	-	-	-	-	-	-	-	3	18
11	3	-	-	-	-	-	-	-	-	10	19
21	6	2	-	-	-	-	-	-	-	10	20
40	16	2	-	-	-	-	-	-	-	14	21
55	19	5	3	-	-	-	-	-	-	13	22
84	20	5	1	2	-	-	-	-	-	13	23
111	30	9	1	-	-	1	-	-	-	6	24
133	23	12	1	1	1	-	-	-	-	5	25
166	38	8	5	1	-	-	-	-	-	12	26
198	61	7	2	1	-	-	-	-	-	8	27
212	66	13	4	-	-	2	-	-	-	3	28
237	57	20	4	1	-	-	1	-	-	8	29
1241	434	125	28	11	2	-	-	-	-	12	30-34
925	621	191	61	12	2	-	1	-	-	8	35-39
442	445	343	126	23	10	1	1	-	-	6	40-44
207	268	267	210	65	26	10	3	1	-	5	45-49
82	122	184	165	133	52	8	7	3	1	4	50-54
33	75	90	122	95	84	39	11	1	2	2	55-59
19	36	43	62	97	75	76	25	11	1	4	60-64
3	7	20	31	43	48	82	53	16	1	1	65-69
-	2	8	20	10	22	37	51	35	9	3	70-74
-	1	4	2	6	15	27	28	33	23	2	75 +
18	11	4	3	1	5	1	4	3	5	113	UNK